



# Safety Data Sheet

Report Date 14-Apr-15

Page 1 of 4

## 1. Identification

**Product Name** : SILWET L-77  
**Synonyms** : None  
**Product Use** : Organosilicone Surfactant  
**Manufacturer/Supplier** : Helena Chemical Company  
**Address** : 225 Schilling Blvd. Collierville, TN 38017  
**General Information** : 901-761-0050  
**Transportation Emergency Number** : CHEMTREC:800-424-9300

## 2. Hazard Identification



**Signal Word** : Warning  
**Skin Irritation** : No irritation on 5 of 6 at 7 days; desquamation on 1/6 at 14 days.  
**Eye Irritation** : 21 days-minor corneal injury in 1 of 6; minor conjunctival redness in 2 of 6.  
**Acute Toxicity Oral** : LD50 (rat) 2,330 mg/kg (combined male/female rate)  
**Acute Toxicity Dermal** : LD50 (rabbit) 2,640 mg/kg (combined male/female rate)  
**Hazard Categories** : Oral/Dermal/Inhalation Toxicity - 5/5/5; Eye Irritation - 2A; Skin Irritation - 3  
**Hazard Statement** : May be harmful if swallowed  
May be harmful in contact with skin  
Causes serious eye irritation  
Causes mild skin irritation  
May be harmful if inhaled

## 3. Composition / Information on Ingredients

Component	CAS Number	Weight %
Polyalkyleneoxide modified heptamethyltrisiloxane, allyloxypolyethyleneglycol methyl ether.	Proprietary	100.00

## 4. First Aid Measures

**Eye** : Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**Skin** : Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**Inhalation** : Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison center or doctor for further treatment advice.

**Ingestion** : Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth if unconscious.

**Indication of Immediate Medical Attention and Special Treatment Needed** : Treat symptomatically.



## Safety Data Sheet

Report Date 14-Apr-15

Page 2 of 4

### 5. Fire Fighting Measures

- Extinguishing Media** : Use alcohol-type or universal-type foam for large fires. Use carbon dioxide or dry chemical extinguishing agents for small fires.
- Specific Hazards Arising from the Chemical** : Do not spray a solid stream of water or foam directly into a pool of hot, burning liquid. This may cause frothing and increase fire intensity.
- Special Fire Fight Proc** : Wear self-contained breathing apparatus and full protective clothing.

### 6. Accidental Release Measures

- Personal Precautions** : Keep unprotected and unnecessary personnel out of spill area.
- Protective Equipment** : Splashproof goggles or faceshield, impervious gloves, impervious apron and footwear. Eyewash and emergency shower should be available in work area. Respiratory protection not normally needed.
- Emergency Procedures** : Spill area will be quite slippery. Dike spill area to prevent spreading. Spill may be reportable under the Clean Water Act.
- Methods and Materials for Containment and Cleanup** : Use an oil absorbent material, such as clay, sand or sawdust. Collect and place in suitable containers for proper disposal.

### 7. Handling and Storage

- Precautions for Safe Handling** : Keep out of reach of children. Keep container tightly closed. Do not allow water to be introduced into the contents of this container.
- Conditions for Safe Storage** : Store in original container only. Do not store near heat or open flame. Do not store with oxidizing agents.

### 8. Exposure Controls / Personal Protection

- TLV/PEL** : Not available for mixture
- Appropriate Engineering Controls** : General (mechanical) room ventilation is expected to be satisfactory.
- Personal Protective Equipment** : Splashproof goggles or faceshield, impervious gloves, impervious apron and footwear. Eyewash and emergency shower should be available in work area. Respiratory protection not normally needed.

### 9. Physical and Chemical Properties

- Odor/Appearance** : Clear, colorless liquid with polyether odor.
- Flash Point, °F** : 241 Degrees F.
- Boiling Point, °F** : >302 Degrees F.
- Melting Point(Freezing point), °C** : 30 Degrees F.
- Vapor Pressure, mm Hg @ 20 °C** : <1 mmHg
- Vapor Density** : >1
- Solubility in Water** : Dispersible
- Molecular Formula** : Not applicable, formulated mixture.
- Density, g/mL @ 25 °C** : 1.005-1.015
- Evaporation Rate(Butyl Acetate = 1)** : <1
- Octanol/Water Partition Coefficient** : No information found
- pH** : Not applicable, no water content.
- Flammable Limits (approximate volume % in air)** : No information found
- Auto-ignition Temperature** : Not determined



## Safety Data Sheet

Report Date 14-Apr-15

Page 3 of 4

**Decomposition temperature** : No information found

### 10. Stability and Reactivity

**Reactivity** : No information found  
**Chemical Stability** : Stable  
**Hazardous Decomposition Products** : Burning can produce carbon oxides, oxides of silicon, formaldehyde.  
**Hazardous Polymerization** : Will not occur  
**Conditions to Avoid** : None known  
**Incompatible Materials** : None known

### 11. Toxicological Information

**Acute Toxicity (Oral LD50)** : 2,330 mg/kg (rat) combined male/female rate. May be harmful if swallowed.  
**Acute Toxicity (Dermal LD50)** : 2,640 mg/kg combined male/female rate. May be harmful in contact with skin.  
**Acute Toxicity Inhalation LC50** : Substantially saturated vapor: no deaths in 6 hours, 5 male, 5 female. May be harmful if inhaled.  
**Likely Routes of Exposure** : Eyes, skin, inhalation  
**Skin Irritation** : No irritation on 5 of 6 at 7 days; desquamation on 1/6 at 14 days. Causes mild skin irritation.  
**Eye Irritation** : 21 days-minor corneal injury in 1 of 6; minor conjunctival redness in 2 of 6. Causes serious eye irritation.  
**Skin Sensitization** : Did not cause sensitization on laboratory animals (guinea pig).  
**Carcinogenic** : Not listed by IARC, NTP or OSHA.  
**Chronic Effects** : No information found  
**Other Hazards** : Findings from a 14-day dietary feeding study with rats show that high dosage repeated ingestion causes reversible adverse effects on the male and female reproductive tracts.

### 12. Ecological Information

**Ecotoxicity** : No information found  
**Persistence and Degradability** : No information found  
**Bioaccumulative Potential** : No information found  
**Mobility in Soil** : No information found  
**Other Adverse Effects** : None currently known

### 13. Disposal Considerations

**Waste Disposal Method** : This material must be disposed of according to Federal, State or Local procedure under the Resource Conservation and Recovery Act.

### 14. Transport Information

**UN Proper Shipping Name** : Not regulated by DOT, IATA or IMDG.  
**Transport Hazard Class** : None  
**UN Identification Number** : None  
**Packaging Group** : None  
**Environmental Hazards** : No information found  
**Transport in Bulk** : No information found



# Safety Data Sheet

Report Date 14-Apr-15

Page 4 of 4

**Special Precautions for Transportation** : No information found

**Freight Classification** : Adhesives, Adjuvants, Spreaders or Stickers, N.O.I. (NMFC Item 42652, Class 60)

## 15. Regulatory Information

**National Fire Protection Association Rating** :

Health: 2 Fire: 1 Reactivity: 0  
Rating Level: (4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Minimum)

**S.A.R.A Title III Hazard Classification (Yes/No)** :

Immediate( Acute) Health: Y  
Delayed (Chronic) Health: Y  
Sudden Release of Pressure: N  
Fire: N  
Reactive: N

## 16. Other Information

**Data of Preparation/Revision** : 13-April-2015