

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**COMPANY ADDRESS:**

ALBAUGH, LLC
Ankeny, IA 50021
1-800-247-8013

EMERGENCY TELEPHONE NUMBERS:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call
CHEMTREC Day or Night

- Within USA and Canada: 1-800-424-9300 CCN771
- Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

PRODUCT NAME : **SoyStar™ Premier ST**
CHEMICAL NAMES : Imidacloprid, Thiophanate-methyl, Fludioxonil. and Metalaxyl
PRODUCT USES : Seed Protectant
PRODUCT CODE : EPA Reg. No 42750-353

This product is an EPA FIFRA registered pesticide. Some classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by US EPA for a registered pesticide. Please see Section 15. REGULATORY INFORMATION for explanation.

SECTION 2 - HAZARDS IDENTIFICATION SUMMARY

(As defined by OSHA Hazard Communication Standard, 29 CFR 1910.1200)

PHYSICAL HAZARDS

None.

HEALTH HAZARDS

Acute toxicity, oral: Category 4

Mutagen: Category 2

ENVIRONMENTAL HAZARDS

Hazardous to aquatic environment, acute: Category 2

Hazardous to aquatic environment, chronic: Category 2

SIGNAL WORD

WARNING

HAZARD STATEMENTS

Harmful if swallowed. Suspected of causing genetic defects. Toxic to aquatic life with long lasting effects.

**PRECAUTIONARY STATEMENTS**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Contaminated work clothing should not be allowed out of the workplace.

IF SWALLOWED: Call a poison center if you feel unwell. Rinse mouth. If exposed or concerned: Get medical advice or attention.

Store locked up.

Dispose of contents in accordance with local, state, and federal regulations.

SECTION 3 - COMPOSITION, INFORMATION OF INGREDIENTS

COMPONENT	PERCENTAGE	CAS NUMBER
Imidacloprid	20.2	138261-41-3
Thiophanate-methyl	3.3	23564-05-8
Metalaxyl	5.1	57837-19-1
Fludioxonil	0.8	131341-86-1
Other Ingredients	70.6	N/A

SECTION 4 - FIRST AID MEASURES

First Aid responders should use protective equipment in Section 8 if there is a potential for exposure to product.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air, if person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: No specific antidote available, treat symptomatically.

Have a product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5 - FIRE FIGHTING MEASURES

FLASHPOINT: Not applicable

EXTINGUISHING MEDIA: Use foam, dry chemical, carbon dioxide, or water spray when fighting fires involving this material.

FIRE AND EXPLOSION HAZARD: Can burn in fire, releasing irritating and toxic gases due to thermal decomposition or combustion.

FIRE FIGHTING INSTRUCTIONS: Evacuate area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Dike and collect water used to fight fire to prevent environmental damage due to run off. Foam or dry chemical fire extinguishing systems are preferred to prevent environmental damage from excessive water runoff.

Minimize use of water to prevent environmental contamination. Contact your State Pesticide or Environmental Control Agency, or nearest EPA Regional Office for guidance on disposal.

FIRE FIGHTING EQUIPMENT: Self-contained breathing apparatus with full facepiece.

HAZARDOUS COMBUSTION PRODUCTS: Hydrogen cyanide, Hydrogen chloride, Carbon monoxide, Nitrogen oxides.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

IN CASE OF SPILLS OR LEAKS: Clean up spills immediately, observing precautions in Section 8 of this document. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.

SMALL SPILL: Absorb small spills on sand, vermiculite or other inert absorbent. Place contaminated material in appropriate container for disposal.

LARGE SPILL: Dike large spills using absorbent or impervious material such as clay or sand. Recover and contain as much free liquid as possible for reuse. Allow absorbed material to solidify, and scrape up for disposal. After removal, clean contaminated area thoroughly with water. Pick up wash liquid with additional absorbent and place in a disposable container.

This material should be prevented from contaminating soil or from entering sewage and drainage systems and bodies of water. Minimize use of water to prevent environmental contamination

SECTION 7 - HANDLING AND STORAGE

KEEP OUT OF REACH OF CHILDREN!

Wear proper safety equipment specified in Section 8 when mixing, loading or otherwise handling concentrate.

HANDLING: Use only in a well-ventilated area. Minimize dust generation and accumulation.

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Store in a cool dry location. Protect from excessive heat.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

EXPOSURE LIMITS (8 hour TWA, ppm):

COMPONENT	OSHA PEL	ACIGH TLV
Imidacloprid	Not Est	Not Est
Metalaxyl	Not Est	Not Est
Fludioxonil	Not Est	Not Est
Thiophanate-methyl	Not Est	Not Est

ENGINEERING CONTROLS: Proper ventilation is required when handling or using this product to minimize exposure to airborne contaminants. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

PERSONAL PROTECTIVE EQUIPMENT:

1. Long-sleeved shirt and long pants,
2. Shoes plus socks,
3. Waterproof gloves
4. Protective eyewear.

USER SAFETY RECOMMENDATIONS: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash outside of gloves before removing.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Opaque red liquid
Odor:	Mild, sweet
pH:	6.0 – 7.0
Melting Point:	Not applicable
Boiling Point:	No data
Flash Point:	Not applicable
Evaporation Rate:	No data
Flammability:	Not flammable
Flammability Limits:	Not applicable
Vapor Pressure:	No data
Vapor Density:	Not applicable
Density:	1.14 g/ml *
Solubility:	Dispersible
Partition Coefficient:	No data
Auto-Ignition Temperature:	No data
Decomposition Temperature:	No data
Viscosity:	623.9 (20°C); 27,379.6 (40°C)

*Listed density is an approximate value and does not necessarily represent that of a specific batch.

SECTION 10 - STABILITY AND REACTIVITY

PRODUCT REACTIVITY: Do not mix or allow contact with oxidizing agents. Hazardous chemical reaction may occur.

CHEMICAL STABILITY: Stable, however may decompose if heated.

HAZARDOUS REACTION/POLYMERIZATION: Product will not undergo polymerization.

CONDITIONS TO AVOID: Avoid temperatures above 100°F (38°C) for prolonged period of time. Strong exothermic reaction can occur above 390°F (200°C)

INCOMPATIBLE MATERIALS: None known.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may generate Hydrogen chloride, Oxides of nitrogen and carbon.

SECTION 11 - TOXICOLOGICAL INFORMATION

Data from similar but not identical formulation

ACUTE TOXICITY:

Oral LD ₅₀ (rat)	1,750 mg/kg (females)
Dermal LD ₅₀ (rat)	>5,000 mg/kg
Inhalation LC ₅₀ (rat)	>2.05 mg/L
Eye Irritation (rabbit)	No-irritating
Skin Irritation (rabbit)	No-irritating
Sensitization (guinea pig)	Not a contact sensitizer

CARCINOGEN STATUS:

OSHA	-	Not listed.
NTP	-	Not listed.
IARC	-	Not listed.

TERATOGENICITY: No reproductive or teratogenic (birth defect) effects at normal exposure levels.

MUTAGENICITY: Contains Thiophanate-methyl which is suspected of causing genetic defects.

SECTION 12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: This pesticide is toxic to birds and aquatic invertebrates and toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Exposed treated seeds may be hazardous to birds. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil. Do not contaminate water when disposing of equipment washwaters or rinsate.

FATE:

Imidacloprid has a soil ½ life of 29 - 225 days depending on soil type and conditions. It is soluble in water and has the potential to leach in permeable soil types.

Metalaxyl is moderately persistent with a soil half life of 60 - 180 days depending on soil type and weather conditions. It is highly mobile in certain soil types.

Fludioxonil is moderately persistent with a half-life of 120 - 240 days depending on soil pH and weather conditions.

Thiophanate-methyl is slightly persistent with a half-life of < 10 days depending on soil pH and weather conditions.

TECHNICAL	FISH TOXICITY	AVIAN TOXICITY	BEE TOXICITY
Imidacloprid	96 hour LC ₅₀ , Rainbow trout - > 200 mg/L 96 hour LC ₅₀ , Bluegill - > 100 mg/L	Dietary LC ₅₀ , Bobwhite quail - >1,500 ppm Dietary LC ₅₀ , Mallard duck - >4,500 ppm	Contact LD ₅₀ - 0.08 ug/bee
Metalaxyl	96 hour LC ₅₀ , Rainbow trout - > 100 mg/L 96 hour LC ₅₀ , Bluegill - > 100 mg/L	Dietary CD ₅₀ , Bobwhite quail - >10,000 ppm Dietary LC ₅₀ , Mallard duck - >10,000 ppm	Contact LD ₅₀ - > 25 ug/bee
Fludioxonil	96 hour LC ₅₀ , Rainbow trout - 0.47 ppm 96 hour LC ₅₀ , Bluegill - no data	Dietary LD ₅₀ , Bobwhite quail - > 2,000 ppm Dietary LC ₅₀ , Mallard duck - unknown	Contact LD ₅₀ - > 25 ug/bee
Thiophanate-methyl	96 hour LC ₅₀ , Rainbow trout - 8.0 ppm 96 hour LC ₅₀ , Bluegill - 40.0 ppm	Dietary LD ₅₀ , Bobwhite quail - > 10,000 ppm Dietary LD ₅₀ , Mallard duck - no data	Contact LD ₅₀ - >100 ug/bee

SECTION 13 - DISPOSAL CONSIDERATIONS

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA regional office for guidance.

CONTAINER DISPOSAL: Non-refillable container: Do not reuse or refill this container.. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Offer for recycling, if available or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Refer to the product label for additional and complete Container Handling instructions

SECTION 14 - TRANSPORT INFORMATION**SHIPPING DESCRIPTION:****(Ground transport)**

Containers < 32 gallons

Containers > 32 gallons

Not regulated by DOT

UN3082, Environmentally Hazardous Substance, Liquid, N.O.S., 9, PG III, RQ, (thiophanate-methyl)

TRANSPORT HAZARD CLASS:

9

UN NUMBER:

3082

DOT PACKING GROUP:

PG III

SECTION 15 - REGULATORY INFORMATION

CERCLA REPORTABLE QUANTITY: Thiophanate-methyl (10 lbs)

SARA TITLE III STATUS:
 311/312 Hazard Categories – Immediate Health
 313 Toxic Chemicals – Thiophanate-methyl

CALIFORNIA PROP 65: Not listed

TSCA: This product is exempted from TSCA because it is solely for FIFRA regulated use.

SECTION 16 - OTHER INFORMATION

HMIS HAZARD RATINGS	HEALTH	1
	FLAMMABILITY	0
	PHYSICAL HAZARD	0
	4=Severe 3=Serious 2=Moderate 1=Slight 0=Minimal	

DISCLAIMER: The information presented herein is based on available data from reliable sources and is correct to the best of Albaugh's knowledge. Albaugh makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions.

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling.

It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

REVISED DATE: February 07, 2020

REFERENCE: Section 2 and 14 updated.