### SAFETY DATA SHEET Spartan® FL 4F Herbicide

SDS # : 1466-9-A Revision date: 2016-05-26 Format: NA Version 1.01



## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier		
Product Name	Spartan® FL 4F Herbicide	
Other means of identification		
Product Code(s)	1466-9-A	
Synonyms	SULFENTRAZONE (FMC 97285): 2',4'-dichloro-5'-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl) methanesulfonanilide (IUPAC name); N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H- 1,2,4-triazol-1-yl]phenyl] methanesulfonamide (CAS name)	
Active Ingredient(s)	Sulfentrazone,	
Chemical Family	Triazolinones	
Alternate Commercial Name	Authority™ 4 F; Boral™ 480 SC;	
Recommended use of the chemical and restrictions on use		
Recommended Use:	Herbicide	
Restrictions on Use:	Use as recommended by the label	
<u>Manufacturer Address</u>	FMC Corporation 2929 Walnut Street Philadelphia, PA 19104 (215) 299-6000 (General Information) msdsinfo@fmc.com (E-Mail General Information) For leak, fire, spill or accident emergencies, call: 1 800 / 424 9300 (CHEMTREC - U.S.A.) 1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries) Medical Emergencies: 1 800 / 331-3148 (PROSAR - U.S.A. & Canada) 1 651 / 632-6793 (PROSAR - All Other Countries - Collect)	

# 2. HAZARDS IDENTIFICATION

## **Classification**

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

### GHS Label elements, including precautionary statements

### EMERGENCY OVERVIEW

## Warning

#### Hazard Statements

H373 - May cause damage to organs through prolonged or repeated exposure



#### Precautionary Statements - Prevention P260 - Do not breathe dust/fume/gas/mist/vapors/spray Precautionary Statements - Response P314 - Get medical advice/ attention if you feel unwell

#### **Precautionary Statements - Disposal**

P501 - Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

#### Other Information

Very toxic to aquatic life.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Chemical Family** 

#### Triazolinones.

Chemical name	CAS-No	Weight %
Sulfentrazone	122836-35-5	40
Propylene glycol	57-55-6	5-10
Toluene	108-88-3	1-5

Synonyms are provided in Section 1.

4. FIRST AID MEASURES		
Eye Contact	Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for further treatment advice.	
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.	
Inhalation	Move to fresh air. If person is not breathing, contact emergency medical services, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.	

# Spartan® FL 4F Herbicide

## SDS # : 1466-9-A Revision date: 2016-05-26 Version 1.01

Ingestion	If swallowed, do not induce vomiting - seek medical advice Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not induce vomiting or give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	Central nervous system effects.
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically.

5. FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media	Carbon dioxide (CO <sub>2</sub> ). Foam. Dry powder. Water spray.	
Specific Hazards Arising from the Chemical Explosion data	Thermal decomposition can lead to release of irritating and toxic gases and vapors.	
Sensitivity to Mechanical Impact Sensitivity to Static Discharge	Not sensitive. Not sensitive.	
Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit.	
	6. ACCIDENTAL RELEASE MEASURES	
Personal Precautions	Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.	
Other	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.	
Environmental Precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.	
Methods for Containment	Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.	
Methods for cleaning up	Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.	
	7. HANDLING AND STORAGE	
Handling	Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.	
Storage	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Store in original container.	
Incompatible products	None known	
9 EV	POSURE CONTROL S/PERSONAL PROTECTION	

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Toluene	TWA: 20 ppm	TWA: 200 ppm	IDLH: 500 ppm	Mexico: TWA 50 ppm
(108-88-3)		Ceiling: 300 ppm	TWA: 100 ppm	Mexico: TWA 188 mg/m <sup>3</sup>
			TWA: 375 mg/m <sup>3</sup>	_

#### SDS # : 1466-9-A Revision date: 2016-05-26 Version 1.01

			STEL: 150 ppm STEL: 560 mg/m <sup>3</sup>	
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Propylene glycol (57-55-6)	-	-	TWA: 10 mg/m <sup>3</sup> aerosol only TWA: 50 ppm	-
			aerosol and vapor	
			TWA: 155 mg/m <sup>3</sup> aerosol and vapor	
Toluene (108-88-3)	TWA: 20 ppm	TWA: 50 ppm TWA: 188 mg/m³ Skin	TWA: 20 ppm	TWA: 50 ppm TWA: 188 mg/m <sup>3</sup> Skin

### Appropriate engineering controls

**Engineering measures** Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

### Individual protection measures, such as personal protective equipment

Eye/Face Protection	For dust, splash, mist or spray exposure, wear chemical protective goggles.
Skin and Body Protection	Wear long-sleeved shirt, long pants, socks, and shoes.
Hand Protection	Protective gloves
Respiratory Protection	For dust, splash, mist or spray exposures wear a filtering mask.
Hygiene measures	Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.
General information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance Physical State	Off-white Liquid Liquid
Color	Off-white
Odor	Low Alcohol
Odor threshold	No information available
рН	5.3-6.0 @ 20 °C
Melting point/freezing point	123 °C
Boiling Point/Range	No information available
Flash point	> 94 °C / > 201 °F Tag Closed Cup
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	1 x 10-9 mm Hg at 25°C
Vapor density	No information available
Density	10.07 lb/gal
Specific gravity	1.206 1.206 @ 20 °C (water = 1)
Water solubility	Dispersible in water

Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic Explosive properties Oxidizing properties Molecular weight Bulk density No information available No data available No information available No information available

# **10. STABILITY AND REACTIVITY**

Reactivity	
------------	--

None under normal use conditions. Stable.

Chemical Stability	Stable.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.

 Conditions to avoid
 Excessive heat

 Incompatible materials
 None known.

 Hazardous Decomposition Products
 Carbon oxides (COx), Nitrogen oxides (NOx), Sulfur oxides, Hydrogen chloride, Hydrogen fluoride.

## 11. TOXICOLOGICAL INFORMATION

### Product Information

LD50 Oral LD50 Dermal LC50 Inhalation Serious eye damage/eye irritation	2084 mg/kg (rat) > 2000 mg/kg (rabbit) > 2.72 mg/L 4 hr (rat) - Maximum attainable concentration (zero mortality) Non-irritating.
Skin corrosion/irritation Sensitization	Minimally irritating. Did not cause sensitization on laboratory animals.
Information on toxicological effects	5
Symptoms	Signs of toxicity in laboratory animals given sulfentrazone included clonic convulsions, ataxia, hypersensitivity to touch, chromorhinorrhea, abdominogenital staining, decreased locomotion, lacrimation, nasal discharge, and squinting eyes.
Delayed and immediate effects as v	vell as chronic effects from short and long-term exposure
Chronic toxicity	Sulfentrazone: Prolonged exposure cause decreased hemoglobin content and hematocrit, and increased spleen weight and splenic extramedullary hematopoiesis at high doses in animal studies
Mutagenicity	Sulfentrazone: Not genotoxic in animal studies
Carcinogenicity	Sulfentrazone: No evidence of carcinogenicity from animal studies
Neurological effects	Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high dose levels.
Reproductive toxicity	Sulfentrazone: No toxicity to reproduction in animal studies.
Developmental toxicity	Sulfentrazone: Fetal weight decreased; delayed skeletal ossification observed at maternally non-toxic doses are reversible effects and a dose-response is established; malformations observed in fetuses at maternally toxic doses and consistent with the mode of action for protoporphyrongen oxidase inhibitors. Developmental toxicity testing and results were generated for sulfentrazone with toluene present as an impurity.
STOT - single exposure STOT - repeated exposure Target organ effects Neurological effects	Not classified. May cause damage to organs through prolonged or repeated exposure. Sulfentrazone: Hematopoietic system. Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high dose levels.

Aspiration hazard	No information	on available.		
Chemical name	ACGIH	IARC	NTP	OSHA
Toluene		Group 3		
108-88-3		-		

# **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Sulfentrazone (122836-35-5)				
Active Ingredient(s)	Duration	Species	Value	Units
Sulfentrazone	72 h EC50	Algae	32.8	mg/L
	48 h EC50	Crustacea	60.4	mg/L
	96 h LC50	Fish	94	mg/L
	21 d NOEC	Fish	5.9	mg/L
	21 d NOEC	Crustacea	0.51	mg/L
Persistence and degradability		ersistent, Does not readily		
Bioaccumulation	Sulfentrazone: Th	e substance does not hav	e a potential for biocone	centration.
Mobility	Sulfentrazone: Mo	obile, Has potential to read	ch ground water.	
	13. DISPO	SAL CONSIDERATIO	ONS	
Waste disposal methods	Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.			
Contaminated Packaging		be disposed of in accordar act label for container disp		federal regulations.
	14. TRAN	SPORT INFORMATI	ON	
DOT TDG UN/ID no Proper Shipping Name Hazard class Packing Group Marine Pollutant Description	at 49 CFR Parts 1 Classification belo shipped by road o UN3082 Environmentally h 9 III Sulfentrazone.	ow is only applicable wher	n shipped by vessel and id, n.o.s.	is not applicable when
ICAO/IATA_ UN/ID no Proper Shipping Name Hazard class Packing Group Description IMDG/IMO_ UN/ID no Hazard class	9 III	azardous substance, liqui nentally hazardous substa		entrazone), 9, PGIII,
	-			

Packing Group EmS No. Marine Pollutant Description III F-A, S-F Sulfentrazone UN3082, Environmentally hazardous substance, liquid, n.o.s. (sulfentrazone), 9, PGIII, Marine pollutant

# 15. REGULATORY INFORMATION

## U.S. Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Toluene - 108-88-3	108-88-3	1-5	1.0

### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Toluene 108-88-3	1000 lb	X	Х	X
Sodium Hydroxide 1310-73-2	1000 lb			X

### **CERCLA**

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Toluene	1000 lb	
108-88-3	454 kg	
Sodium Hydroxide	1000 lb	
1310-73-2	454 kg	

### FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

### CAUTION

Causes moderate eye irritation. Harmful if inhaled, swallowed, or absorbed through skin. This pesticide is toxic to marine/estuarine invertebrates

# US State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name California Prop. 65

Toluene - 108-88-3	Developmental

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Propylene glycol 57-55-6	Х		Х
Toluene 108-88-3	Х	X	Х

#### International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Propylene glycol 57-55-6	Х	Х	Х	Х	Х	Х	Х	Х
Toluene 108-88-3	Х	Х	Х	Х	Х	Х	Х	Х

#### Mexico - Grade

Slight risk, Grade 1

Chemical name	Carcinogen Status	Mexico
Toluene		Mexico: TWA 50 ppm
		Mexico: TWA 188 mg/m <sup>3</sup>

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Toluene	1000 5000 kg/yr	1000 kg/yr

#### WHMIS Statement

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

**WHMIS Hazard Class** 

D2A - Very toxic materials



## **16. OTHER INFORMATION**

NFPA	Health Hazards 1	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 1*	Flammability 1	Physical hazard 0	Personal Protection X

Revision date: Reason for revision: 2016-05-26 (M)SDS sections updated

**Disclaimer** 

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be

applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2016 FMC Corporation. All Rights Reserved. End of Safety Data Sheet