

Revision date: 2022/11/22 Page: 1/12 Version: 7.0 (30644547/SDS\_CPA\_US/EN)

### 1. Identification

Product identifier used on the label

## Stamina Fungicide Seed Treatment

#### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, fungicide

## Details of the supplier of the safety data sheet

Company:
BASF Canada Inc.
5025 Creekbank Road
Building A, Floor 2

Mississauga, ON, L4W 0B6, CANADA USA

Telephone: +1 973 245-6000

Contact address:

100 Park Avenue

**BASF CORPORATION** 

Florham Park, NJ 07932

## **Emergency telephone number**

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Substance number: 672813

Registration number: EPA Registration number: 7969-266

Synonyms: pyraclostrobin

## 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## Classification of the product

Skin Corr./Irrit. 2 Skin corrosion/irritation

STOT SE 3 (irritating to Specific target organ toxicity — single exposure

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2022/11/22 Page: 2/12 Version: 7.0 (30644547/SDS\_CPA\_US/EN)

respiratory system)

Aquatic Acute 2 Hazardous to the aquatic environment - acute Aquatic Chronic 2 Hazardous to the aquatic environment - chronic

#### Label elements

#### Pictogram:



#### Signal Word: Warning

#### Hazard Statement:

H315 Causes skin irritation. H302 Harmful if swallowed.

H335 May cause respiratory irritation.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

#### Precautionary Statements (Prevention):

P280 Wear protective gloves.

P273 Avoid release to the environment.

P271 Use only outdoors or in a well-ventilated area. Avoid breathing mist or vapour or spray.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

#### Precautionary Statements (Response):

P312 Call a POISON CENTER or physician if you feel unwell.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

reathing

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P330 Rinse mouth

P332 + P313 If skin irritation occurs: Get medical attention.

P391 Collect spillage.

P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

#### Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

## 3. Composition / Information on Ingredients

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

pyraclostrobin

CAS Number: 175013-18-0 Content (W/W): 18.42 %

Synonym: Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-

Revision date: 2022/11/22 Page: 3/12 Version: 7.0 (30644547/SDS\_CPA\_US/EN)

yl]oxy]methyl]phenyl]methoxy-, methyl ester

glycerol

CAS Number: 56-81-5

Content (W/W): 10.0 - 15.0%

Synonym: 1,2,3-Propanetriol; Glycerol

## 4. First-Aid Measures

## **Description of first aid measures**

#### **General advice:**

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### If on skin:

Wash thoroughly with soap and water

#### If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek immediate medical attention.

#### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

## Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

### Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

#### **Extinguishing media**

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Revision date: 2022/11/22 Page: 4/12 Version: 7.0 (30644547/SDS\_CPA\_US/EN)

## Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, Hydrogen chloride, hydrogen bromide, nitrogen oxides, halogenated compounds, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

## Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

#### 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

#### **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

## 7. Handling and Storage

#### Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Protect contents from the effects of light. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Revision date: 2022/11/22 Page: 5/12 Version: 7.0 (30644547/SDS\_CPA\_US/EN)

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: 0 °C

The product crystallizes below the limit temperature.

Protect from temperatures above: 35 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

## 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

### Components with occupational exposure limits

glycerol OSHA Z1: PEL 15 mg/m3 Total dust;

OSHA Z1: PEL 5 mg/m3 Respirable fraction;

#### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

## Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) particulate respirator.

## Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### **Eye protection:**

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Remove contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at

Revision date: 2022/11/22 Page: 6/12 Version: 7.0 (30644547/SDS\_CPA\_US/EN)

the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

Form: suspension

Odour: fruity

Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: off-white approx. 6 - 8

(1 %(m), approx. 21 °C)

(as suspension)

Freezing point: approx. 0 °C

(approx. 1,013 hPa)

Information applies to the solvent.

Boiling point: approx. 100 °C

(approx. 1,013 hPa)

Information applies to the solvent.

Flash point: > 100 °C (Directive

No flash point - Measurement made

92/69/EEC, A.9)

92/69/EEC, A.15)

up to the boiling point.

Flammability: not applicable

Lower explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Autoignition: 425 °C (Directive

SADT: > 75 °C

Vapour pressure: approx. 23.3 hPa

(approx. 20 °C)

Information applies to the solvent.

Density: approx. 1.09 g/cm3

(20°C)

Vapour density: not applicable Partitioning coefficient n- not applicable

octanol/water (log Pow):

Thermal decomposition: 165 °C, 70 kJ/kg (DSC (OECD 113))

(onset temperature)

315 °C, 300 kJ/kg (DSC (OECD 113))

(onset temperature)

Not a substance liable to self-decomposition according to UN

transport regulations, class 4.1.

Viscosity, dynamic: approx. 58 mPa.s

(20°C)

Solubility in water: dispersible Evaporation rate: not applicable

Revision date: 2022/11/22 Page: 7/12 Version: 7.0 (30644547/SDS\_CPA\_US/EN)

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating (Directive 2004/73/EC, A.21)

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

Method: Flammability (contact with water)

### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

See SDS section 7 - Handling and storage.

### Incompatible materials

strong acids, strong bases, strong oxidizing agents

## **Hazardous decomposition products**

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

165 °C, 2.5 K/min (DSC (OECD 113))

(onset temperature)

315 °C, 2.5 K/min (DSC (OECD 113))

(onset temperature)

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

## 11. Toxicological information

## Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

## **Acute Toxicity/Effects**

#### Acute toxicity

Assessment of acute toxicity: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Revision date: 2022/11/22 Page: 8/12 Version: 7.0 (30644547/SDS\_CPA\_US/EN)

<u>Oral</u>

Type of value: LD50 Species: rat (female)

Value: approx. 2,000 mg/kg (OECD Guideline 423)

Inhalation

Type of value: LC50
Species: rat (male/female)

Value: > 5.3 mg/l (OECD Guideline 403)

Exposure time: 4 h

**Dermal** 

Type of value: LD50 Species: rat (male/female)

Value: > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

#### Assessment other acute effects

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

Target organ: Respiratory system

#### Irritation / corrosion

Assessment of irritating effects: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Skin contact causes irritation. Not irritating to the eyes.

<u>Skin</u>

Species: rabbit Result: Irritant.

Method: OECD Guideline 404

<u>Eye</u>

Species: rabbit Result: non-irritant

Method: OECD Guideline 405

**Sensitization** 

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

modified Buehler test Species: quinea pig

Result: Skin sensitizing effects were not observed in animal studies.

Method: OECD Guideline 406

#### **Aspiration Hazard**

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

#### **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Revision date: 2022/11/22 Page: 9/12 Version: 7.0 (30644547/SDS\_CPA\_US/EN)

Information on: Pyraclostrobin

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation.

The substance may cause damage to the olfactory epithelium after repeated inhalation.

\_\_\_\_\_

#### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

#### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

#### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

#### Other Information

Misuse can be harmful to health.

## 12. Ecological Information

#### **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Toxicity to fish

LC50 (96 h) 0.0398 mg/l, Oncorhynchus mykiss (static)

#### Aquatic invertebrates

EC50 (48 h) 0.063 mg/l, Daphnia magna (static)

#### Aquatic plants

EC50 (72 h) > 10 mg/l (growth rate), Pseudokirchneriella subcapitata (static)

#### Chronic toxicity to fish

Information on: Pyraclostrobin

No observed effect concentration (98 d) approx. 0.00235 mg/l, Oncorhynchus mykiss (OECD

Guideline 210, Flow through.)

-----

Revision date: 2022/11/22 Page: 10/12 Version: 7.0 (30644547/SDS\_CPA\_US/EN)

#### Chronic toxicity to aquatic invertebrates

Information on: Pyraclostrobin

No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)

The details of the toxic effect relate to the nominal concentration.

No observed effect concentration (28 d) 0.00128 mg/l, Mysidopsis bahia (OPP 72-4 (EPA-Guideline), Flow through.)

The statement of the toxic effect relates to the analytically determined concentration.

\_\_\_\_\_

## Persistence and degradability

### Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

## Assessment biodegradation and elimination (H2O)

Information on: Pyraclostrobin

Not readily biodegradable (by OECD criteria).

\_\_\_\_\_

### Bioaccumulative potential

#### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Assessment bioaccumulation potential

Information on: Pyraclostrobin

Accumulation in organisms is not to be expected.

-----

## Mobility in soil

#### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyraclostrobin

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

-----

#### Additional information

## Other ecotoxicological advice:

Do not discharge product into the environment without control.

Revision date: 2022/11/22 Page: 11/12 Version: 7.0 (30644547/SDS\_CPA\_US/EN)

## 13. Disposal considerations

#### Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

## 14. Transport Information

#### Land transport

USDOT

Not classified as a dangerous good under transport regulations

#### Sea transport

**IMDG** 

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains PYRACLOSTROBIN)

#### Air transport

IATA/ICAO

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains PYRACLOSTROBIN)

### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

## 15. Regulatory Information

#### **Federal Regulations**

Revision date: 2022/11/22 Page: 12/12 Version: 7.0 (30644547/SDS\_CPA\_US/EN)

## Registration status:

Crop Protection TSCA, US released / exempt

Chemical TSCA, US blocked / not listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

#### **State regulations**

State RTK CAS Number Chemical name

PA 56-81-5 glycerol NJ 56-81-5 glycerol

#### Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

**WARNING:** This product can expose you to chemicals including DIMETHYL SULFATE, which is known to the State of California to cause cancer, and TOLUENE, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

#### Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

**CAUTION:** 

KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED.

Avoid contact with the skin, eyes and clothing.

## 16. Other Information

#### SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2022/11/22

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.