

SAFETY DATA SHEET

DREXEL SULFUR 90W MICRONIZED SULFUR

Section 1: Material Identification

Product Name: Drexel Sulfur 90W Micronized Sulfur

EPA Reg No.: 19713-238

CAS NO: 7704-34-9

Formula: S

Company: Drexel Chemical Company

1700 Channel Avenue Memphis, TN 38106

Synonyms: Elemental Sulfur

Identifiers:

EINECS: 231-722-6
RTECS: WS4250000
DOT label: Not regulated

Emergency Telephone Number:

CHEMTREC Drexel Chemical Co. Tel: 1-800-424-9300 901-774-4370

This product is an EPA FIFRA registered pesticide. Some of the classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by EPA for a registered pesticide. Please see **Section 15: REGULATORY INFORMATION** for explanation.

Section 2: Hazard Identification

(As defined by the OSHA Hazard Communication Standard, 29)

GHS classification:

Health Hazards: Acute inhalation Category 4

Eye damage/ irritation Category 2B

GHS label elements:

Signal Word: Warning

Sulfur 90W Page 1 of 8



Hazard statements: Harmful if inhaled. Causes eye irritation.

Precautionary statements:

Prevention: Avoid breathing dust or vapors. Use only outdoors or in well-ventilated area.

Wash exposed skin thoroughly after handling.

Wear eye protection/face protection.

Response: If inhaled: Remove person to fresh air and keep comfortable for breathing. If

person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for

further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes for at least 15 minutes. Obtain medical attention without

delay, preferably from an ophthalmologist.

Storage: Store in a cool, dry, well ventilated and secure area designated specifically for

pesticides and away from heat sources. Keep in original containers and keep containers closed when not in use. Do not store in excessive heat. Do not store

near children, food, foodstuffs, drugs or potable water supplies.

Disposal: If wastes and/or containers cannot be disposed of according to the product label

directions, disposal of this material must be in accordance with your local or area

regulatory authorities.

Section 3: Composition Information

Components	CAS No.:	<u>% By Wt.:</u>	OSHA PEL:	ACGIH TLV:
Active Ingredient:				
Elemental Sulfur	7704-34-9	90.0%	N/Av	5 mg/m ³
Inert Ingredients:	N/A	10.0%	N/A	N/A

Section 4: First-Aid Measures

Eye Contact: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes for at least 10 minutes. Obtain medical attention without delay, preferably from an ophthalmologist.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Wash mouth out with water then have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have product label with you when calling a poison control center or doctor.

Sulfur 90W Page 2 of 8

Skin Contact: Immediately flush skin with plenty of soap and water while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Destroy contaminated leather items such as shoes, belts, and watchbands.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: Treat symptomatically and supportively.

Section 5: Fire Fighting Measures

Fire Hazards: Will ignite when exposed to heat, flame and other sources of ignition. Dusts may form explosive mixtures with air; avoid using heavy water streams. Thermal decomposition during a fire can produce fumes and irritating gases.

Flammability classification (OSHA 29 CFR 1910.1200): N/A

Flash point: N/A

Lower flammable limit (% by volume): N/Av Upper flammable limit (% by volume): N/Av

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Evacuate the area and fight the fire from upwind at a safe distance to avoid hazardous vapors or decomposition products. Cool containers with water if possible. Dike and collect fire-extinguishing water to prevent environmental damage and excessive waste runoff.

Firefighting media: Use foam, dry chemical, carbon dioxide, or water fog when fighting fires involving this product. Do not use water jet, as this may spread burning material. Contain all runoff.

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Use full face shield and operate in positive pressure mode. Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

Hazardous Combustion Products: Sulfur dioxide, hydrogen sulfide and other unknown hazardous materials.

NFPA: Health: Flammability: Reactivity:

(Rating: 4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Insignificant)

Section 6: Accidental Release Measures

Steps to be taken if Material is Released or Spilled:

Contain spilled material if possible. Small spills: Sweep up. Collect in suitable and properly labeled containers.
 Large spills: Contact Drexel Chemical Co. for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

Personal Precautions:

Sulfur 90W Page 3 of 8

 Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to Section 7, Handling, for additional precautionary measures. Ventilate area of spill. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental Precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Section 7: Handling and Storage

KEEP OUT OF REACH OF CHILDREN

Handling: General Handling: Minimize dusting. Avoid contact with eyes, skin, and clothing. Wash thoroughly after

handling. Do not swallow. Avoid breathing dust. Use with adequate ventilation. Wear long-sleeved shirt, long pants and shoes with socks when handling. Keep away from heat, sparks and flame. See Section 8,

Exposure Controls and Personal Protection.

Storage: Store in a cool, dry, ventilated and secure area designated specifically for pesticides and away from heat

sources. Keep in original containers and keep containers closed when not in use. Do not store in excessive heat. Do not store near children, food, foodstuffs, drugs or potable water supplies.

Section 8: Exposure Controls / Personal Protection

Exposure Limits: TLV (Elemental Sulfur) 5mg/m³

Personal Protection:

Eye/Face Protection: Wear dust mask or NIOSH approved respirator to prevent breathing dust. If using a full face shield, always use safety glasses or goggles along with the face shield to ensure adequate protection of the eyes.

Skin Protection: Wear long-sleeved shirt, long pants and shoes with socks. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.

Hand protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Polyvinyl chloride ("PVC" or "vinyl").

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. When handling in enclosed areas, when large quantities of dust are generated or prolonged exposure is possible in excess of the TLV, use a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

Ingestion: Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash hands and face before smoking or eating.

Sulfur 90W Page 4 of 8

Engineering Controls:

Ventilation: When handling this product proper ventilation is required to maintain exposure below the TLV. Ventilate all transport vehicles prior to unloading. Facilities storing or utilizing this material should be equipped with an eyewash facility and safety shower.

Section 9: Physical and Chemical Properties

Physical State: Solid
Color: Yellow
Odor: Sulfur
Flash Point: N/A

Vapor Pressure (mmHg):NegligibleBoiling Point:N/AVapor Density (air = 1):N/A

Bulk Density (H2O = 1): 28.5 lbs. /ft³

Freezing Point: N/A

Solubility in water (wt. %): Disperses PH: Neutral @ 5%

Viscosity: N/A % Volatiles: N/A

Section 10: Stability and Reactivity

Stability/Instability: Stable at room temperature in closed containers under normal storage and handling conditions.

Conditions to Avoid: High temperatures, sparks, flame and other sources of ignition, and dust generation.

Incompatible Materials: Avoid contact with strong oxidizing agents.

Hazardous Polymerization: Will not occur

Thermal Decomposition: Decomposition products can include but are not limited to: Sulfur oxides (including sulfur dioxide) and hydrogen sulfide.

Section 11: Toxicological Information

Data presented for technical sulfur:

Acute Toxicity:

Ingestion:

• Oral LD50, (rat): >5000 mg/kg

Dermal:

Dermal LD50, (rabbit): >2,000 mg/kg

Inhalation:

LC50, (rat): > 2.56 mg/L

Sulfur 90W Page 5 of 8

Eye Irritation (rabbit):

Moderately irritating.

Skin Irritation (rabbit):

Non-irritating.

Sensitization Skin:

Non-sensitizer (Guinea Pig).

Chronic Toxicity:

• At low levels generally recognized as safe.

Carcinogenicity:

• Not likely to be carcinogenic in humans.

Teratogenicity, mutagenicity, and other reproductive effects: None known

Section 12: Ecological Information

Data provided for technical sulfur:

ENVIRONMENTAL FATE:

• Non-toxic to bees and birds. Practically non-toxic to aquatic organisms.

Persistence and Degradability:

• Sulfur is a component of the environment and there is a natural cycle of oxidation and reduction reactions which transforms sulfur into both organic and inorganic products. Elemental sulfur is slowly converted to sulfate in soil by the action of autotrophic bacteria. Elemental sulfur leaches in soil as sulfate at a slow rate.

Aquatic Toxicity:

- Rainbow Trout: 96 hour LC50: (>180 ppm)
- Bluegill 96 hour LC50: (>180 ppm)
- Daphnia magna: 48 hour EC50: (>5,000 ppm)

Bird Toxicity:

Bobwhite Quail, 8d, LC50: (>5,620 ppm)

Section 13: Disposal Considerations

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

Sulfur 90W Page 6 of 8

Section 14: Transport Information

DOT: Non-regulated - **Solid** sulfur is *not regulated* if transported in *non-bulk* packaging (less *than 400kg* per package) or if formed to a **specific shape**, such as prills, granules, pellets, pastilles, or flakes (49 CFR 172.102, special provision 30).

All shipments of powdered sulfur regardless of package size:

IMDG::UN 1350, Sulphur(Sulfur), 4.1 (flammable solid), PG-III

IATA: UN 1350, Sulfur, 4.1, III

Freight Description: Agricultural Fungicide, Solid, N.O.S.

ERG Guide No.: 133

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

Section 15: Regulatory Information

OSHA Hazard Communication Standard:

- This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
- EPA FIFRA INFORMATION:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemical. The hazard information required on the pesticide label is listed out below. The pesticide label also includes other important information, including directions for use.

• EPA/CERCLA Reportable Quantity: None Known

SARA/TITLE III:

- Sec. 302. Extremely Hazardous Substance Notification: This material is not known to contain any Extremely Hazardous Substances.
- Sec. 311/312. Hazard Categories: Immediate health hazard
- Sec. 313. Toxic Chemical(s): This material is not known to contain any Toxic Chemical constituents.
- RCRA Waste Code: Not applicable

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986):

This product is not listed.

Toxic Substances Control Act (TSCA):

 All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

Section 16: Other Information

Sulfur 90W Page 7 of 8

Drexel Chemical Company recommends that each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown below. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

Date Revised: January 8, 2018 Supersedes: Jan. 21, 2016

Sulfur 90W Page 8 of 8