

Report Date 07-Sep-17

Page 1 of 5

#### 1. Identification

**Product Name**: SULTRUS **Synonyms**: None

Product Use : beta-Cyfluthrin Insecticide

Manufacturer/Supplier : Helena Chemical Company

Address: 225 Schilling Blvd. Collierville, TN 38017

**General Information**: 901-761-0050

**Transportation Emergency Number**: CHEMTREC:800-424-9300

## 2. Hazard Identification







Signal Word : Danger

**Skin Irritation**: Moderate skin irritant. Causes skin irritation.

Eye Irritation : Severe eye irritant.

Acute Toxicity Oral : LD50 (rat) = 647 mg/kg (male); 695 mg/kg (female) for a similar product

with 2X Cyfluthrin.

Acute Toxicity Dermal : LD50 (rabbit) >2,000 mg/kg for a similar product with 2X Cyfluthrin.

Hazard Categories: Oral/Dermal/Inh Tox-4/5/3; Eye/Skin Irr-2A/2; Skin Sens-1B;

Combustible-4; Reproductive Tox-1B

Hazard Statement: Harmful if swallowed

May be harmful in contact with skin

Toxic if inhaled

Causes serious eye irritation

Causes skin irritation

May cause an allergic skin reaction May damage fertility or the unborn child

Combustible liquid

## 3. Composition / Information on Ingredients



Report 07-Sep-17 Date

Page 2 of 5

Other ingredients, including:	Proprietary	87.14
Proprietary solvent	Proprietary	55-60
Cyclohexanone	108-94-1	15-20
Emulsifiers	Proprietary	5-10

## 4. First Aid Measures

**Eye**: Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for further treatment advice.

Skin : Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**Inhalation**: Move person to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advice.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Rinse out

mouth and give water in small sips to drink. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth if

unconscious.

**Attention and Special Treatment** Needed

Indication of Immediate Medical : Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard. Treat

symptomatically. There is no specific antidote.

### 5. Fire Fighting Measures

**Extinguishing Media**: Use foam, dry chemical or water spray.

Specific Hazards Arising from the : No information found

Chemical

Special Fire Fight Proc : Wear self-contained breathing apparatus and full protective clothing. Fight fire

from upwind. Cool closed containers exposed to fire with water spray. Do not

allow run-off from fire fighting to enter drains or water courses.

### 6. Accidental Release Measures

: Keep unauthorized and unprotected personnel away from spill area. Avoid **Personal Precautions** 

contact with spilled product or contaminated surfaces.

Protective Equipment : Splashproof goggles or face shield, chemical-resistant gloves, long-sleeved shirt

and long pants, shoes plus socks. Eyewash should be available. Use

NIOSH-approved respirator when needed.

Emergency Procedures: Use personal protective equipment. Do not allow to enter soil, waterways or

drains.

**Containment and Cleanup** 

Methods and Materials for : Soak up with inert absorbent material (e.g., sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer to a properly labeled and tightly closed container. Clean contaminated floors and objects thoroughly, observing

environmental regulations.



Report Date 07-Sep-17

Page 3 of 5

## 7. Handling and Storage

Precautions for Safe Handling: Handle and open container in a manner as to prevent spillage. Keep away from

sources of ignition.

Conditions for Safe Storage : Store in a cool, dry place and in such a manner as to prevent cross contamination

with other crop protection products, fertilizers, food and feed. Store in original container and out of reach of children, preferably in a locked storage area.

## 8. Exposure Controls / Personal Protection

TLV/PEL: Cyclohexanone: PEL 50 ppm Naphthalene: PEL 10 ppm

Appropriate Engineering Controls : No information found

Personal Protective Equipment : Splashproof goggles or face shield, chemical-resistant gloves, long-sleeved shirt

and long pants, shoes plus socks. Eyewash should be available. Use

NIOSH-approved respirator when needed.

## 9. Physical and Chemical Properties

**Odor/Appearance**: Clear yellow to greenish yellow liquid.

Flash Point, oF: 142 Degrees F. (Seta flash)

Boiling Point, oF : No information found

Melting Point(Freezing point), ₀C : No information found Vapor Pressure, mm Hg @ 20 ₀C : No information found

Vapor Density : No information found Solubility in Water : No information found

**Molecular Formula**: Not applicable, formulated mixture.

Density, g/mL @ 25 oC : 0.980-1.000

Evaporation Rate(Butyl Acetate = : No information found

1)

Octanol/Water Partition : No information found

Coefficient

pH: No information found

Flammable Limits (approximate : No information found

volume % in air)

Auto-ignition Temperature : No information found Decomposition temperature : No information found

## 10. Stability and Reactivity

Reactivity: No information found

Chemical Stability : Stable



Report 07-Sep-17

Page 4 of 5

Hazardous Decomposition : No information found

**Products** 

Hazardous Polymerization : Will not occur

Conditions to Avoid : No information found Incompatible Materials : No information found

## 11. Toxicological Information

Acute Toxicity (Oral LD50) : 647 mg/kg (M rat), 695 mg/kg (F rat) (in similar product with 2X cyfluthrin).

Harmful if swallowed.

Acute Toxicity (Dermal LD50) : >2,000 mg/kg (rabbit) (in similar product with 2X cyfluthrin). May be harmful in

contact with skin.

Acute Toxicity Inhalation LC50 : >0.7 mg/L/4 hr (F rat) (in similar product with 2X cyfluthrin). Toxic if inhaled.

**Likely Routes of Exposure**: Eyes, skin, ingestion, inhalation.

Skin Irritation : Causes skin irritation. Moderate skin irritation (rabbit).
 Eye Irritation : Causes serious eye irritation. Severe eye irritation (rabbit).
 Skin Sensitization : May cause an allergic skin reaction. Sensitizer (guinea pig).

Carcinogenic: Not listed by OSHA.

Chronic Effects: Reproductive Toxicity: May damage fertility or the unborn child (NMP -

N-Methylpyrrolidone dist.). Not a primary developmental toxicant in rats. Not

mutagenic or genotoxic.

Other Hazards : CA Prop 65 Warning: This product contains chemicals known to the State of

California to cause cancer and birth defects or other reproductive harm.

#### 12. Ecological Information

**Ecotoxicity**: May be hazardous to aquatic organisms.

Persistence and Degradability: No information found
Bioaccumulative Potential: No information found
Mobility in Soil: No information found

Other Adverse Effects : Do not apply directly to water, to areas where surface water is present or to

intertidal areas below the mean high water mark. Do not apply when weather conditions favor runoff or drift. Do not apply if bees are visiting treatment area.

#### 13. Disposal Considerations

Waste Disposal Method : This material must be disposed of according to Federal, State or Local

procedures under the Resource Conservation and Recovery Act.

#### **14.** Transport Information

**UN Proper Shipping Name**: Not regulated by DOT in non-bulk packages.



Report Date 07-Sep-17

Page 5 of 5

Transport Hazard Class : None
UN Identification Number : None
Packaging Group : None

Environmental Hazards : Marine Pollutant per GHS classification only, not on Appendix B to 49 CFR

172.101.

Transport in Bulk: If shipped by ground in bulk, ship as: RQ, NA1993, Combustible Liquid, n.o.s.,

(Beta-Cyfluthrin, Cyclohexanone, Naphthalene), PG III "ERG # 128"

Special Precautions for : If shipped by air (IATA) or vessel (IMDG), ship as: UN3082, Environmentally

**Transportation** Hazardous Substance, Liquid, n.o.s., (Beta-Cyfluthrin, Cyclohexanone Solution),

9, PG III, Marine Pollutant

Freight Classification: Pesticides, NOI, Insecticides, Other than Poison (NMFC Item 155050, Sub 11,

Class 70)

## 15. Regulatory Information

National Fire Protection : Association Rating

Health: 2 Fire: 2 Reactivity: 1

Rating Level: (4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Minimum)

S.A.R.A Title III Hazard : Classification (Yes/No)

Immediate( Acute) Health: Y
Delayed (Chronic) Health: Y
Sudden Release of N
Pressure:

Fire: Y
Reactive: N

FIFRA Information: This Chemical is a pesticide product registered by the Environmental Protection Agency and is

subject to certain labelling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the

pesticide label:

EPA Registration Number : 5905-599 FIFRA Signal Word : Caution

FIFRA Label Statement : Keep out of reach of children.

FIFRA Label Statement : Causes moderate eye irritation. Avoid contact with eyes or clothing.

FIFRA Label Statement: Wear goggles or protective glasses. Harmful if swallowed.

FIFRA Label Statement: Wash thoroughly with soap and water after handling and before

FIFRA Label Statement : eating, drinking or using the toilet. Harmful if inhaled.

FIFRA Label Statement : Avoid breathing spray mist. Remove and wash contaminated clothing before reuse.

FIFRA Label Statement : Prolonged or frequently repeated skin contact may cause allergic skin reactions in some

individuals.

#### 16. Other Information

Data of Preparation/Revision : 07-September-2017