

MATERIAL SAFETY DATA SHEET

SUPERIOR 70 OIL

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

FORMULATED FOR:

LOVELAND PRODUCTS, INC.
P.O. Box 1286 • Greeley, CO 80632-1286

24-Hour Emergency Phone: 1-800-424-9300

Medical Emergencies: 1-866-944-8565

U.S. Coast Guard National Response Center: 1-800-424-8802

PRODUCT NAME: SUPERIOR 70 OIL
CHEMICAL NAME: Solvent-refined light and heavy paraffinic distillates
CHEMICAL FAMILY: Petroleum Oil
EPA REG. NO.: 34704-353
MSDS Number: 000353-09-LPI **MSDS Revisions:** Sections 1, 4 and 14 **Date of Issue:** 12/02/09 **Supersedes:** 07/31/08

2. HAZARDS IDENTIFICATION SUMMARY

KEEP OUT OF REACH OF CHILDREN – CAUTION – Harmful if swallowed or absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash thoroughly before reuse.

This product is a colorless, oily liquid with no noticeable odor. Primary routes of entry are Inhalation, eye contact and skin contact.

Warning Statement:

NOTE TO PHYSICIAN: Contains petroleum distillates, vomiting may cause aspiration pneumonia.

3. COMPOSITION, INFORMATION ON INGREDIENTS

<u>Chemical Ingredients:</u>	<u>Percentage by Weight:</u>	<u>CAS No.</u>	<u>TLV (Units)</u>
Light and Heavy Paraffinic Distillates	97.00	64741-89-5, 64741-88-4, 64742-56-9, and 64742-65-0	5 mg/m ³
Inert ingredients	3.00		

4. FIRST AID MEASURES

If swallowed: Call a poison control center or doctor immediately for treatment advice. Do not give any liquid to person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565. Have the product label or container with you when calling a poison control center or doctor, or going for treatment.

5. FIRE FIGHTING MEASURES

FLASH POINT (°F/Test Method): 335°F / 168.4°C (TCC)
FLAMMABLE LIMITS (LFL & UFL): Not established
EXTINGUISHING MEDIA: May be combustible at high temperature, use medium appropriate to surrounding fire. Dry chemical, carbon dioxide, foam, water spray or fog.
HAZARDOUS COMBUSTION PRODUCTS: May include but are not limited to oxides of carbon, and/or other asphyxiants.
SPECIAL FIRE FIGHTING PROCEDURES: Use water spray to cool containers exposed to fire. Remain upwind. Wear self-contained breathing apparatus and full protective gear.
UNUSUAL FIRE AND EXPLOSION HAZARDS: If water is used to fight fire or cool containers, contain runoff, using dikes to prevent contamination of water supplies.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Contain the spill (wear the proper PPE) by absorbing spilled liquid with clay or other absorbent material; scoop or sweep up material and place in container. Decontaminate area by washing with soapy water solution and absorbing the water with absorbent material. Check local, state and federal regulations for proper disposal.

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

7. HANDLING AND STORAGE

HANDLING: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE: Do not store below 32°F / 0°C. Do not use or store near heat, open flame or hot surfaces. Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers.
Keep oil container tightly closed in storage to prevent entry of water. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets with requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

RESPIRATORY PROTECTION: Not normally required, if vapors or mists exceed acceptable levels, wear a NIOSH approved respirator for oils and mists.

EYE PROTECTION: Chemical goggles or shielded safety glasses.

SKIN PROTECTION: Wear protective clothing: long-sleeved shirts and pants, shoes plus socks. Wear chemical-resistant gloves.

	OSHA PEL 8 hr TWA	ACGIH TLV-TWA
Oil Mist	5 mg/m ³	5 mg/m ³

Personal Protective Equipment: Applicators and other handlers must wear: long sleeved shirt and long pants, chemical-resistant gloves, such as barrier laminate, nitrile rubber, neoprene or Viton®, and shoes plus socks. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Colorless oily liquid with no noticeable odor	SOLUBILITY: Emulsifies
SPECIFIC GRAVITY (Water = 1): 0.85 g/ml	pH: Not established
VAPOR PRESSURE: <0.00001 mm Hg	
PERCENT VOLATILE (by volume): Not established	
BULK DENSITY: 7.09 lbs/gallon	
BOILING POINT: >200°F/93.4°C	
EVAPORATION RATE (Butyl Acetate = 1): Less than Butyl Acetate	

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Incomplete combustion may lead to formation of oxides of carbon and/or other asphyxiants.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Excessive heat.

11. TOXICOLOGICAL INFORMATION

Acute Oral LD₅₀ (rat): >5000 mg/kg	Acute Dermal LD₅₀ (rabbit): >2000 mg/kg
Eye Irritation (rabbit): May cause irritation to eyes	Skin Irritation (rabbit): Not established
Acute Inhalation LC₅₀ (rat): Not established.	Skin Sensitization (guinea pig): Skin sensitizer in certain individuals
Carcinogenic Potential: None listed in OSHA, NTP, IARC or ACGIH	

12. ECOLOGICAL INFORMATION

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to inter-tidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the product labeling.

13. DISPOSAL CONSIDERATIONS

CONTAINER DISPOSAL: Non-refillable container. Do not reuse this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact The Agricultural Container Recycling Council (ACRC) at www.acrecycle.org. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **For rigid, non-refillable containers small enough to shake (i.e. with capacities equal to or less than 5 gallons): Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. **For rigid, non-refillable containers too large to shake (i.e. with capacities greater than 5 gallons or 50 lbs): Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Do not contaminate water, food or feed by storage or disposal.

14. TRANSPORT INFORMATION

DOT Shipping Description: NOT REGULATED BY USDOT.

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610, CLASS 60)

15. REGULATORY INFORMATION

NFPA & HMIS Hazard Ratings:

NFPA		HMIS	
1 Health	0 Least	1 Health	
1 Flammability	1 Slight	1 Flammability	
0 Instability	2 Moderate	0 Reactivity	
	3 High	E PPE	
	4 Severe		

SARA Hazard Notification/Reporting

SARA Title III Hazard Category: Immediate Y Fire N Sudden Release of Pressure N
 Delayed N Reactive N

Reportable Quantity (RQ) under U.S. CERCLA: Not listed
SARA, Title III, Section 313: Not listed
RCRA Waste Code: Not listed
CA Proposition 65: Not listed

16. OTHER INFORMATION

MSDS STATUS: Sections 1, 4, and 14 revised

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental/ Regulatory Services

®Viton is a registered trademark of DuPont Performance Elastomers

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, Inc. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.