SUPREND®

Date: 6/9/2015 Replaces: 11/20/2014



1. PRODUCT IDENTIFICATION

Product identifier on label	SUPREND®
Product No.:	A12474D
Use:	Herbicide
Manufacturer:	Syngenta Crop Protection, LLC Post Office Box 18300 Greensboro NC 27419
Manufacturer Phone:	1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications:	Not Applicable
Signal Word (OSHA):	Not Applicable

Hazard Symbols:

Other Hazard Statements: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Other ingredients	Other ingredients	Trade Secret	20.00%
2,4-bis(isopropylamino)-6-(methylthio)-s- triazine	Prometryn	7287-19-6	79.30%
2-Pyridinesulfonamide, N-[[(4,6-dimethoxy- 2-pyrimidinyl)amino]carbonyl]-3(2,2,2- trifluoroethoxy)-, monosodium salt, monohydrate	Trifloxysulfuron-Sodium	290332-10-4	0.70%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

SUPREND®

Date: 6/9/2015 Replaces: 11/20/2014



4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison contol center or doctor, or going for treatment.

Ingestion:	If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment
C C	advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-
	8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Eye Contact:	If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if

present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Not Applicable

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Sweep up material and place in a compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

syngenta®

SUPREND®

Date: 6/9/2015 Replaces: 11/20/2014

> Conditions for safe storage, including any incompatibilities: Not Applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Prometryn	Not Established	Not Established	5 mg/m³ TWA	Syngenta
Trifloxysulfuron-Sodium	Not Established	Not Established	10 mg/m³ TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use dust-proof chemical goggles.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH approved respirator with any N, R, or P or HE filter.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Light beige to brown granules
Odor: Not determined
Odor Threshold: Not Available
pH: 9.1 (1% solution in deionized H2O @ 77°F [25°C]) Melting point/freezing point: Not Available
Initial boiling point and boiling range: Not Applicable
Flash Point (Test Method): Not Available
Flammable Limits (% in Air): Not Available
Flammability: Not Available
Vapor Pressure: Prometryn 1.24 x 10(-6) mmHg @ 77°F (25°C)

syngenta®

SUPREND	®	
Date:	6/9/2015	
Replaces:	11/20/2014	
	Trifloxysulfuron-Sodium 7.5 x 10	(-8) mmHg @ 77°F (25°C)
Vapor Density:	Not Available	
Relative Densit	ty: 0.476 - 0.484 g/ml	
Solubility (ies):) g/l @ 77°F (25°C) (pH 5.4)
Partition coeffic	cient: n-octanol/water: Not Available	
Autoignition Te	mperature: Not Available	
Decomposition	Temperature: Not Available	
Viscosity: Not	Available	
Other: None		
10. STABILITY AN	D REACTIVITY	
Reactivity: N	Not reactive.	
,	ility: Stable under normal use and stora	ge conditions.
Possibility of h	azardous reactions: Will not occur.	
Conditions to A	Avoid: None known.	
Incompatible n	naterials: None known.	
Hazardous De	composition Products: None known.	
11. TOXICOLOGIC	AL INFORMATION	
Health effects in	nformation	
Likely routes of	exposure: Dermal, Inhalation	
Symptoms of ex	xposure: Not Applicable	
Delayed, immed	diate and chronic effects of exposure:	Not Applicable
Numerical mea	sures of toxicity (acute toxicity/irritation st	tudies (finished product))
Ingestion:	Oral (LD50 Rat) :	> 2000 mg/kg body weight (based on a substantially similar formulation)
Dermal:	Dermal (LD50 Rat) :	> 5000 mg/kg body weight (based on a

Dermal:	Dermal (LD50 Rat) :	 > 5000 mg/kg body weight (based on a substantially similar formulation)
Inhalation:	Inhalation (LC50 Rat) :	> 5.14 mg/l air - 4 hours (based on a substantially similar formulation)
Eye Contact:	Mildly Irritating (Rabbit)	

Slightly Irritating (Rabbit) Skin Contact:

Not a Sensitizer (Guinea Pig) (based on a substantially similar formulation) Skin Sensitization:



JPREND®	
Date: 6/9/2015	
places: 11/20/2014	
Reproductive/Developmen Prometryn: None obse	
Trifloxysulfuron-Sodiun	 m : Mutagenic Potential in Vitro: Negative cytogenetic test CHO cells. Negative Ames test. Vivo: Negative mouse micronucleus test.
Chronic/Subchronic Toxicit	ity Studies
Prometryn: Liver, kidne	ey and bone marrow changes at highest dose (dogs); Kidney effects (rats).
Trifloxysulfuron-Sodiun	m: Not Available
Carcinogenicity	
Prometryn: None obse	erved.
Trifloxysulfuron-Sodiun	
Chemical Name	NTP/IARC/OSHA Carcinogen
Other ingredients	No
2,4-bis(isopropylamino)-6- triazine	(methylthio)-s- No
2-Pyridinesulfonamide, N-[pyrimidinyl)amino]carbonyl trifluoroethoxy)-, monosodi monohydrate	1]-3(2,2,2-
Other Toxicity Information None	
Toxicity of Other Component	ents
Other ingredients Not Applicable	
Target Organs	
<u>Active Ingredients</u> Prometryn:	Liver, kidney, bone marrow
Trifloxysulfuron-Sodium	
-	1. NOT Applicable
Inert Ingredients	

Eco-Acute Toxicity

Prometryn:

Fish (Rainbow Trout) 96-hour LC50 2.9 ppb Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 18.59 ppm Bird (Bobwhite Quail) 8-day LD50 > 4640 mg/kg Green Algae 4-day EC50 12 ppb Trifloxysulfuron-Sodium :

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 > 108 ppm Green Algae 72-hour EC50 23 ppm Bird (Bobwhite Quail) 14-day LD50 > 2250 mg/kg

SUPREND®

Date: 6/9/2015 Replaces: 11/20/2014 syngenta®

Environmental Fate

Prometryn:

The information presented here is for the active ingredient, prometryn.

Low bioaccumulation potential. Persistent in soil. Stable in water. Moderate mobility in soil. Sinks in water (after 24 h). Trifloxysulfuron-Sodium :

The information presented here is for the active ingredient, trifloxysulfuron-sodium. Not persistent in soil or water. Highly mobile in soil. Will leach. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification Ground Transport - NAFTA Not regulated

Comments

Water Transport - International Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Prometryn, Trifloxysulfuron) Hazard Class or Division: Class 9 Identification Number: UN 3077 Packing Group: PG III

Air Transport - International Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Prometryn, Trifloxysulfuron) Hazard Class or Division: Class 9 Identification Number: UN 3077 Packing Group: PG III

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

EPA Registration Number(s): 100-1163 EPCRA SARA Title III Classification: Section 311/312 Hazard Classes: Acute Health Hazard Section 313 Toxic Chemicals: Prometryn 79.30% (CAS No. 7287-19-6)

SUPREND®

Date: 6/9/2015 Replaces: 11/20/2014



CERCLA/SARA 304 Reportable Quantity (RQ): None RCRA Hazardous Waste Classification (40 CFR 261): Not Applicable TSCA Status: Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

PA Hazard Ratings		HMIS Hazard Ratin	<u>gs</u>	C	Minimal
Health:	1	Health:		1 1	Slight
Flammability:	1	Flammability:		1 2	Moderate
Instability:	0	Reactivity:		0 3	Serious
-		-		4	Extreme
Syngenta Ha	zard Category: A			÷	Chronic
	For non-e	mergency questions	s about this produc	t call:	
		1-800-334-	9481		
Original Issued Date:	7/22/2010				
Revision Date:	6/9/2015	Replaces:	11/20/2014		
	2, 4, 11, 16				