SAFETY DATA SHEET

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 PRODUCT IDENTIFIER:

TRADE NAME: TASK FORCE® 2 11-8-5

1.2 RECOMMENDED USE: FERTILIZER

1.3 SUPPLIER DETAILS:

LOVELAND PRODUCTS, INC.

P.O. Box 1286 • Greeley, CO 80632-1286

1.4 24-Hour Emergency Phone: 1-800-424-9300 - Medical Emergencies: 1-866-944-8565

U.S. Coast Guard National Response Center: 1-800-424-8802

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200

Acute Toxicity (Dermal)Category 5H313Skin IrritationCategory 3H316Eye IrritationCategory 2AH320

2.2 Label elements



Signal word: WARNING

Hazard Statements: H313 – May be harmful in contact with skin.

H316 – Causes mild skin irritation H320 – Causes eye irritation

Precautionary

Statements: P301 – IF SWALLOWED: Rinse mouth

P302 + P350 - IF ON SKIN: Wash with plenty of water for 15 to 20 minutes

P305 + P351 + P338 - IF IN EYES: Rinse with water for 15 to 20 minutes. Remove contact lenses, if present, and

continue rinsing eyes.

2.3 Other hazards

None known

KEEP OUT OF REACH OF CHILDREN -

Appearance and odor: Aqua-blue colored liquid with slight ammonia odor.

WARNING - POSSIBLE SKIN IRRITATION - POSSIBLE EYE IRRITATION - POSSIBLE RESPIRATORY TRACT IRRITATION

Potential Health effects

Routes of exposure Eye contact, skin contact, inhalation.

Eyes May cause eye irritation. **Skin** May cause skin irritation.

Inhalation May be irritating to respiratory system.

Ingestion May be irritating to mouth, throat, and stomach.

Target organs Skin. Eyes. Inhalation.

Signs and symptoms May cause irritation to the eyes, skin, gastrointestinal tract, and respiratory system.

Potential environmental effects This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have harmful or damaging effect on the environment.

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name:	CAS No.	Classification	Concentration [%]
Urea	57-13-6		16.70
Ammonium Nitrate	6484-52-2		trace
Potassium Acetate	127-08-2		6-8
Ammonium Polyphosphate	68333-79-9	H320, 2B	23.53
Iron HEDTA	17084-02-5		2.22
Manganese EDTA	15375-84-5		0.83
Copper EDTA	39208-15-6		0.67
Zinc EDTA	14025-21-9		0.56
Sodium Borate	1303-96-4		0.1024
Sodium Molybdate	7631-95-0		0.0013
Cobalt Sulfate	10124-43-3		0.0024
Water	7732-18-5		Balance

TASK FORCE® 2 11-8-5

SUPERSEDES: 05/24/12 SDS NUMBER: 1000177180-14-LPI SDS REVISIONS: FORMAT **DATE OF ISSUE: 12/09/14**

FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

Eye contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5

minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to

swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth

to an unconscious person.

Skin contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or

doctor for treatment advice.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by

mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Risk of damage to eyes. Skin irritation. Respiratory tract irritation.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565 Take container, label or product name with you when seeking medical attention.

NOTES TO PHYSICIAN: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the

patient.

FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media:

Water fog, water spray, carbon dioxide (CO₂), foam. Do not use water jet as this will spread the fire.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: During a fire, irritating, corrosive and/or toxic gases may be produced.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate

fire and deny unnecessary entry.

ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions:

Avoid inhalation of vapors and spray mist and contact with skin and eyes. Ensure adequate ventilation.

Wear suitable protective clothing.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter

drains, sewers, or watercourses.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up:

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

Remove residual contamination.

Never return spills to original containers for re-use.

HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling:

Avoid inhalation of vapors / spray and contact with eyes, skin and clothing. Do not breathe mist or vapor. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers:

Store product in dark fiberglass or plastic containers out of direct sunlight or UV light. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage area away from children, feed and food products, and seed. PROTECT FROM FREEZING. Do not contaminate water, food, or feed by storage or disposal. Avoid containers, piping, or fittings made of brass, bronze or other copper-containing alloys, or galvanized metal.

TASK FORCE® 2 11-8-5

SDS NUMBER: 1000177180-14-LPI SDS REVISIONS: FORMAT **DATE OF ISSUE: 12/09/14** SUPERSEDES: 05/24/12

EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

OCCUPATIONAL EXPOSURE LIMITS

U.S. Workplace Exposure Level (WEEL) Guides

Components Type Value TWA 10 mg/m³ Urea

(CAS: 57-13-6)

Biological limit values

ACGIH Biological Exposure Indices

Specimen Components Value

No listings

8.2 EXPOSURE CONTROLS:

Engineering Measures

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

Individual Protection Measures:

Eve / Face Protection Goggles or shielded safety glasses are recommended.

Skin Protection: Chemical resistant clothing is recommended. Routinely wash work clothing and protective equipment to remove

contaminants. The use of chemical-resistant gloves is recommended when handling undiluted product. Be aware

that the liquid may penetrate the gloves. Frequent change is advisable.

Respiratory Protection: In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment. Wear respiratory

protection during operations where spraying or misting occurs. In the U.S.A., if respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air

supplied respiratory protection if exposure concentrations are unknown.

PHYSICAL AND CHEMICAL PROPERTIES

9.1 APPEARANCE: Liquid

ODOR: Slight ammonia. ODOR THRESHOLD: 0.1 ppm. COLOR: Aqua-blue. 7.0 (neat). pH:

MELTING POINT / FREEZING POINT: No data available

BOILING POINT: No data available FLASH POINT: Does not flash

FLAMMABILILITY (solid, gas): Does not support combustion.

UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: Not applicable.

VAPOR PRESSURE: No data available.

SOLUBILITY: Soluble

PARTITION CO-EFFICIENT, n-OCTANOL / WATER: No data. AUTO-IGNITION TEMPERATURE: No data available. DECOMPOSITION TEMPERATURE: Not determined VISCOSITY: Not determined

SPECIFIC GRAVITY (Water = 1): 1.215 g/ml

BULK DENSITY: 10.14 lbs/gal. / 1.22 kg/L

These physical data are typical values based on material tested but may vary from sample to sample. Note:

Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

SAFETY DATA SHEET

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No reactions known under normal use conditions. Will not polymerize.

10.4 CONDITIONS TO AVOID

Excessive heat. Contact with alkalis, oxidizing and reducing agents, hypochlorites, aldehydes, inorganic acids, organics, cyanides, copper.

10.5 INCOMPATIBILE MATERIALS

Sodium nitrite, phosphorous pentachloride, nitrosyl perchlorate.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include but are not limited to oxides of carbon, oxides of sulfur, ammonia, oxides of nitrogen, oxides of phosphorous, cyanuric acid, and cyanic acid.

11. TOXICOLOGICAL INFORMATION

11.1 LIKELY ROUTES OF EXPOSURE

Skin contact, eye contact.

LC₅₀ (rat): No data available.

LD₅₀ Oral (rat): 8,471 mg/kg (Urea)

LD₅₀ Oral (rat): 424 mg/kg (Cobalt Sulfate)

LD₅₀ Dermal (rat): No data available

LD₅₀ Oral (rat): 3,250 mg/kg (Potassium Acetate)

LD₅₀ Dermal (rat): No data available
Acute Toxicity Estimates: No data available
Skin Irritation (rabbit): No data available
Eye Irritation (rabbit): No data available

Specific Target Organ Toxicity: Single exposure: No data available.

Aspiration: No data available

Skin Sensitization (guinea pig): Not a sensitizer

Carcinogenicity: No data available

Germ Cell Mutagenicity: No data available

Interactive Effects: None known

12. ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Ecotoxicological Data

	Species	Test Results	
LC ₅₀	Tilapia mossambica	22,500 μ/L, 96 hours	
LC ₅₀	Colisa fasciata	5,000 μ/L, 96 hours	
LC ₅₀	Barillius barna	> 9,100 mg/L, 96 hours	
EC ₅₀	Daphnia magna	> 10,000 mg/L, 24hours	
)124-43-3)		_	
EC ₅₀	Selenastrum capricornutum	0.4-72 mg/L, 72hours	
	LC ₅₀ LC ₅₀ EC ₅₀ 0124-43-3)	$\begin{array}{ccc} LC_{50} & Tilapia \ mossambica \\ LC_{50} & Colisa \ fasciata \\ LC_{50} & Barillius \ barna \\ EC_{50} & Daphnia \ magna \\ \end{array}$	LC $_{50}$ Tilapia mossambica 22,500 μ /L, 96 hours LC $_{50}$ Colisa fasciata 5,000 μ /L, 96 hours LC $_{50}$ Barillius barna > 9,100 mg/L, 96 hours EC $_{50}$ Daphnia magna > 10,000 mg/L, 24hours 0124-43-3)

Drift or runoff may adversely affect non-target plants.

Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water.

Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: The product is not readily biodegradable

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

12.4 MOBILITY IN SOIL

This product is water soluble and may disperse in soil.

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

SDS NUMBER: 1000177180-14-LPI SDS REVISIONS: FORMAT TASK FORCE® 2 11-8-5

SUPERSEDES: 05/24/12

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Do not reuse containers for any purpose. Container is recyclable, and is to be disposed of at a container collection site. Contact your local dealer/distributor for the location of the nearest collection site. Before taking container to the collection site: Triple or pressure-rinse the empty container, adding the rinsate to the spray tank. Make the empty container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Do not contaminate water, food or feed by storage or disposal.

DATE OF ISSUE: 12/09/14

TRANSPORT INFORMATION

141	1 4	ΔИП	TR	PORT	•

DOT Shipping Description: NOT REGULATED

U.S. Surface Freight Classification: FERTILIZING COMPOUNDS (MANUFACTURED FERTILIZERS), NOI; LIQUID (NMFC 68140, SUB 6;

CLASS 70)

15	RECIII	ATORY	INFORM	

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS	

NFPA & HMIS Hazard Ratings: **NFPA HMIS** Health 0 Health Least Flammability Flammability Slight Reactivity 2 1 Instability Moderate 1 High PPE Severe 4

SARA Hazard Notification/Reporting

SARA Title III Hazard Category: **Immediate** Sudden Release of Pressure Fire N Delayed Reactive

Reportable Quantity (RQ) under U.S. CERCLA: Not listed.

SARA, Title III, Section 313: Not listed RCRA Waste Code: Not listed

CA Proposition 65: WARNING: This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive

harm.

16. OTHER INFORMATION

SDS STATUS: All sections revised; format change PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

®Task Force is a registered trademark of Loveland Products, Inc.

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.