

TEMPO® ULTRA TECHNICAL INSECTICIDE

Version 4.0 / USA Revision Date: 10/24/2019 102000006582 Print Date: 10/25/2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name TEMPO® ULTRA TECHNICAL INSECTICIDE

Product code (UVP) 06075770

SDS Number 102000006582

EPA Registration No. 432-1366

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science

2 T.W. Alexander Drive

Research Triangle PK, NC 27709

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Inhalation): Category 2 Acute toxicity(Oral): Category 3

Combustible dust

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Danger

Hazard statements

Fatal if inhaled.

Toxic if swallowed.

May form combustible dust concentrations in air.

Conduct Dust Hazard Assessment (DHA).



TEMPO® ULTRA TECHNICAL INSECTICIDE

Version 4.0 / USA Revision Date: 10/24/2019 102000006582 Print Date: 10/25/2019

Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Do not breathe dust.

Use only outdoors or in a well-ventilated area.

In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.

Rinse mouth

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER/doctor/ physician.

Specific treatment is urgent (see supplemental first aid instructions on this label).

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name CAS-No. Concentration % by weight

Beta-Cyfluthrin 1820573-27-0 98.96

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.



TEMPO® ULTRA TECHNICAL INSECTICIDE

Version 4.0 / USA Revision Date: 10/24/2019
102000006582 Print Date: 10/25/2019

Most important symptoms and effects, both acute and delayed

Symptoms Local:, Skin and eye paraesthesia which may be severe, Usually

transient with resolution within 24 hours, Skin, eye and mucous

membrane irritation, Cough, Sneezing

Systemic:, discomfort in the chest, tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular

fasciculation, Apathy, Dizziness

Indication of any immediate medical attention and special treatment needed

Risks This product contains a pyrethroid. Pyrethroid poisoning should not be

confused with carbamate or organophosphate poisoning.

Treatment Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory

and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or

artificial respiration if needed. In case of convulsions, a

benzodiazepine (e.g. diazepam) should be given according to standard

regimens. If not effective, phenobarbital may be used.

Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without

sequelae.

In case of skin irritation, application of oils or lotions containing vitamin

E may be considered.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Carbon dioxide (CO2), Foam, Sand

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride,

Carbon monoxide (CO), Nitrogen oxides (NOx)

Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event

of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point Not applicable

Auto-ignition temperature No data available



TEMPO® ULTRA TECHNICAL INSECTICIDE

Version 4.0 / USA Revision Date: 10/24/2019
102000006582 Print Date: 10/25/2019

Lower explosion limitNot applicableUpper explosion limitNot applicableExplosivityNot explosive

92/69/EEC, A.14 / OECD 113

Dust explosion class capable of causing a dust explosion (modified Hartmann tube)

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Remove all sources of ignition. Keep unauthorized people away.

Isolate hazard area. Avoid contact with spilled product or

contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Avoid dust formation. Sweep up or vacuum up spillage and collect in

suitable container for disposal. Clean contaminated floors and objects

thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

Dust may form explosive mixture in air. Keep away from heat and

sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized

persons only.

Advice on common storage Keep away from food, drink and animal feedingstuffs.



TEMPO® ULTRA TECHNICAL INSECTICIDE

Version 4.0 / USA Revision Date: 10/24/2019
102000006582 Print Date: 10/25/2019

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Beta-Cyfluthrin	1820573-27-	0.01 mg/m3		OES BCS*
	0	(TWA)		

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Under conditions immediately dangerous to life or health, or emergency conditions with unknown concentrations, use a full-face positive pressure air-supplied respirator equipped with an emergency escape air supply unit or use a self-contained breathing apparatus

unit.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance white to light yellow

Physical State powder

Odor weak characteristic
Odour Threshold No data available
pH No data available

Vapor Pressure < 0.000001 hPa (20 °C)

Vapor Density (Air = 1) No data available

Density 1.346 g/cm³ (22 °C)

Evaporation rateNot applicableBoiling PointNot applicableMelting / Freezing Pointca. 70 °C / 158 °F



TEMPO® ULTRA TECHNICAL INSECTICIDE

Version 4.0 / USA Revision Date: 10/24/2019 102000006582 Print Date: 10/25/2019

Water solubility < 0.0001 g/l (20 °C) **Minimum Ignition Energy** > 23 - < 200 mJ Molecular weight 434.3 g/mol

Decomposition from 250 °C, Heating rate: 3 K/min

temperature Determined in glass. log Pow: 6.18 (22 °C)

Partition coefficient: n-

octanol/water

Viscosity Not applicable

Flash point Not applicable **Auto-ignition temperature** No data available Lower explosion limit Not applicable **Upper explosion limit** Not applicable **Explosivity** Not explosive

92/69/EEC, A.14 / OECD 113

Dust explosion class capable of causing a dust explosion (modified Hartmann tube) Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition from 250 °C, Heating rate: 3 K/min

Determined in glass.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials Bases

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Skin contact, Eye contact, Inhalation, Ingestion

Immediate Effects

Eye Causes eye irritation.



TEMPO® ULTRA TECHNICAL INSECTICIDE

Version 4.0 / USA Revision Date: 10/24/2019
102000006582 Print Date: 10/25/2019

Skin May cause irritation, redness. May cause a transient, localized

paresthesia, characterized by tingling, burning or numbness

sensation in some individuals.

Ingestion May be fatal if swallowed.

Inhalation May be fatal if inhaled. May cause irritation of the mucous

membranes.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) 77 mg/kg

Acute inhalation toxicity LC50 (male/female combined Rat) 0.5 mg/l

Exposure time: 4 h

Determined in the form of a respirable fine dust.

Acute dermal toxicity LD50 (Rat) > 5,000 mg/kg

Skin corrosion/irritation No skin irritation (Rabbit)

Serious eye damage/eye

irritation

slight irritation (Rabbit)

Respiratory or skin Skin: Non-sensitizing. (Guinea pig)

sensitisation OECD Test Guideline 406, Magnusson & Kligman test

Assessment STOT Specific target organ toxicity - repeated exposure

The toxic effects of Beta-Cyfluthrin are related to transient neurobehavioral effects typical for pyrethroid neurotoxicity.

Assessment mutagenicity

Beta-Cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Beta-Cyfluthrin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Beta-Cyfluthrin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Beta-Cyfluthrin is related to parental toxicity.

Assessment developmental toxicity



TEMPO® ULTRA TECHNICAL INSECTICIDE

Version 4.0 / USA Revision Date: 10/24/2019 102000006582 Print Date: 10/25/2019

Beta-Cyfluthrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Beta-Cyfluthrin are related to maternal toxicity.

Further information

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 0.000068 mg/l

Exposure time: 96 h

Toxicity to aquatic

EC50 (Daphnia magna (Water flea)) 0.00029 mg/l

invertebrates

Exposure time: 48 h

Toxicity to aquatic plants IC50 (Desmodesmus subspicatus (green algae)) > 0.01 mg/l

Growth rate; Exposure time: 72 h

No acute toxicity was observed at its limit of water solubility.

Toxicity to bacteria EC50 (activated sludge) > 10,000 mg/l

Biodegradability Beta-Cyfluthrin:

Not rapidly biodegradable

Koc Beta-Cyfluthrin: Koc: 508 - 3179

Bioaccumulation Beta-Cyfluthrin: Bioconcentration factor (BCF) 506

Does not bioaccumulate.

Mobility in soil

Beta-Cyfluthrin: Immobile in soil

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not allow to get into surface water, drains and ground water.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

egulations.

Never place unused product down any indoor or outdoor drain. Follow container label instructions for disposal of wastes generated

during use in compliance with the product label.

Contaminated packaging Do not re-use empty containers.

Completely empty container into application equipment, then dispose of

empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.



TEMPO® ULTRA TECHNICAL INSECTICIDE

Version 4.0 / USA Revision Date: 10/24/2019 102000006582 Print Date: 10/25/2019

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal. State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

UN number 3349
Class 6.1
Packaging group II

Proper shipping name PYRETHROID PESTICIDE, SOLID, TOXIC

(BETA-CYFLUTHRIN)

IMDG

UN number 3349
Class 6.1
Packaging group II
Marine pollutant YES

Proper shipping name PYRETHROID PESTICIDE, SOLID, TOXIC

(BETA-CYFLUTHRIN)

IATA

UN number 3349
Class 6.1
Packaging group II
Environm. Hazardous Mark NO

Proper shipping name PYRETHROID PESTICIDE, SOLID, TOXIC

(BETA-CYFLUTHRIN)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., POISON, OTHER

THAN GASES THAT ARE POISONOUS BY INHALATION

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1366

US Federal Regulations

TSCA list

Not applicable.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

Not applicable.

SARA Title III - Section 302 - Notification and Information

None.



10/11

TEMPO® ULTRA TECHNICAL INSECTICIDE

Version 4.0 / USA Revision Date: 10/24/2019 102000006582 Print Date: 10/25/2019

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Beta-Cyfluthrin 1820573-27-0

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Beta-Cyfluthrin 1820573-27-0 NJ, RI

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Warning!

Hazard statements: May be fatal if inhaled.

May be fatal if swallowed. Causes eye irritation. Do not breathe dust.

Avoid contact with skin, eyes and clothing.

Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before re-use.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations



TEMPO® ULTRA TECHNICAL INSECTICIDE

Version 4.0 / USA Revision Date: 10/24/2019 102000006582 Print Date: 10/25/2019

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 4 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 3 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 3: Composition / Information on Ingredients. Reviewed and updated for general editorial purposes.

Revision Date: 10/24/2019

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.