

Revision date: 2025/12/15 Page: 1/18 Version: 8.0 (30685699/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

Teraxxa F4 Seed Treatment

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, insecticide

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 857958

Registration number: EPA Registration number: 7969-419 Chemical family: No applicable information available.

2. Hazards Identification

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Skin Sens. 1B Skin sensitization
Carc. 2 Carcinogenicity
Repr. Add. cat. lact. Reproductive toxicity

Aquatic Acute 1 Hazardous to the aquatic environment - acute Aquatic Chronic 1 Hazardous to the aquatic environment - chronic

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2025/12/15 Page: 2/18 Version: 8.0 (30685699/SDS_CPA_US/EN)

Label elements

Pictogram:





Signal Word: Warning

Hazard Statement:

H317 May cause an allergic skin reaction. H362 May cause harm to breast-fed children.

H351 Suspected of causing cancer. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P273 Avoid release to the environment.
P201 Obtain special instructions before use.

P260 Do not breathe dust or mist.

P202 Do not handle until all safety precautions have been read and

understood.

P272 Contaminated work clothing should not be allowed out of the workplace.

P263 Avoid contact during pregnancy and while nursing.
P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P308 + P313 IF exposed or concerned: Get medical attention.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical attention.

P391 Collect spillage.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):
P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: metalaxyl, 1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Revision date: 2025/12/15 Page: 3/18 Version: 8.0 (30685699/SDS CPA US/EN)

3. Composition / Information on Ingredients

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Benzamide, 3-(benzoylmethylamino)-N-[2-bromo-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]-6-denze and the second of the se

(trifluoromethyl)phenyl]-2-fluoro-

CAS Number: 1207727-04-5 Content (W/W): 1.55 % Synonym: No data available.

Fluxapyroxad

CAS Number: 907204-31-3 Content (W/W): 0.78 % Synonym: No data available.

Pyraclostrobin

CAS Number: 175013-18-0 Content (W/W): 1.55 % Synonym: No data available.

Triticonazole

CAS Number: 138182-18-0 Content (W/W): 1.55 % Synonym: Triticonazole

metalaxyl

CAS Number: 57837-19-1 Content (W/W): 0.93 %

Synonym: DL-Alanine, N-(2,6-dimethylphenyl)-N-(methoxyacetyl)-, methyl ester

Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-, ammonium salt

CAS Number: 119432-41-6 Content (W/W): 1.0 - 5.0%

Synonym: (NON-PLC) Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-[2,4,6-

tris(1-phenylethyl)phenoxy]-, ammonium salt

bronopol

CAS Number: 52-51-7 Content (W/W): < 0.1%

Synonym: 2-Bromo-2-nitro-1,3-propanediol; Bronopol

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS Number: 55965-84-9 Content (W/W): < 0.1%

Synonym: 5-Chloro-2-methyl-3(2H)-isothiazolone mixt. with 2-methyl-3(2H)-

isothiazolone

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts

CAS Number: 68425-94-5 Content (W/W): >= 0.1 - < 1.5% Synonym: No data available.

1,2-benzisothiazol-3(2H)-one

CAS Number: 2634-33-5 Content (W/W): <= 0.1%

Revision date: 2025/12/15 Page: 4/18 Version: 8.0 (30685699/SDS CPA US/EN)

Synonym: No data available.

The actual concentration is withheld as a trade secret.

4. First-Aid Measures

Description of first aid measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Revision date: 2025/12/15 Page: 5/18 Version: 8.0 (30685699/SDS CPA US/EN)

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, Hydrogen chloride, carbon dioxide, hydrogen fluoride, hydrogen bromide, nitrogen oxides, halogenated compounds, sulfur oxides, silica compounds

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Protect contents from the effects of light. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the

Revision date: 2025/12/15 Page: 6/18 Version: 8.0 (30685699/SDS CPA US/EN)

substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination.

The packed product is not damaged by low temperatures or by frost.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Pyraclostrobin TWA value 0.13 mg/m3;

Triticonazole TWA value 0.335 mg/m3;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Revision date: 2025/12/15 Page: 7/18 Version: 8.0 (30685699/SDS CPA US/EN)

Eye protection:

Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Remove contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Physical state: liquid
Form: liquid
Odour: odourless

Odour threshold: not applicable, odour not perceivable

Colour: red

pH value: approx. 5.5 - 7.5

(1 %(m), 20 °C) approx. 0 °C

Melting point: approx. 0 °C

Information applies to the solvent.

Boiling point: approx. 100 °C

Information applies to the solvent.

Sublimation point: No applicable information available. Flash point: No flash point - Measurement made

up to pilot light extinguishes.

Flammability: not flammable

Lower explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Autoignition: 470 °C SADT: > 75 °C Vapour pressure: approx. 23 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1.08 g/cm3

(20°C)

Relative vapour density: not determined

Revision date: 2025/12/15 Page: 8/18 Version: 8.0 (30685699/SDS CPA US/EN)

Partitioning coefficient nThe statements are based on the

octanol/water (log Pow): properties of the individual

components.

Information on: metalaxyl

Partitioning coefficient n- 1.65

octanol/water (log Pow):

Thermal decomposition: 180 °C, 1,270 kJ/kg

(onset temperature)

Not a substance liable to self-decomposition according to UN

transport regulations, class 4.1.

Viscosity, dynamic: approx. 56.9 mPa.s

(20°C)

Viscosity, kinematic: approx. 52.69 mm2/s (calculated (from

(20 °C) dynamic viscosity))

Solubility in water: soluble

Solubility (quantitative): No data available. Solubility (qualitative): No data available. Molecular weight: No data available.

Other Information: The product has not been tested. The statement has been

derived from substances/products of a similar structure or

composition.

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular

form.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

Revision date: 2025/12/15 Page: 9/18 Version: 8.0 (30685699/SDS CPA US/EN)

180 °C

(onset temperature)

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

<u>Oral</u>

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg No mortality was observed.

Inhalation

Type of value: LC50

Species: rat
Value: > 5.54 mg/l
Exposure time: 4 h
An aerosol was tested.
No mortality was observed.

<u>Dermal</u>

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

<u>Skin</u>

Species: rabbit Result: non-irritant

Method: OECD Guideline 404

Revision date: 2025/12/15 Page: 10/18 Version: 8.0 (30685699/SDS_CPA_US/EN)

<u>Eye</u>

Species: rabbit Result: non-irritant

Method: OECD Guideline 405

Sensitization

Assessment of sensitization: Sensitization after skin contact possible. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Buehler test

Species: guinea pig Result: skin sensitizing

Method: OECD Guideline 406

Aspiration Hazard not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin

Assessment of repeated dose toxicity: Repeated exposure may affect certain organs. Target organs: Liver, gastrointestinal tract and nasal cavity

Information on: Triticonazole

Assessment of repeated dose toxicity: Repeated exposure may affect certain organs.

Information on: Fluxapyroxad

Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Information on: bronopol

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation.

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Assessment of repeated dose toxicity: Based on available data, the classification criteria are not met. After repeated exposure the prominent effect is local irritation.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: bronopol

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was mutagenic in various cell culture test systems; however, these results could not be confirmed in tests with mammals.

Revision date: 2025/12/15 Page: 11/18 Version: 8.0 (30685699/SDS_CPA_US/EN)

Information on: Triticonazole

Assessment of mutagenicity: No mutagenic effect was found in various tests with microorganisms

and mammalian cell culture. The substance was not mutagenic in a test with mammals.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests. The effect is caused by an animal specific mechanism that has no human counter part.

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests.

.....

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. May cause harm to children via breast-feeding.

Information on: Triticonazole

Assessment of reproduction toxicity: The potential to impair fertility cannot be excluded when given at maternally toxic doses.

·----

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Triticonazole

Assessment of teratogenicity: The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals.

Information on: metalaxyl

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Information on: pyraclostrobin

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Other Information

Misuse can be harmful to health.

12. Ecological Information

Revision date: 2025/12/15 Page: 12/18 Version: 8.0 (30685699/SDS_CPA_US/EN)

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-

methylbenzamido)benzamide

LC50 (96 h) 0.246 mg/l, Lepomis macrochirus

Information on: pyraclostrobin

LC50 (96 h) 0.00616 mg/l, Oncorhynchus mykiss (EPA 72-1, Flow through.)

Information on: Triticonazole

LC50 (96 h) > 3.6 mg/l, Oncorhynchus mykiss

Information on: Fluxapyroxad

LC50 (96 h) 0.29 mg/l, Cyprinus carpio (Fish test acute, semistatic)

LC50 (96 h) 0.546 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static) LC50 (96 h) 1.15 mg/l, Lepomis macrochirus (OECD Guideline 203, static) LC50 (96 h) 0.466 mg/l, Pimephales promelas (OECD Guideline 203, static)

Information on: metalaxyl

LC50 (96 h) 27 mg/l, Lepomis macrochirus LC50 (96 h) > 100 mg/l, Cyprinus carpio

Aquatic invertebrates

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-mothyl)phenyl]-2-fluoro-3-(N-mothyl)phenyl

methylbenzamido)benzamide

LC50 (96 h) 0.000024 mg/l, Americamysis bahia LC50 (48 h) 0.000042 mg/l, Americamysis bahia

Information on: pyraclostrobin

EC50 (48 h) 0.0157 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

EC50 (96 h) 0.00416 mg/l, Americamysis bahia

Information on: Triticonazole

EC50 (96 h) 6.6 mg/l, Americamysis bahia

Information on: Fluxapyroxad

EC50 (48 h) 6.78 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Information on: metalaxyl LC50 12.5 mg/l, Daphnia magna

Aquatic plants

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

Revision date: 2025/12/15 Page: 13/18 Version: 8.0 (30685699/SDS_CPA_US/EN)

EC50 (72 h) > 0.33 mg/l (growth rate), Skeletonema costatum

No observed effect concentration (72 h) 0.13 mg/l (growth rate), Skeletonema costatum

Information on: pyraclostrobin

EC10 (7 d) 0.82 mg/l (growth rate), Lemna gibba EC50 (7 d) > 1.007 mg/l (growth rate), Lemna gibba EC50 (72 h) 0.011 mg/l (growth rate), Navicula pelliculosa

Information on: Triticonazole

EC50 (120 h) 0.31 mg/l, Skeletonema costatum

No observed effect concentration (120 h) 0.031 mg/l, Skeletonema costatum

EC50 (14 d) 1.4 mg/l, Lemna gibba

No observed effect concentration (14 d) 0.33 mg/l, Lemna gibba

EC50 (72 h) 10 mg/l, Pseudokirchneriella subcapitata

No observed effect concentration (72 h) 3.2 mg/l, Pseudokirchneriella subcapitata

Information on: Fluxapyroxad

EC50 (72 h) 0.70 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC50 (96 h) 0.66 mg/l (growth rate), Pseudokirchneriella subcapitata EC10 (72 h) 0.31 mg/l (growth rate), Pseudokirchneriella subcapitata EC10 (96 h) 0.36 mg/l (growth rate), Pseudokirchneriella subcapitata

Chronic toxicity to fish

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

No observed effect concentration (33 d) 0.051 mg/l, Pimephales promelas No observed effect concentration (34 d) 0.010 mg/l, Cyprinodon variegatus

Information on: pyraclostrobin

No observed effect concentration (98 d) approx. 0.00235 mg/l, Oncorhynchus mykiss (OECD Guideline 210, Flow through.)

Information on: Triticonazole

No observed effect concentration (28 d) 0.01 mg/l, Oncorhynchus mykiss No observed effect concentration (175 d) 0.0114 mg/l, Pimephales promelas

Information on: Fluxapyroxad

No observed effect concentration (33 d) 0.0359 mg/l, Pimephales promelas (OECD Guideline 210, Flow through.)

.....

Chronic toxicity to aquatic invertebrates

Information on: N-[2-bromo-4-(perfluoropropan-2-yl)-6-(trifluoromethyl)phenyl]-2-fluoro-3-(N-methylbenzamido)benzamide

No observed effect concentration (28 d) 0,0000063 mg/L, Mysidopsis bahia

Information on: pyraclostrobin

No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)

The details of the toxic effect relate to the nominal concentration.

No observed effect concentration (31 d) 0.000365 mg/l, Mysidopsis bahia

Information on: Triticonazole

Revision date: 2025/12/15 Page: 14/18 Version: 8.0 (30685699/SDS_CPA_US/EN)

No observed effect concentration (28 d) 0.041 mg/l, Mysidopsis bahia

Information on: Fluxapyroxad

No observed effect concentration (21 d) 0.5 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Broflanilide, 3-(benzoylmethylamino)-N-[2-bromo-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]-6-(trifluoromethyl)phenyl]-2-fluoro-benzamide

Not readily biodegradable (by OECD criteria).

Information on: pyraclostrobin

Not readily biodegradable (by OECD criteria).

Information on: Triticonazole

Not readily biodegradable (by OECD criteria).

Information on: Fluxapyroxad

Not readily biodegradable (by OECD criteria).

Information on: metalaxyl

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: metalaxyl

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Bioaccumulation potential

Information on: Broflanilide, 3-(benzoylmethylamino)-N-[2-bromo-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]-6-(trifluoromethyl)phenyl]-2-fluoro-benzamide

Bioconcentration factor: 189 - 234 (27 d), Oncorhynchus mykiss (OECD Guideline 305 E)

Revision date: 2025/12/15 Page: 15/18 Version: 8.0 (30685699/SDS_CPA_US/EN)

Information on: pyraclostrobin

Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD Guideline 305)

Accumulation in organisms is not to be expected.

Information on: Triticonazole

Bioconcentration factor: 72.55 (42 d), Lepomis macrochirus

Does not accumulate in organisms.

Information on: Fluxapyroxad

Bioconcentration factor: 36 - 37 (28 d), Lepomis macrochirus (OECD Guideline 305)

Does not accumulate in organisms.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Broflanilide, 3-(benzoylmethylamino)-N-[2-bromo-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]-6-(trifluoromethyl)phenyl]-2-fluoro-benzamide

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: pyraclostrobin

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: Triticonazole

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: Fluxapyroxad

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions,

Revision date: 2025/12/15 Page: 16/18 Version: 8.0 (30685699/SDS_CPA_US/EN)

contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains BROFLANILIDE)

Air transport

IATA/ICAO

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains BROFLANILIDE)

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

Revision date: 2025/12/15 Page: 17/18 Version: 8.0 (30685699/SDS CPA US/EN)

State regulations

State RTKCAS NumberChemical nameNJ57-55-6Propylene glycolPA57-55-6Propylene glycol

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including FORMALDEHYDE, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

Labeling requirements under FIFRA

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

HARMFUL IF SWALLOWED.

HARMFUL IF INHALED.

Causes moderate eye irritation.

HARMFUL IF ABSORBED THROUGH SKIN.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of dusts.

Prolonged or repeated skin contact may cause sensitization or allergic reactions.

Remove contaminated clothing and wash before reuse.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2025/12/15

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR

Revision date: 2025/12/15 Page: 18/18 Version: 8.0 (30685699/SDS_CPA_US/EN)

TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/12/15 Version: 8.0
Date / Previous version: 2023/03/20 Previous version: 7.0

END OF DATA SHEET