

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

### SECTION 1. IDENTIFICATION

Product name : TerraVue CA

#### Manufacturer or supplier's details

##### COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE LLC  
9330 ZIONSVILLE RD  
INDIANAPOLIS, IN, 46268-1053  
UNITED STATES

Customer Information : 1-800-258-3033  
Number  
E-mail address : customerinformation@corteva.com

Emergency telephone : INFOTRAC (CONTRACT 84224)  
+1 800-992-5994 or +1 317-337-6009

#### Recommended use of the chemical and restrictions on use

Recommended use : End use herbicide product

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version 1.0      Revision Date: 08/14/2024      SDS Number: 800080101875      Date of last issue: -  
Date of first issue: 08/14/2024

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Aminopyralid Potassium	566191-87-5	71.01
Florpyrauxifen-benzyl	1390661-72-9	6
Kaolin	1332-58-7	$\geq 3 - < 10$
Sodium lignosulfonate	8061-51-6	$\geq 3 - < 10$
Sodium N-methyl-N-oleoyltaurine	137-20-2	$\geq 1 - < 3$
amino-chloro-pyridine-carboxylic acid		$\geq 1 - < 3$

Actual concentration is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

If inhaled : No emergency medical treatment necessary.

In case of skin contact : Wash off with plenty of water.

In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

If swallowed : No emergency medical treatment necessary.

Most important symptoms and effects, both acute and delayed : None known.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : No specific antidote.  
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam

Unsuitable extinguishing media : Dry chemical

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health. Applying foam will release significant amounts of hydrogen gas that can be trapped under the foam blanket. Do not allow run-off from fire fighting to enter drains or water courses.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version 1.0	Revision Date: 08/14/2024	SDS Number: 800080101875	Date of last issue: - Date of first issue: 08/14/2024
----------------	------------------------------	-----------------------------	--

Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.

Combustion products may include and are not limited to:  
Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Hydrogen chloride gas

Specific extinguishing methods : Do not allow extinguishing medium to contact container contents. Most fire extinguishing media will cause hydrogen evolution, and once the fire is put out, may accumulate in poorly ventilated or confined areas and result in flash fire or explosion if ignited.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.  
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.  
Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.  
Prevent from entering into soil, ditches, sewers, underwater.  
See Section 12, Ecological Information.

Methods and materials for containment and cleaning up : Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.  
Pick up and arrange disposal without creating dust.  
Recovered material should be stored in a vented container.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version 1.0      Revision Date: 08/14/2024      SDS Number: 800080101875      Date of last issue: -  
Date of first issue: 08/14/2024

The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.  
Keep in suitable, closed containers for disposal.  
Sweep up or vacuum up spillage and collect in suitable container for disposal.  
See Section 13, Disposal Considerations, for additional information.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.  
Smoking, eating and drinking should be prohibited in the application area.  
Take care to prevent spills, waste and minimize release to the environment.  
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Conditions for safe storage : Store in a closed container.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m3	ACGIH
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		PEL (respirable)	0.05 mg/m3	OSHA CARC

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version 1.0      Revision Date: 08/14/2024      SDS Number: 800080101875      Date of last issue: -  
Date of first issue: 08/14/2024

amino-chloro-pyridine-carboxylic acid	Not Assigned	TWA	10 mg/m3	ACGIH
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0

**Engineering measures** : Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.  
Local exhaust ventilation may be necessary for some operations.

### Personal protective equipment

**Respiratory protection** : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions, no respiratory protection should be needed; however, in dusty atmospheres, use an approved particulate respirator.

### Hand protection

**Remarks** : Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Eye protection** : Use safety glasses (with side shields).

**Skin and body protection** : Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Solid.
Color	: tan
Odor	: mild
Odor Threshold	: No data available
pH	: 9.83 (68.7 °F / 20.4 °C) Method: pH Electrode
Freezing point	: Not applicable
Melting point/range	: No data available
Boiling point/boiling range	: Not applicable
Flash point	: Method: closed cup Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: No data available
Upper explosion limit / Upper flammability limit	: Not applicable
Lower explosion limit / Lower flammability limit	: Not applicable
Vapor pressure	: Not applicable
Relative vapor density	: Not applicable
Density	: Not applicable
Bulk density	: 0.5962 g/mL
Solubility(ies) Water solubility	: No data available
Autoignition temperature	: Not applicable
Viscosity	

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

Viscosity, dynamic	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No significant increase (>5C) in temperature.

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: No decomposition if stored and applied as directed. Stable under normal conditions.
Possibility of hazardous reactions	: Stable under recommended storage conditions. No hazards to be specially mentioned. None known.
Conditions to avoid	: None known.
Incompatible materials	: Acids
Hazardous decomposition products	: Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon oxides Nitrogen oxides (NOx) Hydrogen chloride gas

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity	: LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 423
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.46 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: No deaths occurred at this concentration. Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 402

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

### **Components:**

#### **Aminopyralid Potassium:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: No adverse effects are anticipated from single exposure to dust.  
Based on the available data, respiratory irritation was not observed.

LC50 (Rat): > 5.10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Symptoms: No deaths occurred at this concentration.  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

#### **Florpyrauxifen-benzyl:**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.23 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Symptoms: No deaths occurred at this concentration.  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

#### **Kaolin:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

#### **Sodium lignosulfonate:**

Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.48 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

#### **Sodium N-methyl-N-oleoyltaurine:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

#### **amino-chloro-pyridine-carboxylic acid:**

Acute oral toxicity : LD50 (Rat, male): > 5,000 mg/kg

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version 1.0	Revision Date: 08/14/2024	SDS Number: 800080101875	Date of last issue: - Date of first issue: 08/14/2024
----------------	------------------------------	-----------------------------	--

Remarks: Signs and symptoms of excessive exposure may include:  
Convulsions.

LD50 (Rat, female): 4,012 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.035 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Symptoms: No deaths occurred at this concentration.  
Remarks: Maximum attainable concentration.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

#### Product:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### Components:

##### **Florpyrauxifen-benzyl:**

Species : Rabbit  
Result : No skin irritation

##### **Kaolin:**

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

#### Product:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

#### Components:

##### **Florpyrauxifen-benzyl:**

Species : Rabbit  
Result : No eye irritation

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

### **Kaolin:**

Species	:	Rabbit
Result	:	No eye irritation

### **Sodium lignosulfonate:**

Result	:	Eye irritation
--------	---	----------------

### **Sodium N-methyl-N-oleoyltaurine:**

Species	:	Rabbit
Result	:	Eye irritation

### **Respiratory or skin sensitization**

#### **Product:**

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitization.

#### **Components:**

##### **Aminopyralid Potassium:**

Remarks	:	Did not cause allergic skin reactions when tested in guinea pigs.
---------	---	---

Remarks	:	For respiratory sensitization: No relevant data found.
---------	---	---

##### **Florpyrauxifen-benzyl:**

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Result	:	The product is a skin sensitizer, sub-category 1B.

##### **Sodium lignosulfonate:**

Remarks	:	Did not cause allergic skin reactions when tested in guinea pigs.
---------	---	---

Remarks	:	For respiratory sensitization: No relevant data found.
---------	---	---

##### **Sodium N-methyl-N-oleoyltaurine:**

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitization.

##### **amino-chloro-pyridine-carboxylic acid:**

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitization.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

### Germ cell mutagenicity

#### Components:

##### **Aminopyralid Potassium:**

Germ cell mutagenicity - Assessment : For similar active ingredient(s)., Aminopyralid., In vitro genetic toxicity studies were predominantly negative., Animal genetic toxicity studies were negative.

##### **Florpyrauxifen-benzyl:**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative.

Animal genetic toxicity studies were negative.

##### **Sodium lignosulfonate:**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative.

##### **Sodium N-methyl-N-oleoyltaurine:**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative.

##### **amino-chloro-pyridine-carboxylic acid:**

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

### Carcinogenicity

#### Components:

##### **Aminopyralid Potassium:**

Carcinogenicity - Assessment : For similar active ingredient(s)., Aminopyralid., Did not cause cancer in laboratory animals.

##### **Florpyrauxifen-benzyl:**

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

##### **Kaolin:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

##### **amino-chloro-pyridine-carboxylic acid:**

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

**IARC** Group 1: Carcinogenic to humans

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version 1.0	Revision Date: 08/14/2024	SDS Number: 800080101875	Date of last issue: - Date of first issue: 08/14/2024
----------------	------------------------------	-----------------------------	--

Kaolin (Silica dust, crystalline)	1332-58-7
--------------------------------------	-----------

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

<b>NTP</b> Known to be human carcinogen Kaolin (Silica, Crystalline (Respirable Size))	1332-58-7
--	-----------

### Reproductive toxicity

#### Components:

##### **Aminopyralid Potassium:**

Reproductive toxicity - Assessment : For similar active ingredient(s), Aminopyralid., In animal studies, did not interfere with reproduction.  
For similar active ingredient(s), Aminopyralid., Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

##### **Florpyrauxifen-benzyl:**

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.  
Did not cause birth defects or any other fetal effects in laboratory animals.

##### **Sodium N-methyl-N-oleoyltaurine:**

Reproductive toxicity - Assessment : Screening studies suggest that this material does not affect reproduction.

##### **amino-chloro-pyridine-carboxylic acid:**

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.  
Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

### STOT-single exposure

#### Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

#### Components:

##### **Aminopyralid Potassium:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

##### **Florpyrauxifen-benzyl:**

Assessment : Evaluation of available data suggests that this material is not

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

---

an STOT-SE toxicant.

### **Kaolin:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

### **Sodium N-methyl-N-oleoyltaurine:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

### **Repeated dose toxicity**

#### **Components:**

#### **Aminopyralid Potassium:**

Remarks : For similar active ingredient(s).  
Aminopyralid.  
In animals, effects have been reported on the following organs:  
Gastrointestinal tract.

#### **Florpyrauxifen-benzyl:**

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

### **Kaolin:**

Remarks : Repeated excessive exposure to crystalline silica may cause silicosis, a progressive and disabling disease of the lungs.

### **Sodium lignosulfonate:**

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

### **Sodium N-methyl-N-oleoyltaurine:**

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

### **amino-chloro-pyridine-carboxylic acid:**

Remarks : In animals, effects have been reported on the following organs:  
Liver.  
Gastrointestinal tract.

### **Aspiration toxicity**

#### **Product:**

Based on available information, aspiration hazard could not be determined.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

### Components:

#### **Aminopyralid Potassium:**

Based on available information, aspiration hazard could not be determined.

#### **Florpyrauxifen-benzyl:**

Based on physical properties, not likely to be an aspiration hazard.

#### **Kaolin:**

Based on physical properties, not likely to be an aspiration hazard.

#### **Sodium lignosulfonate:**

Based on available information, aspiration hazard could not be determined.

#### **Sodium N-methyl-N-oleoyltaurine:**

Based on available information, aspiration hazard could not be determined.

#### **amino-chloro-pyridine-carboxylic acid:**

Based on physical properties, not likely to be an aspiration hazard.

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Components:

#### **Aminopyralid Potassium:**

Toxicity to fish	:	Remarks: For similar active ingredient(s). Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).  LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 or Equivalent
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Algae): 100 mg/l Exposure time: 72 h  ErC50 (Myriophyllum spicatum): 0.363 mg/l Exposure time: 14 d Remarks: For similar material(s):  NOEC (Myriophyllum spicatum): 0.0639 mg/l Exposure time: 14 d

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version 1.0	Revision Date: 08/14/2024	SDS Number: 800080101875	Date of last issue: - Date of first issue: 08/14/2024
----------------	------------------------------	-----------------------------	--

Remarks: For similar material(s):

Toxicity to terrestrial organisms : Remarks: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg)., Material is slightly toxic to birds on a dietary basis (LC50 between 1001 and 5000 ppm).

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### Florpyrauxifen-benzyl:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0490 mg/l  
Exposure time: 96 h  
Remarks: The LC50 value is above the water solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.0623 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.0424 mg/l  
End point: Growth rate inhibition  
Exposure time: 72 h

ErC50 (Myriophyllum spicatum): 0.000154 mg/l  
Exposure time: 14 d

NOEC (Myriophyllum spicatum): 0.0000095 mg/l  
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 1,000

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.0370 mg/l  
Exposure time: 33 d  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0378 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 10,000

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 2,000 mg/kg  
Exposure time: 14 d

Toxicity to terrestrial organisms : oral LD50 (Colinus virginianus (Bobwhite quail)): > 2250

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

isms

mg/kg bodyweight.  
End point: mortality

dietary LC50 (Anas platyrhynchos (Mallard duck)): > 5620 mg/kg diet.

oral LD50 (Apis mellifera (bees)): > 105.4 µg/bee  
Exposure time: 48 h  
End point: mortality

contact LD50 (Apis mellifera (bees)): > 100 µg/bee  
Exposure time: 48 h  
End point: mortality

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### Sodium lignosulfonate:

Toxicity to fish : Remarks: Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

LC50 (Pimephales promelas (fathead minnow)): 615 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202 or Equivalent  
Remarks: For this family of materials:

### Sodium N-methyl-N-oleoyltaurine:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.32 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 5.76 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 197 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2 mg/l  
Exposure time: 21 d

### amino-chloro-pyridine-carboxylic acid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8.8 mg/l  
Exposure time: 96 h  
Test Type: static test

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 44.2 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 78.7 mg/l End point: Growth rate inhibition Exposure time: 72 h  EC50 (Lemna gibba): 102 mg/l Exposure time: 14 d Test Type: Growth inhibition  ErC50 (Myriophyllum spicatum): 0.558 mg/l Exposure time: 14 d  NOEC (Myriophyllum spicatum): 0.0095 mg/l Exposure time: 14 d
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	(Rainbow trout (Oncorhynchus mykiss)): 0.55 mg/l Exposure time: 70 d Test Type: flow-through test
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 6.79 mg/l End point: number of offspring Exposure time: 21 d Test Type: static test  LOEC (Daphnia magna (Water flea)): 13.5 mg/l End point: number of offspring Exposure time: 21 d Test Type: static test  MATC (Maximum Acceptable Toxicant Level) (Daphnia magna (Water flea)): 9.57 mg/l End point: number of offspring Exposure time: 21 d Test Type: static test
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 5,000 mg/kg Exposure time: 14 d End point: survival
Toxicity to terrestrial organisms	:	oral LD50 (Anas platyrhynchos (Mallard duck)): > 2510 mg/kg bodyweight.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

Exposure time: 14 d

dietary LC50 (Anas platyrhynchos (Mallard duck)): > 5000 mg/kg diet.

contact LD50 (Apis mellifera (bees)): > 100 micrograms/bee  
Exposure time: 48 h

oral LD50 (Apis mellifera (bees)): > 74 micrograms/bee  
Exposure time: 48 d

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### Persistence and degradability

#### Components:

##### **Aminopyralid Potassium:**

Biodegradability : Result: Not biodegradable  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F or Equivalent  
Remarks: For similar active ingredient(s).  
Aminopyralid.

##### **Florpyrauxifen-benzyl:**

Biodegradability : Result: Not biodegradable  
Biodegradation: 14.6 %  
Exposure time: 29 d  
Method: OECD Test Guideline 301B  
Remarks: 10-day Window: Fail

Stability in water : Test Type: Hydrolysis  
Degradation half life (DT50): 913 d (25 °C) pH: 4

Test Type: Hydrolysis  
Degradation half life (DT50): 111 d (25 °C) pH: 7

Test Type: Hydrolysis  
Degradation half life (DT50): 1.3 d (25 °C) pH: 9

##### **Sodium lignosulfonate:**

Biodegradability : Result: Not biodegradable  
Biodegradation: < 5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E  
Remarks: 10-day Window: Fail

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

Photodegradation : Rate constant: 1.089E-10 cm<sup>3</sup>/s  
Method: Estimated.

### Sodium N-methyl-N-oleoyltaurine:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 80 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B or Equivalent  
Remarks: 10-day Window: Pass  
Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

### amino-chloro-pyridine-carboxylic acid:

Biodegradability : Result: Not biodegradable  
Biodegradation: 1.95 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301  
Remarks: 10-day Window: Fail

Stability in water : Test Type: Hydrolysis  
Degradation half life (half-life): > 1.8 yr (45 °C) pH: 5 - 9  
Method: Measured

Photodegradation : Test Type: Half-life (direct photolysis)  
  
Test Type: Half-life (indirect photolysis)  
Sensitizer: OH radicals  
Concentration: 1,500,000 1/cm<sup>3</sup>  
Rate constant: 8.5E-13 cm<sup>3</sup>/s

### Bioaccumulative potential

#### Components:

#### Aminopyralid Potassium:

Partition coefficient: n-octanol/water : Remarks: For similar active ingredient(s).  
Aminopyralid.  
Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

#### Florpyrauxifen-benzyl:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 356  
Exposure time: 30 d

Partition coefficient: n-octanol/water : log Pow: 5.5 (68 °F / 20 °C)  
pH: 7  
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

#### Sodium lignosulfonate:

Bioaccumulation : Species: Fish

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

Bioconcentration factor (BCF): 3.2

Partition coefficient: n-octanol/water :

log Pow: -3.45

Method: Estimated.

Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

### Sodium N-methyl-N-oleoyltaurine:

Partition coefficient: n-octanol/water :

Pow: 1.36 (68 °F / 20 °C)

Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

### amino-chloro-pyridine-carboxylic acid:

Bioaccumulation :

Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 0.54

Partition coefficient: n-octanol/water :

log Pow: -1.92

Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

### Mobility in soil

#### Components:

#### Aminopyralid Potassium:

Distribution among environmental compartments :

Remarks: For similar active ingredient(s).

Aminopyralid.

Potential for mobility in soil is very high (Koc between 0 and 50).

#### Florpyrauxifen-benzyl:

Distribution among environmental compartments :

Koc: 15305 - 33500

Remarks: Expected to be relatively immobile in soil (Koc > 5000).

#### Sodium lignosulfonate:

Distribution among environmental compartments :

Koc: > 99999

Method: Estimated.

Remarks: Expected to be relatively immobile in soil (Koc > 5000).

### amino-chloro-pyridine-carboxylic acid:

Distribution among environmental compartments :

Koc: 35

Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

Stability in soil :

Test Type: aerobic degradation

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version 1.0	Revision Date: 08/14/2024	SDS Number: 800080101875	Date of last issue: - Date of first issue: 08/14/2024
----------------	------------------------------	-----------------------------	--

Dissipation time: 167 - 513 h  
Method: Measured

Test Type: anaerobic degradation  
Dissipation time: > 300 h  
Method: Measured

### Other adverse effects

#### Components:

##### **Aminopyralid Potassium:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

##### **Florpyrauxifen-benzyl:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

##### **Kaolin:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

##### **Sodium lignosulfonate:**

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

##### **Sodium N-methyl-N-oleoyltaurine:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

### amino-chloro-pyridine-carboxylic acid:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Florpyrauxifen-benzyl, Aminopyralid Potassium)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Florpyrauxifen-benzyl, Aminopyralid Potassium)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956

#### IMDG-Code

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Florpyrauxifen-benzyl, Aminopyralid Potassium)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes(Florpyrauxifen-benzyl, Aminopyralid Potassium)
Remarks	:	Stowage category A

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR Road

Not regulated as a dangerous good

### Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

amino-chloro-pyridine-carboxylic acid	Not Assigned	>= 1 - < 5 %
---------------------------------------	--------------	--------------

### US State Regulations

#### Pennsylvania Right To Know

Kaolin	1332-58-7
amino-chloro-pyridine-carboxylic acid	Not Assigned

#### California Prop. 65

WARNING: This product can expose you to chemicals including Kaolin, which is/are known to the State of California to cause cancer, and toluene, n-hexane, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

### The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## SECTION 16. OTHER INFORMATION

### Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
OSHA CARC	: OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
OSHA CARC / PEL	: Permissible exposure limit (PEL)
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations. CFR - Code of Federal Regulations. IARC - International Agency for Research on Cancer. IATA-DGR - International Air Transport Association Dangerous Goods Regulations. OSHA - Occupational Safety and Health Administration. RCRA - Resource Conservation and Recovery Act. RQ - Reportable Quantity. SARA - Superfund Amendments and Reauthorization Act. TSCA - Toxic Substances Control Act.

Revision Date : 08/14/2024

Product code: GF-3886

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TerraVue CA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/14/2024	800080101875	Date of first issue: 08/14/2024

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN