

SAFETY DATA SHEET

SDS NUMBER: 1000016126, 27-14-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 06/19/14

THRUST®
SUPERSEDES: 07/21/10

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 PRODUCT IDENTIFIER:

TRADE NAME: THRUST®**1.2 RECOMMENDED USE:** DRIFT REDUCTION/DEPOSITION AID – ANTI-FOAM AGENT – DRY ADJUVANT

1.3 SUPPLIER DETAILS:

LOVELAND PRODUCTS, INC.

P.O. Box 1286 • Greeley, CO 80632-1286

1.4 24-Hour Emergency Phone: 1-800-424-9300 - **Medical Emergencies:** 1-866-944-8565**U.S. Coast Guard National Response Center:** 1-800-424-8802

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification

Not classified

2.2 Label elements

**Further information:** The product does not need to be labeled in accordance with EC directives or respective national laws.

2.3 Other hazards

None known

KEEP OUT OF REACH OF CHILDREN –

Appearance and odor: White granules with slight chemical odor.

WARNING – CATEGORY 2A EYE IRRITANT - POSSIBLE SKIN IRRITATION, CLASS 3 – POSSIBLE MUCOUS MEMBRANE IRRITATION**Potential Health effects****Routes of exposure** Eye contact, skin contact, inhalation. Avoid breathing spray mist.**Eyes** Causes serious eye irritation.**Skin** Can cause mild skin irritation.**Inhalation** May be irritating to respiratory system.**Ingestion** May be irritating to mouth, throat, and stomach.**Target organs** Eyes. Skin. Inhalation.**Signs and symptoms** Harmful if swallowed, absorbed through skin or inhaled.**Potential environmental effects** This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have harmful or damaging effect on the environment.

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name:	CAS No.	Classification	Concentration [%]
Milled ammonium sulfate, with Drift reduction / deposition polymers and antifoam agents	7783-20-2		100.00

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.**Eye contact:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.**Ingestion:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.**Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.**Inhalation:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

SAFETY DATA SHEET

SDS NUMBER: 1000016126, 27-14-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 06/19/14

THRUST®
SUPERSEDES: 07/21/10

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Risk of damage to eyes. Skin irritation. Mucous membrane irritation.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565

Take container, label or product name with you when seeking medical attention.

NOTES TO PHYSICIAN: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Water fog, water spray, carbon dioxide (CO₂), foam. Do not use water jet as this will spread the fire.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: During a fire, irritating, corrosive and/or toxic gases may be produced.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of vapors, dusts and spray mist and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers, or watercourses.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to Remove residual contamination.

Never return spills to original containers for re-use.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Avoid inhalation of dusts, vapors / spray and contact with eyes, skin and clothing. Do not breathe dusts, mist or vapor. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Store in a cool, dry place away from ignition sources. Store in original container. Keep tightly closed. Do not reuse empty container. Do not contaminate water, food or feed by storage or disposal.

SAFETY DATA SHEET

SDS NUMBER: 1000016126, 27-14-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 06/19/14

THRUST®

SUPERSEDES: 07/21/10

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**8.1 CONTROL PARAMETERS:****OCCUPATIONAL EXPOSURE LIMITS****U.S. Workplace Exposure Level (ACGIH) Guides**

Components	Type	Value
PNOC*	TWA	15 mg/m ³ Total dust
*Particulates not otherwise classified/regulated		

Biological limit values**ACGIH Biological Exposure Indices**

Components	Value	Specimen
No listings		

8.2 EXPOSURE CONTROLS:**Engineering Measures**

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

Individual Protection Measures:

Eye / Face Protection: Goggles or shielded safety glasses are recommended.

Skin Protection: Chemical resistant clothing is recommended. Routinely wash work clothing and protective equipment to remove contaminants. The use of chemical-resistant gloves is recommended when handling undiluted product. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.

Respiratory Protection: In case of inadequate ventilation or risk of inhalation of dusts or vapors, use suitable respiratory equipment. Wear respiratory protection during operations where spraying or misting occurs. In the U.S.A., if respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 APPEARANCE : Free flowing granule

ODOR: Slight chemical.

ODOR THRESHOLD: 0.1 ppm.

COLOR : White.

pH : No data available

MELTING POINT / FREEZING POINT: No data available

BOILING POINT: Not applicable

FLASH POINT: Does not flash

FLAMMABILITY (solid, gas): Does not support combustion.

UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: Not applicable.

VAPOR PRESSURE: No data available.

SOLUBILITY: Soluble

PARTITION CO-EFFICIENT, n-OCTANOL / WATER: No data available.

AUTO-IGNITION TEMPERATURE: No data available.

DECOMPOSITION TEMPERATURE: Not determined

VISCOSITY: Not determined

SPECIFIC GRAVITY (Water = 1): 0.8329 – 0.913 g/ml

BULK DENSITY: 52 - 57 lbs/ft³ / 832.9 - 913 kg/m³

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

SAFETY DATA SHEET

SDS NUMBER: 1000016126, 27-14-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 06/19/14

THRUST®
SUPERSEDES: 07/21/10

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No reactions known under normal use conditions. Will not polymerize.

10.4 CONDITIONS TO AVOID

Heat, open flames, sparks.

10.5 INCOMPATIBLE MATERIALS

Strong oxidizers, bases, chlorates, and nitrates.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May release of oxides of carbon, hydrogen chloride, ammonia, and sulfur trioxide in a high temperature or fire situation.

11. TOXICOLOGICAL INFORMATION

11.1 LIKELY ROUTES OF EXPOSURE

Skin contact, eye contact.

LC₅₀ (rat, guinea pig, rabbit, mouse) No data available.

LD₅₀ Oral (rat): 2,840 mg/kg (Ammonium Sulfate, CAS: 7783-20-2)

LD₅₀ Dermal (rat): No data available

Acute Toxicity Estimates: No data available

Skin Irritation (rabbit): Moderate irritant

Eye Irritation (rabbit): Substantial irritant

Specific Target Organ Toxicity: Single exposure: No data available.

Aspiration: No data available

Skin Sensitization (guinea pig): Not a sensitizer

Carcinogenicity: No data available

Germ Cell Mutagenicity: No data available

Interactive Effects: None known

12. ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. This product is not intended for use in aquatic settings.

Ecotoxicological Data

Components	Species	Test Results
No data available		
96-hour LC ₅₀	No data available	

Drift or runoff may adversely affect non-target plants.

Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water.

Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: The product is not readily biodegradable

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

12.4 MOBILITY IN SOIL

This product is water soluble and may disperse in soil.

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Check local, state and federal regulations prior to disposal. Do not reuse empty bag. Completely empty bag into mix tank or application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. Do not contaminate water, food, or feed by storage or disposal.

SAFETY DATA SHEET

SDS NUMBER: 1000016126, 27-14-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 06/19/14

THRUST®

SUPERSEDES: 07/21/10

14. TRANSPORT INFORMATION**14.1 LAND TRANSPORT**

DOT Shipping Description: NOT REGULATED.

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS 60)

15. REGULATORY INFORMATION**15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS****NFPA & HMIS Hazard Ratings:**

NFPA

HMIS

1 Health

0 Least

1 Health

0 Flammability

1 Slight

0 Flammability

0 Instability

2 Moderate

0 Reactivity

3 High

X PPE

4 Severe

SARA Hazard Notification/Reporting**SARA Title III Hazard Category:**

Immediate

Y

Fire

N

Sudden Release of Pressure

N

Delayed

N

Reactive

N

Reportable Quantity (RQ) under U.S. CERCLA: Not listed.

SARA, Title III, Section 313: Not listed

RCRA Waste Code: Not listed

CA Proposition 65: **WARNING:** This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.**16. OTHER INFORMATION**

SDS STATUS: Format revised; all sections reviewed.

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

®Thrust is a registered trademark of Loveland Products, Inc.

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.