

SAFETY DATA SHEET

1. Identification

Product identifier	THYMOX CONTROL Fungicide & Bactericide Concentrate
Other means of identification	Not available.
Recommended use	Fungicide / Bactericide
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	
Manufacturer	
Company name	Laboratoire M2
Address	4005-A rue de la Garlock Sherbrooke, QC J1L 1W9 Canada
Telephone	819-563-0698
E-mail	info@thymox.com
Emergency phone number	1-866-898-0697
Supplier	See above.

2. Hazard identification

Physical hazards	Flammable liquids	Category 3
Health hazards	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Environmental hazards	Not classified.	
WHMIS 2015 defined hazards	Not classified	

Label elements



Signal word	Danger
Hazard statement	Flammable liquid and vapor. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause respiratory irritation.
Precautionary statement	
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Wear protective gloves, protective clothing, eye protection and face protection. Do not breathe mist or vapor. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace.
Response	In case of fire: Use appropriate media to extinguish. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. Specific treatment (see information on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	Store locked up. Store in a well-ventilated place. Keep cool. Keep container tightly closed.
Disposal	Dispose of container in accordance with local, regional, national and international regulations.
WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)	None known
WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)	None known
Hazard(s) not otherwise classified (HNOC)	None known.

3. Composition/Information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Oils, thyme		8007-46-3	5-30*
Preservative agent		Trade Secret	5-30*
Solvent 1		Trade Secret	5-30*
Solvent 2		Trade Secret	1-20*
Wetting agent		Trade Secret	5-30*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments US GHS: The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First-aid measures

Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.
Skin contact	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Specific treatment (see information on this label). Immediately call a POISON CENTER or doctor.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.
Most important symptoms/effects, acute and delayed	Headache. Nausea, vomiting. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.
General information	Take off all contaminated clothing immediately. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Flammable liquid and vapor. Does not sustain combustion.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
--	---

Methods and materials for containment and cleaning up

Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and storage**Precautions for safe handling**

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Keep out of reach of children. Store in original container in a cool, dry, well-ventilated area inaccessible to small children. Store locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the SDS). Do not freeze.

8. Exposure controls/Personal protection**Occupational exposure limits****Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)**

Components	Type	Value	Form
Solvent 1 (CAS Trade Secret)	TWA	30 mg/m3	
		5 ppm	
Solvent 2 (CAS Trade Secret)	STEL	984 mg/m3	
		400 ppm	
		492 mg/m3	
Wetting agent (CAS Trade Secret)	TWA	200 ppm	
		10 mg/m3	Mist.

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
Solvent 1 (CAS Trade Secret)	TWA	5 ppm	
Solvent 2 (CAS Trade Secret)	STEL	400 ppm	
		200 ppm	
Wetting agent (CAS Trade Secret)	TWA	3 mg/m3	Respirable mist.
		10 mg/m3	Mist.

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value
Solvent 1 (CAS Trade Secret)	TWA	5 ppm
Solvent 2 (CAS Trade Secret)	STEL	400 ppm
		200 ppm

Canada. New Brunswick OELs: Threshold Limit Values (TLVs) Based on the 1991 and 1997 ACGIH TLVs and BEIs Publication (New Brunswick Regulation 91-191), as amended

Components	Type	Value	Form
Solvent 1 (CAS Trade Secret)	TWA	30 mg/m3	
		5 ppm	
Solvent 2 (CAS Trade Secret)	STEL	1230 mg/m3	
		500 ppm	
	TWA	983 mg/m3 400 ppm	
Wetting agent (CAS Trade Secret)	TWA	10 mg/m3	Mist.

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value	
Solvent 1 (CAS Trade Secret)	TWA	5 ppm	
Solvent 2 (CAS Trade Secret)	STEL	400 ppm	
		200 ppm	

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Type	Value	Form
Solvent 1 (CAS Trade Secret)	TWA	30 mg/m3	
		5 ppm	
Solvent 2 (CAS Trade Secret)	STEL	1230 mg/m3	
		500 ppm	
	TWA	985 mg/m3 400 ppm	
Wetting agent (CAS Trade Secret)	TWA	10 mg/m3	Mist.

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Components	Type	Value	Form
Solvent 1 (CAS Trade Secret)	15 minute	10 ppm	
	8 hour	5 ppm	
Solvent 2 (CAS Trade Secret)	15 minute	400 ppm	
	8 hour	200 ppm	
Wetting agent (CAS Trade Secret)	15 minute	20 mg/m3	Mist.
	8 hour	10 mg/m3	Mist.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Solvent 2 (CAS Trade Secret)	PEL	980 mg/m3	
		400 ppm	
Wetting agent (CAS Trade Secret)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
Wetting agent (CAS Trade Secret)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value
Solvent 1 (CAS Trade Secret)	TWA	5 ppm
Solvent 2 (CAS Trade Secret)	STEL	400 ppm
	TWA	200 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Solvent 1 (CAS Trade Secret)	TWA	25 mg/m ³
		5 ppm
Solvent 2 (CAS Trade Secret)	STEL	1225 mg/m ³
		500 ppm
	TWA	980 mg/m ³ 400 ppm

Biological limit values**ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
Solvent 2 (CAS Trade Secret)	40 mg/L	Acetone	Urine	*

* - For sampling details, please see the source document.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Impervious gloves. Confirm with reputable supplier first.

Other Wear appropriate chemical resistant clothing. As required by employer code.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards

Not applicable.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. When using do not eat or drink.

9. Physical and chemical properties

Appearance	Liquid
Physical state	Liquid.
Form	Liquid.
Color	Yellow to Amber
Odor	Thyme
Odor threshold	Not available.
pH	8.74
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available.
Flash point	104.0 °F (40.0 °C) Closed Cup

Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	0.9755
Solubility(ies)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	21.5 cSt @ 40°C
Other information	Does not sustain combustion.
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	This product may react with strong oxidizing agents.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Do not freeze. Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Do not mix with other chemicals.
Incompatible materials	Strong acids. Strong oxidizing agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

11. Toxicological information

Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.
Information on likely routes of exposure	
Ingestion	Causes digestive tract burns.
Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Headache. Nausea, vomiting. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
Information on toxicological effects	
Acute toxicity	May cause respiratory irritation. May cause an allergic skin reaction.

Components	Species	Test Results
Oils, thyme (CAS 8007-46-3)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 5000 mg/kg, RTECS
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	> 4700 mg/kg, ECHA 2840 mg/kg, RTECS

Components	Species	Test Results
Preservative agent (CAS Trade Secret)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Rat	> 5.2 mg/L, 4 Hours, Millipore Sigma
<i>Oral</i>		
LD50	Rat	9600 mg/kg, ECHA
Solvent 1 (CAS Trade Secret)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 5000 mg/kg, CCOHS
<i>Inhalation</i>		
LC50	Rat	> 5000 mg/m ³ , CCOHS
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg, CCOHS
Solvent 2 (CAS Trade Secret)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	16.4 ml/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Rat	16970 mg/l/4h, HMIRA
<i>Oral</i>		
LD50	Rat	5840 mg/kg, ECHA
Wetting agent (CAS Trade Secret)		
Acute		
<i>Dermal</i>		
LD50	Guinea pig	56750 mg/kg, ECHA
<i>Inhalation</i>		
LC50	Rat	275000 mg/m ³ , 4 hours, ECHA
<i>Oral</i>		
LD50	Rat	11500 mg/kg, ECHA
Skin corrosion/irritation	Causes severe skin burns and eye damage.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	
Conjunctival oedema value	Not available.	
Recover days	Not available.	
Respiratory or skin sensitization		
Canada - Alberta OELs: Irritant		
Wetting agent (CAS Trade Secret)	Irritant	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	May cause an allergic skin reaction.	
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	See below.	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)		
Not listed.		

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Teratogenicity	Not available.
Specific target organ toxicity - single exposure	May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity See below

Ecotoxicological data

Components	Species	Test Results
Oils, thyme (CAS 8007-46-3)		
<i>Acute</i>		
Fish	LC50 Rainbow Trout	16.1 mg/L, 96 hr
Preservative agent (CAS Trade Secret)		
Crustacea	EC50 Daphnia	750 mg/L, 48 Hours
Aquatic		
Crustacea	EC50 Water flea (Daphnia magna)	320 - 399 mg/L, 48 hours
Fish	LC50 Zebra danio (Danio rerio)	56 - 100 mg/L, 96 hours
Algae	IC50 Algae	1000 mg/L, 72 Hours
Crustacea	EC50 Daphnia	13299 mg/L, 48 Hours
Aquatic		
Fish	LC50 Bluegill (Lepomis macrochirus)	> 1400 mg/L, 96 hours
	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	51000 - 57000 mg/L, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Mobility in soil No data available.

Mobility in general Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of container in accordance with local, regional, national and international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Store containers and offer for recycling of material when in accordance with the local regulations. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

General Does not sustain combustion.

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number	UN1760
Proper shipping name	Corrosive liquids, n.o.s.
Technical name	Oils, thyme

Hazard class	8
Packing group	III
Special provisions	IB3, T7, TP1, TP28
Packaging exceptions	154
Packaging non bulk	203
Packaging bulk	241

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Technical name	Oils, thyme
Hazard class	8
Packing group	III
Special provisions	16

IATA/ICAO (Air)

Basic shipping requirements:

UN number	UN2924
Proper shipping name	Flammable liquid, corrosive, n.o.s.
Technical name	Oils, thyme
Hazard class	3
Subsidiary class	8
Packing group	III
ERG code	3C

IMDG (Marine Transport)

Basic shipping requirements:

UN number	UN2924
Proper shipping name	FLAMMABLE LIQUID, CORROSIVE, N.O.S.
Hazard class	3
Subsidiary class	8
Packing group	III
EmS	F-E, S-C

DOT



IATA; IMDG



TDG



15. Regulatory information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Not intended for sale into Canada.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Solvent 2 (CAS Trade Secret) 1 TONNES

Canada Priority Substances List (Second List): Listed substance

Wetting agent (CAS Trade Secret) Listed.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not applicable

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is exempt from registration with the US EPA under FIFRA section 25(b).

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Solvent 2 (CAS Trade Secret) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance No

Classified hazard categories Flammable (gases, aerosols, liquids, or solids)
Skin corrosion or irritation
Serious eye damage or eye irritation
Respiratory or skin sensitization
Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Solvent 2	Trade Secret	1-20*

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US - California Hazardous Substances (Director's): Listed substance

Solvent 1 (CAS Trade Secret) Listed.

Solvent 2 (CAS Trade Secret) Listed.

US - Illinois Chemical Safety Act: Listed substance

Solvent 2 (CAS Trade Secret)

US - Louisiana Spill Reporting: Listed substance

Solvent 2 (CAS Trade Secret) Listed.

US - Minnesota Haz Subs: Listed substance

Solvent 1 (CAS Trade Secret) Listed.

Solvent 2 (CAS Trade Secret) Listed.

Wetting agent (CAS Trade Secret) Listed.

US - Texas Effects Screening Levels: Listed substance

Preservative agent (CAS Trade Secret) Listed.

Solvent 1 (CAS Trade Secret) Listed.

Solvent 2 (CAS Trade Secret) Listed.

Wetting agent (CAS Trade Secret) Listed.

US. Massachusetts RTK - Substance List

- Solvent 1 (CAS Trade Secret)
- Solvent 2 (CAS Trade Secret)
- Wetting agent (CAS Trade Secret)

US. New Jersey Worker and Community Right-to-Know Act

- Solvent 1 (CAS Trade Secret)
- Solvent 2 (CAS Trade Secret)
- Wetting agent (CAS Trade Secret)

US. Pennsylvania Worker and Community Right-to-Know Law

- Solvent 1 (CAS Trade Secret)
- Solvent 2 (CAS Trade Secret)
- Wetting agent (CAS Trade Secret)

US. Rhode Island RTK

- Solvent 1 (CAS Trade Secret)
- Solvent 2 (CAS Trade Secret)
- Wetting agent (CAS Trade Secret)

US. California Proposition 65

Not Listed.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 3
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X



Disclaimer

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

03-August-2022

Version #

02

Effective date

04-July-2022

Prepared by

Dell Tech Laboratories Ltd. Phone: (519) 858-5021

Further information

Not available.

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.