

SAFETY DATA SHEET



Tie Down™, a VaporGrip® Xtra Agent

Version 6.0 / USA

1/10

Revision Date: 02/22/2021

Print Date: 02/22/2021

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name Tie Down, A Vapor Grip Xtra Agent

Relevant identified uses of the substance or mixture and uses advised against

Use Adjuvant
Restrictions on use Refer to product label

Information on supplier

Supplier Wilbur-Ellis Company LLC
16300 Christensen Rd. Ste 135
Tukwila, WA 98188
USA

Responsible Department Email: SDS@wilburellis.com

Emergency telephone number

Emergency Telephone Number (24hr/ 7 days) Chemtrec - Domestic (800) 424-9300

Product Information Telephone Number (800) 500-1698

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Eye irritation: Category 2A

Skin irritation: Category 2

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

Hazard statements

Causes serious eye irritation.
Causes skin irritation.

Precautionary statements

SAFETY DATA SHEET

Tie Down, a VaporGrip Xtra Agent

Version 6.0 / USA

2/10

Revision Date: 02/22/2021

Print Date: 02/22/2021

Wash thoroughly after handling.

Wear protective gloves/ eye protection/ face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

IF ON SKIN: Wash with plenty of water/ soap.

If skin irritation occurs: Get medical advice/ attention.

Take off contaminated clothing and wash before reuse.

Specific treatment (see supplemental first aid instructions on this label).

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Potassium acetate	127-08-2	50
Label Components: Potassium Hydroxide/Ethanoic Acid 50%		

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms	To date no symptoms are known.
-----------------	--------------------------------

SAFETY DATA SHEET

Tie Down, a VaporGrip Xtra Agent

Version 6.0 / USA

3/10

Revision Date: 02/22/2021

Print Date: 02/22/2021

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or mixture In the event of fire the following may be released:., Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NO_x)

Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing. Equipment should be thoroughly decontaminated after use.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point does not flash

Auto-ignition temperature No data available

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Explosivity Not explosive

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Use personal protective equipment. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

SAFETY DATA SHEET

Tie Down, a VaporGrip Xtra Agent

Version 6.0 / USA

4/10

Revision Date: 02/22/2021

Print Date: 02/22/2021

Additional advice	Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.
Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing. Keep working clothes separately. Garments that cannot be cleaned must be destroyed (burnt).

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in a place accessible by authorized persons only. Protect from freezing.

Advice on common storage Do not store near acids. Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No known occupational limit values.

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which

SAFETY DATA SHEET

Tie Down, a VaporGrip Xtra Agent

Version 6.0 / USA

5/10

Revision Date: 02/22/2021

Print Date: 02/22/2021

	<p>the product is used, such as the danger of cuts, abrasion, and the contact time.</p> <p>Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)</p> <p>Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.</p>
Eye protection	Use tightly sealed goggles and face protection.
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form	clear, Liquid
Colour	colourless to light yellow
Odour	sour
Odour Threshold	No data available
pH	7.5 - 8.5 (100 %) (23 °C)
Melting point/range	No data available
Boiling Point	No data available
Flash point	does not flash
Flammability	No data available
Auto-ignition temperature	No data available
Minimum ignition energy	Not applicable
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	Not applicable
Lower explosion limit	Not applicable
Vapour pressure	No significant volatility.
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available

SAFETY DATA SHEET

Tie Down, a VaporGrip Xtra Agent

Version 6.0 / USA

6/10

Revision Date: 02/22/2021

Print Date: 02/22/2021

Density	ca. 1.27 g/cm ³ (20 °C)
Water solubility	completely miscible
Partition coefficient: n-octanol/water	No data available
Viscosity, dynamic	No data available
Viscosity, kinematic	Not applicable
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive
Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Reacts with galvanised steel or unlined mild steel to produce hydrogen, a highly flammable gas that could explode.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	Galvanised steel, Mild steel
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Skin Absorption
Immediate Effects	
Eye	Causes eye irritation.
Skin	Causes skin irritation.
Ingestion	Not expected to produce significant adverse effects when recommended use instructions are followed.
Inhalation	Not expected to produce significant adverse effects when recommended use instructions are followed.
Information on toxicological effects	
Acute oral toxicity	

SAFETY DATA SHEET

Tie Down, a VaporGrip Xtra Agent

Version 6.0 / USA

7/10

Revision Date: 02/22/2021

Print Date: 02/22/2021

	No data available
Acute inhalation toxicity	No data available
Acute dermal toxicity	No data available
Skin corrosion/irritation	No data available
Serious eye damage/eye irritation	No data available
Respiratory or skin sensitisation	No data available

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Further information

No toxicology information is available.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	No data available
Toxicity to aquatic invertebrates	No data available

Toxicity to aquatic plants No data available

Results of PBT and vPvB assessment

Additional ecological information No data available

Environmental precautions Apply this product as specified on the label.
Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.
Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.
Retain and dispose of contaminated wash water.

SAFETY DATA SHEET

Tie Down, a VaporGrip Xtra Agent

Version 6.0 / USA

8/10

Revision Date: 02/22/2021

Print Date: 02/22/2021

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product

It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.
Do not contaminate water, food, or feed by disposal.
Follow all local/regional/national/international regulations.

Contaminated packaging

Follow advice on product label and/or leaflet.
Do not re-use empty containers.
Triple rinse containers.
Puncture container to avoid re-use.
Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities.
If burned, stay out of smoke.

RCRA Information

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

According to national and international transport regulations this material is not classified as dangerous goods / hazardous material.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

TSCA list

Water 7732-18-5

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause

SAFETY DATA SHEET

Tie Down, a VaporGrip Xtra Agent

Version 6.0 / USA

9/10

Revision Date: 02/22/2021

Print Date: 02/22/2021

reproductive harm.

US State Right-To-Know Ingredients

None.

Environmental

CERCLA

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 3: Composition / Information on Ingredients.

Revision Date: 02/22/2021

SAFETY DATA SHEET

Tie Down, a VaporGrip Xtra Agent

Version 6.0 / USA

10/10

Revision Date: 02/22/2021

Print Date: 02/22/2021

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis Company LLC disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.

WILBUR-ELLIS logo is a registered trademark and Tie Down is a trademark of Wilbur-Ellis Company LLC. VaporGrip is a registered trademark of Bayer Group.