# SAFETY DATA SHEET



## 1. Identification

**Product identifier Till-It Cast Iron Premix** 

Other means of identification None.

Recommended use Ag Product - Plant Nutrition

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Wilbur-Ellis Company LLC Company name **Address** 16300 Christensen Rd. Ste 135

Tukwila, WA 98188

**United States** 

**Telephone** Branded Products Information (800) 500-1698

SDS@wilburellis.com E-mail

**Emergency phone number** Chemtrec - Domestic (800) 424-9300

Chemtrec - International +1 703-741-5970

# 2. Hazard(s) identification

Physical hazards Not classified. Not classified. **Health hazards Environmental hazards** Not classified. Not classified. **OSHA** defined hazards

Label elements

None. Hazard symbol None. Signal word

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

Prevention Observe good industrial hygiene practices.

Wash hands after handling. Response

Store away from incompatible materials. Storage

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
EDTA Acid		60-00-4	10 - < 20
Copper Complex With Ammonia And Ethylene Diamine Tetraacetate		67989-88-2	1 - < 3
Manganese Oxide		1313-13-9	1 - < 3
Potassium Hydroxide		1310-58-3	1 - < 3
Zinc Oxide		1314-13-2	1 - < 3
Other components below reportable le	evels		70 - < 80

Percentage ranges of composition to protect confidentiality or due to batch variation.

Material name: Till-It Cast Iron Premix SDS US 3844 Version #: 02 Revision date: 12-04-2017 Issue date: 05-26-2016

## 4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Rinse skin with water. Get medical attention if irritation develops and persists. Skin contact Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.

Direct contact with eyes may cause temporary irritation.

Most important

symptoms/effects, acute and

delayed

Treat symptomatically.

Indication of immediate medical attention and special

treatment needed General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

During fire, gases hazardous to health may be formed.

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with inert absorbent material. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Use care in handling/storage.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Manganese Oxide (CAS 1313-13-9)	Ceiling	5 mg/m3	
Zinc Oxide (CAS 1314-13-2)	PEL	5 mg/m3	Respirable fraction.
		5 mg/m3	Fume.
		15 mg/m3	Total dust.

Material name: Till-It Cast Iron Premix 3844 Version #: 02 Revision date: 12-04-2017 Issue date: 05-26-2016

Components	Туре	Value	Form
Copper Complex With Ammonia And Ethylene Diamine Tetraacetate (CAS 67989-88-2)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.
Manganese Oxide (CAS 1313-13-9)	TWA	0.1 mg/m3	Inhalable fraction.
,		0.02 mg/m3	Respirable fraction.
Potassium Hydroxide (CAS 1310-58-3)	Ceiling	2 mg/m3	
Zinc Oxide (CAS 1314-13-2)	STEL	10 mg/m3	Respirable fraction.
,	TWA	2 mg/m3	Respirable fraction
US. NIOSH: Pocket Guide to Chem	nical Hazards		
Components	Туре	Value	Form
Copper Complex With Ammonia And Ethylene Diamine Tetraacetate (CAS 67989-88-2)	TWA	1 mg/m3	Dust and mist.
Manganese Oxide (CAS 1313-13-9)	STEL	3 mg/m3	Fume.
	TWA	1 mg/m3	Fume.
Potassium Hydroxide (CAS 1310-58-3)	TWA	2 mg/m3	
Zinc Oxide (CAS 1314-13-2)	Ceiling	15 mg/m3	Dust.
	STEL	10 mg/m3	Fume.
	- ·		
	TWA	5 mg/m3	Fume.

**Biological limit values** 

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state
Form
Color
Clear blue.

Odor
Not available.

Odor threshold
PH
8 - 8.5

Melting point/freezing point
Initial boiling point and boiling
Not available.
Not available.

range

Flash point

Evaporation rate

Flammability (solid, gas)

Not available.

Not available.

Not available.

Not available.

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure
Vapor density
Not available.
Relative density
Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Density** 10.40 lb/gal

Specific gravity 1.25

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition

products

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

## 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and

toxicological characteristics

Direct contact with eyes may cause temporary irritation.

#### Information on toxicological effects

**Acute toxicity** 

Components Species Test Results

Copper Complex With Ammonia And Ethylene Diamine Tetraacetate (CAS 67989-88-2)

Acute Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Material name: Till-It Cast Iron Premix

3844 Version #: 02 Revision date: 12-04-2017 Issue date: 05-26-2016

Components	Species	Test Results
Inhalation	Species	rest nesults
Aerosol		
LC50	Rat	> 5.32 mg/l, 4 Hours
Oral		
LD50	Rat	300 - 2000 mg/kg
EDTA Acid (CAS 60-00-4)		
<u>Acute</u>		
Oral		
LD50	Rat	4500 mg/kg
Potassium Hydroxide (CAS	1310-58-3)	
<u>Acute</u>		
Oral	5.	222 #
LD50	Rat	388 mg/kg
Zinc Oxide (CAS 1314-13-2	2)	
<u>Acute</u> Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours
Inhalation		
LC50	Mouse	> 5.7 mg/l, 4 Hours
		2500 mg/m3
	Rat	> 5700 mg/m3, 4 Hours
Oral		
LD50	Mouse	> 5000 mg/kg
	Rat	> 15000 mg/kg
		> 5000 mg/kg

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Skin corrosion/irritationProlonged skin contact may cause temporary irritation.Serious eye damage/eyeDirect contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ

toxicity - single exposure

Not classified.

Specific target organ

Not classified.

toxicity - repeated

exposure

....

**Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful.

**Further information** This product has no known adverse effect on human health.

## 12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Persistence and degradability** No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings, if applicable, even

after container is emptied.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

### 15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Copper Complex With Ammonia And Ethylene Diamine Listed.

Tetraacetate (CAS 67989-88-2)

EDTA Acid (CAS 60-00-4)

Manganese Oxide (CAS 1313-13-9)

Potassium Hydroxide (CAS 1310-58-3)

Zinc Oxide (CAS 1314-13-2)

Listed.

Listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

### SARA 302 Extremely hazardous substance

Not listed.

Material name: Till-It Cast Iron Premix

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
COPPER COMPOUNDS (WITH EXCEPTIONS)	67989-88-2	1 - < 3
MANGANESE COMPOUNDS	1313-13-9	1 - < 3
ZINC COMPOUNDS	1314-13-2	1 - < 3

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

No

Manganese Oxide (CAS 1313-13-9)

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

## **US state regulations**

## **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Vac

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

**Issue date** 05-26-2016 **Revision date** 12-04-2017

Version # 02

NFPA ratings Health: 1

Flammability: 0
Instability: 0

**NFPA** ratings



### Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.

Material name: Till-It Cast Iron Premix

3844 Version #: 02 Revision date: 12-04-2017 Issue date: 05-26-2016 7 / 7