

Report 01-Jun-15 Date

Page 1 of 4

#### Identification

Product Name: TRACITE PEANUT PACKER

Synonyms: None

Product Use: Nitrogen/Chelated Micronutrients-Peanuts/Row Crops

Manufacturer/Supplier: Helena Chemical Company

Address: 225 Schilling Blvd. Collierville, TN 38017

**General Information**: 901-761-0050

Transportation Emergency Number : CHEMTREC:800-424-9300

## **Hazard Identification**





Signal Word: Warning

Skin Irritation: Causes skin irritation

Eye Irritation: Causes serious eye irritation

Acute Toxicity Oral : LD50 = 1,520 mg/kg (iron sulfate heptahydrate component)

Acute Toxicity Dermal : No data available

Hazard Categories: Oral/Dermal/Inhalation Toxicity-5/5/5; Eye/Skin Irritation-2A/2;

STOT-RE:2 (central nervous system)

Hazard Statement: May be harmful if swallowed

May be harmful in contact with skin Causes serious eye irritation Causes skin irritation

**CAS Number** 

Proprietary

May be harmful if inhaled

### **Composition / Information on Ingredients**

Component

Blend of plant nutrients derived from urea, ferrous sulfate and manganese

sulfate.

**GUARANTEED ANALYSIS:** Total Nitrogen (N): 2.00%

Sulfur (S): 3.00% Iron (Fe): 1.50%

Manganese (Mn): 4.50%

The chelating agent is glucoheptonate.

### **First Aid Measures**

**Eye**: Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing

eye. Call a poison control center or doctor for further treatment advice.

Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth, if possible. Call a

Weight %

100.00

poison control center or doctor for further treatment advice.



Report 01-Jun-15 Date

2 of 4 Page

Ingestion: Call a poison control center or doctor immediately for treatment advice. Rinse

mouth with water. Do not induce vomiting. Do not give anything by mouth if

unconscious.

**Attention and Special Treatment** 

Indication of Immediate Medical : In the event of an adverse response, treatment should be directed toward

control of the symptoms. Needed

# **Fire Fighting Measures**

Extinguishing Media: Non-combustible liquid. Use extinguishing media suitable for underlying cause

May produce metal oxides, sulfur oxides, nitrogen oxides, ammonia, etc. under Specific Hazards Arising from the

> fire conditions. Chemical

Special Fire Fight Proc : Wear self-contained breathing apparatus and full protective clothing. Dike

runoff from fire fighting to prevent environmental contamination.

#### **Accidental Release Measures**

Personal Precautions: Keep unprotected and unnecessary personnel out of spill area.

**Protective Equipment** : Splashproof goggles or face shield, impervious gloves, impervious apron and

footwear. Respiratory protection not normally needed. Eyewash and emergency

shower should be available in work area.

**Emergency Procedures** : Do not contaminate water supplies, lakes, streams, ponds or drains with spilled

Methods and Materials for : Contain product and reuse if uncontaminated. If contaminated, absorb with an

inert material, such as clay or sand, collect and place in suitable containers for **Containment and Cleanup** 

disposal.

### **Handling and Storage**

Precautions for Safe Handling: Keep locked up and out of reach of children. Do not contaminate water, food or

feed by storage, handling or disposal. Keep container tightly closed. Do not

allow water to be introduced into the contents of the container.

Store in original container only. Do not store near heat or open flame. Do not Conditions for Safe Storage :

store with oxidizing agents or ammonium nitrate.

### **Exposure Controls / Personal Protection**

TLV/PEL: Ferrous sulfate heptahydrate (Iron salts, soluble (as Fe)) TLV=1 mg/m3;

Manganese sulfate (Manganese compounds), PEL=5 mg/m3, TLV=0.2 mg/m3

Appropriate Engineering Controls: General and/or local exhaust should be sufficient.

Personal Protective Equipment: Splashproof goggles or face shield, impervious gloves, impervious apron and

footwear. Respiratory protection not normally needed. Eyewash and emergency

shower should be available in work area.

#### **Physical and Chemical Properties**

Odor/Appearance: Dark brown liquid with earthy odor.

: Non-combustible Flash Point, °F Boiling Point, <sup>0</sup>F : >200 Degrees F.

Melting Point(Freezing point), °C : <32 Degrees F. Vapor Pressure, mm Hg @ 20 °C : Not established



Report 01-Jun-15

Page 3 of 4

Vapor Density : Not established Solubility in Water : Freely soluble

**Molecular Formula**: Not applicable, formulated mixture.

Density, g/mL @ 25 °C : 1.234

Evaporation Rate(Butyl Acetate = : Not established

1)

Octanol/Water Partition : No information found

Coefficient

pH: No information found

Flammable Limits (approximate : Not applicable

volume % in air)

Auto-ignition Temperature : Not applicable Decomposition temperature : No information found

#### 10. Stability and Reactivity

Reactivity: No information found

Chemical Stability: Stable

Hazardous Decomposition : May produce metal oxides, sulfur oxides, nitrogen oxides, ammonia, cyanuric

**Products** acid and volatile organics under fire conditions.

Hazardous Polymerization: Will not occur

Conditions to Avoid: None currently known

Incompatible Materials: Avoid allowing the product to evaporate leading to crystallization.

#### 11. Toxicological Information

Acute Toxicity (Oral LD50): 1,520 mg/kg for ferrous sulfate heptahydrate. May be harmful if swallowed.

Acute Toxicity (Dermal LD50) : No data available. May be harmful in contact with skin.

Acute Toxicity Inhalation LC50 : No LC50 available. May be harmful if inhaled.

**Likely Routes of Exposure** : Eyes, skin, inhalation **Skin Irritation** : Cause skin irritation.

**Eye Irritation**: Causes serious eye irritation. **Skin Sensitization**: Not listed as a sensitizer.

Carcinogenic: Not listed by IARC, NTP or OSHA.

Chronic Effects: May cause damage to organs (central nervous system) through prolonged or

repeated exposure via inhalation.

Other Hazards : None currently known.

# 12. Ecological Information

**Ecotoxicity**: No information found

Persistence and Degradability : No information found Bioaccumulative Potential : No information found Mobility in Soil : No information found Other Adverse Effects : No information found

#### 13. Disposal Considerations

Waste Disposal Method : This material must be disposed of according to Federal, State or Local

procedures under the Resource Conservation and Recovery Act.



Report 01-Jun-15

Page 4 of 4

# 14. Transport Information

**UN Proper Shipping Name**: Not regulated by DOT, IATA or IMDG in current package configurations.

Transport Hazard Class : None
UN Identification Number : None
Packaging Group : None

**Environmental Hazards**: Reportable Quantity (RQ) for Ferrous Sulfate=1,000 lbs.

**Transport in Bulk**: Not offered in bulk packaging.

Special Precautions for : None

Transportation

Freight Classification: Fertilizing Compound, (Manufactured Fertilizer), Liquid, NOIBN (NMFC Item

68140, Sub 6, Class 70)

# 15. Regulatory Information

National Fire Protection : Association Rating

Health: 2 Fire: 0 Reactivity: 0

Rating Level: (4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Minimum)

S.A.R.A Title III Hazard : Classification (Yes/No)

Immediate( Acute) Health: Y
Delayed (Chronic) Health: Y
Sudden Release of N

en Release of N Pressure:

Fire: N Reactive: N

# 16. Other Information

Data of Preparation/Revision: 01-June-2015