

Report Date 09-Jun-15

Page 1 of 5

#### 1. Identification

Product Name: TRACITE WESTERN ZFM II

Synonyms: None

Product Use: Complexed micronutrients - S, Fe, Mn, Zn

Manufacturer/Supplier: Helena Chemical Company

Address: 225 Schilling Blvd. Collierville, TN 38017

General Information: 901-761-0050

**Transportation Emergency Number**: CHEMTREC:800-424-9300

## 2. Hazard Identification





Signal Word : Danger

**Skin Irritation**: Causes severe skin burns **Eye Irritation**: Causes serious eye damage

Acute Toxicity Oral : LD50 1,520 mg/kg.
Acute Toxicity Dermal : No LD50 available.

Hazard Categories: Oral/Dermal/Inhalation Toxicity-4/5/5; Eye/Skin Irritation-1/1C; STOT-RE:

2 (central nervous system)

Hazard Statement: Harmful if swallowed

May be harmful in contact with skin

Causes severe skin burns and eye damage

May be harmful if inhaled

May cause damage to organs (central nervous system) through prolonged

or repeated exposure (via inhalation)

# 3. Composition / Information on Ingredients

Component

**CAS Number** 

Weight %

Blend of plant nutrients derived from ferrous sulfate, manganese sulfate, lignin sulfonate and zinc sulfate. GUARANTEED ANALYSIS:

Sulfur (S): 5.0%

Iron (Fe): 2.3%

Manganese (Mn): 2.3%

Proprietary

100.00



Report 09-Jun-15 Date

Page 2 of 5

Zinc (Zn): 5.4% The complexing agent is lignin sulfonate.

#### 4. First Aid Measures

**Eye**: Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for further treatment advice.

Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15

to 20 minutes. Call a poison control center or doctor for treatment advice.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advice.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Rinse

mouth with water. Do not induce vomiting. Do not give anything by mouth if

unconscious

**Attention and Special Treatment** 

Needed

Indication of Immediate Medical : In the event of an adverse response, treatment should be directed toward control

of the symptoms.

# 5. Fire Fighting Measures

Extinguishing Media: Non-combustible liquid; use extinguishing media suitable for underlying cause of

Specific Hazards Arising from the : Metal oxides, nitrogen oxides and ammonia.

Chemical

Special Fire Fight Proc : Wear self-contained breathing apparatus and full protective clothing.

#### 6. Accidental Release Measures

Personal Precautions : Keep unprotected and unnecessary personnel out of spill area.

Protective Equipment: Splashproof goggles or face shield, impervious gloves, impervious apron and footwear. Respiratory protection not normally needed. Eyewash and emergency shower should be available in work area.

Emergency Procedures : Dike spilled product to prevent spreading to soil and contamination of water

supplies, drains or sewers.

**Containment and Cleanup** 

Methods and Materials for : If uncontaminated, collect and reuse as intended. If contaminated, absorb with an inert materials, such as sand, and dispose of in accordance with local regulations.

#### **Handling and Storage**

Precautions for Safe Handling : Keep locked up and out of reach of children. Do not contaminate water, food or feed by storage, handling or disposal. Keep container tightly closed. Do not allow water to be introduced into the contents of the container.



Report Date 09-Jun-15

Page 3 of 5

**Conditions for Safe Storage**: Store in original container only. Do not store near heat or open flame. Do not store

with oxidizing agents or ammonium nitrate.

## 8. Exposure Controls / Personal Protection

TLV/PEL : Ferrous sulfate heptahydrate (Iron salts, soluble (as Fe)) TLV=1 mg/m3;

Manganese sulfate (Manganese compounds), PEL=5 mg/m3, TLV=0.2 mg/m3

Appropriate Engineering Controls : General and/or local exhaust should be sufficient.

Personal Protective Equipment : Splashproof goggles or face shield, impervious gloves, impervious apron and

footwear. Respiratory protection not normally needed. Eyewash and emergency

shower should be available in work area.

# 9. Physical and Chemical Properties

Odor/Appearance: Clear brown liquid with phenolic odor.

Flash Point, oF : Non-combustible Boiling Point, oF : >212 Degrees F.

Melting Point(Freezing point), oC : <20 Degrees F. Vapor Pressure, mm Hg @ 20 oC : Not established

Vapor Density : Not established

Solubility in Water : Soluble

**Molecular Formula**: Not applicable, formulated mixture.

**Density, g/mL @ 25 oC** : 1.340-1.360

Evaporation Rate(Butyl Acetate = : Not established

1)

Octanol/Water Partition : No information found

Coefficient

**pH**: 1.0 to 2.0

Flammable Limits (approximate : Not applicable

volume % in air)

Auto-ignition Temperature : Not applicable

**Decomposition temperature**: No information found

# 10. Stability and Reactivity

Reactivity: No information found

Chemical Stability: Stable

**Hazardous Decomposition**: May produce sulfur dioxide under fire conditions.

**Products** 

Hazardous Polymerization: Will not occur

Conditions to Avoid : None currently known

**Incompatible Materials**: Product may react vigorously with alkaline materials.



Report 09-Jun-15 Date

Page 4 of 5

# 11. Toxicological Information

Acute Toxicity (Oral LD50): 1,520 mg/kg (iron sulfate heptahydrate). Harmful if swallowed.

Acute Toxicity (Dermal LD50): No LD50 available. May be harmful in contact with skin.

Acute Toxicity Inhalation LC50 : No LC50 available. May cause central nervous system damage through

prolonged/repeated exposure.

**Likely Routes of Exposure**: Eyes, skin, ingestion, inhalation.

**Skin Irritation**: Causes severe skin burns. Eye Irritation : Causes serious eye damage. Skin Sensitization: Not listed as a skin sensitizer. Carcinogenic: Not listed by IARC, NTP or OSHA.

Chronic Effects : May cause damage to organs (central nervous system) through prolonged or

repeated exposure via inhalation.

Other Hazards : None currently known.

# 12. Ecological Information

Ecotoxicity: No information found

Persistence and Degradability : No information found Bioaccumulative Potential: No information found

> Mobility in Soil: No information found Other Adverse Effects : No information found

# 13. Disposal Considerations

Waste Disposal Method : This material must be disposed of according to Federal, State or Local

procedures under the Resource Conservation and Recovery Act.

# **14.** Transport Information

**UN Proper Shipping Name**: Not regulated by DOT.

Transport Hazard Class: None UN Identification Number : None Packaging Group: None

Environmental Hazards : No information found

Transport in Bulk : If shipped in single package >572.4 gallons, ship as: RQ, UN3082,

Environmentally Hazardous Substance, Liquid, n.o.s., (Zinc Sulfate), 9, PG III. If

single package >787.4 gallons, add Ferrous Sulfate to description.

**Transportation** 

Special Precautions for : May be regulated if offered for shipment by air (IATA) or water (IMDG).



Report Date 09-Jun-15

Page 5 of 5

Freight Classification : Fertilizing Compound, (Manufactured Fertilizer), Liquid, NOIBN (NMFC Item

68140, Sub 6, Class 70)

# 15. Regulatory Information

National Fire Protection : Association Rating

Health: 2 Fire: 0 Reactivity: 0

Rating Level: (4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Minimum)

S.A.R.A Title III Hazard : Classification (Yes/No)

Immediate( Acute) Health: Y Delayed (Chronic) Health: Y

Sudden Release of N

Pressure: Fire: N

Reactive: N

## 16. Other Information

Data of Preparation/Revision : 09-June-2015