

Version 2.2

Revision Date 04/05/2016 Ref. 130000115902

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DuPont[™]Travallas[™] Herbicide

Tradename/Synonym : Thifensulfuron Methyl: Methyl 3-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)

amino]carbonyl]amino]sulfonyl]-2-thiophenecarboxylate

Fluroxypyr 1-methylheptyl ester: ((4-amino-3,5-dichloro-6-fluoro-2-

pyridinyl)oxy)acetic acid, 1-methylheptyl ester

Metsulfuron Methyl: Methyl 2-[[[(4-methoxy-6methyl-1,3,5-triazin-

2yl)amino]carbonyl]amino]sulfonyl]benzoate

DPX-STD71 Herbicide

Product Use : Herbicide

Restrictions on use : Do not use product for anything outside of the above specified uses.

Manufacturer/Supplier : DuPont

974 Centre Road

Wilmington, DE 19805, USA

Product Information : 1-800-441-7515 (outside the U.S. 1-302-774-1000) Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)

Transport Emergency : CHEMTREC: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

SECTION 2. HAZARDS IDENTIFICATION

Product hazard category

Flammable liquids Category 4
Skin sensitisation Sub-category 1A



Version 2.2

Revision Date 04/05/2016 Ref. 130000115902

Label content

Pictogram :



Signal word : Warning

Hazardous warnings : Combustible liquid.

May cause an allergic skin reaction.

Hazardous prevention

measures

: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/ eye protection/ face protection. IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/ attention.

Wash contaminated clothing before reuse.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

extinction.

Store in a well-ventilated place. Keep cool.

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Information presented in Section 2 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS



Version 2.2

Revision Date 04/05/2016

Ref. 130000115902

| Component | CAS-No. | Concentration |
|-----------------------|------------|---------------|
| Metsulfuron methyl | 74223-64-6 | 0.3 % |
| Thifensulfuron methyl | 79277-27-3 | 3 % |
| Fluroxypyr-meptyl | 81406-37-3 | 21.9 % |
| Other Ingredients | | 74.8 % |

Acid Equivalent

fluroxypyr: ((4-amino-3,5-dichloro-6-fluoro-2-pyridinyl)oxy)acetic acid – 15.2%

SECTION 4. FIRST AID MEASURES

General advice : Information presented in Section 4 conforms to the requirements of the

Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state

Regulatory Agencies.

Have the product container or label with you when calling a poison control

center or doctor, or going for treatment.

For medical emergencies involving this product, call toll free 1-800-441-3637.

See Label for Additional Precautions and Directions for Use.

Inhalation : No specific intervention is indicated as the compound is not likely to be

hazardous. Consult a physician if necessary.

Skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with

plenty of water for 15-20 minutes. Call a poison control center or doctor for

treatment advice.



Version 2.2

Revision Date 04/05/2016 Ref. 130000115902

Eye contact : The material is not likely to be hazardous by eye contact, but flushing the eye if

contact occurs is advisable. Consult a physician if necessary.

Ingestion : No specific intervention is indicated as the compound is not likely to be

hazardous. Consult a physician if necessary.

Most important

symptoms/effects, acute

and delayed

Protection of first-aiders Notes to physician : No applicable data available.

No applicable data available.No applicable data available.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray, Dry chemical, Foam, Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet, (contamination risk)

Specific hazards : No applicable data available.

Special protective equipment

for firefighters

: Wear full protective clothing and self-contained breathing apparatus.

Further information : (on small fires) If area is heavily exposed to fire and if conditions permit, let

fire burn itself out since water may increase the area contaminated. Cool

containers/tanks with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Evacuate personnel, thoroughly ventilate area, use self-contained breathing

apparatus. Use personal protective equipment.

Environmental precautions : Prevent material from entering sewers, waterways, or low areas.

Spill Cleanup : Soak up with sawdust, sand, oil dry or other absorbent material. Dispose of in

an approved container.



Version 2.2

Revision Date 04/05/2016 Ref. 130000115902

If liquid has been spilt in large quantities clean up promptly by scoop or

vacuum.

Accidental Release Measures Never return spills in original containers for re-use. Dispose of in accordance

with local regulations.

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Avoid contact with skin, eyes and clothing. Wash hands thoroughly with soap

and water after handling and before eating, drinking, chewing gum, using

tobacco, or using the toilet. Avoid breathing dust or vapour.

Handling (Physical Aspects) : Keep away from heat and sources of ignition.

Dust explosion class

: No applicable data available.

Storage Do not contaminate water, other pesticides, fertilizer, food or feed in storage.

Store in original container. Keep tightly closed in a dry, cool and well-

ventilated place. Keep out of the reach of children.

Storage period : No applicable data available.

Storage temperature : No applicable data available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

: Information presented in Section 8 conforms to the requirements of the Engineering controls

Occupational Safety and Health Administration (OSHA) Hazard

Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies. When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or

modified as specified in the WPS.

Personal protective equipment

Respiratory protection : Where there is potential for airborne exposures in excess of applicable limits,

wear approved respiratory protection with dust/mist cartridge.

Hand protection : Material: Protective gloves



Version 2.2

Revision Date 04/05/2016 Ref. 130000115902

Eye protection : Wear safety glasses with side shields. Additionally wear a face shield where

the possibility exists for face contact due to splashing, spraying or airborne

contact with this material.

Skin and body protection : Where there is potential for skin contact have available and wear as

appropriate impervious gloves, apron, pants, and jacket.

Exposure Guidelines
Exposure Limit Values

Metsulfuron methyl

AEL * (DuPont) 10 mg/m3 8 & 12 hr. TWA Total dust.

Thifensulfuron methyl

AEL * (DuPont) 5 mg/m3 8 & 12 hr. TWA Total dust.

Fluroxypyr-meptyl

No applicable data available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : liquid
Form : liquid
Color : light grey

Odor : solvent-like

Odor threshold : No applicable data available.

^{*} AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.



Version 2.2

Revision Date 04/05/2016 Ref. 130000115902

pH : 3.9 - 4.9

Melting point/range : No applicable data available.

Boiling point/boiling range : No applicable data available.

Flash point : 93 °C

Evaporation rate : No applicable data available.

Flammability (solid, gas) : No applicable data available.

Upper explosion limit : No applicable data available.

Lower explosion limit : No applicable data available.

Vapour Pressure : No applicable data available.

Vapour density : No applicable data available.

Specific gravity (Relative

density)

: No applicable data available.

Bulk density : 0.89 - 1.09 g/cm3

Water solubility : dispersible

Solubility(ies) : No applicable data available.

Partition coefficient: n-

octanol/water

: No applicable data available.

Auto-ignition temperature : No applicable data available.

Decomposition temperature : No applicable data available.

Viscosity, kinematic : No applicable data available.

Viscosity, dynamic : 231.9 mPa.s at 20 °C (68 °F)

Oxidizing Substance : The product is not oxidizing.

SECTION 10. STABILITY AND REACTIVITY



Version 2.2

Revision Date 04/05/2016 Ref. 130000115902

Reactivity : No applicable data available.

Chemical stability : Stable at normal temperatures and storage conditions.

Possibility of hazardous

reactions

: Polymerization will not occur.

Conditions to avoid : None reasonably foreseeable.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition

products

No applicable data available.

SECTION 11. TOXICOLOGICAL INFORMATION

DuPont[™]Travallas[™] Herbicide

Inhalation 4 h LC50 : > 5.11 mg/l , Rat

Dermal LD50 : > 5,000 mg/kg, Rat

Oral LD50 : > 5,000 mg/kg, Rat

Skin irritation : Mild skin irritation, Rabbit

Eye irritation : No eye irritation, Rabbit

Minimal effects that do not meet the threshold for classification.

Sensitisation : The product is a skin sensitiser, sub-category 1A., mice

Further information : Information presented in this Section conforms to the requirements of

the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory

Agencies.

Metsulfuron methyl

Repeated dose toxicity

The following effects occurred at levels of exposure that significantly

exceed those expected under labeled usage conditions.

Oral Rat

Reduced body weight gain, Organ weight changes, Liver



Version 2.2

Revision Date 04/05/2016 Ref. 130000115902

Dermal Rabbit

-

Skin irritation

Carcinogenicity : Not classifiable as a human carcinogen.

Did not show carcinogenic effects in animal experiments.

Mutagenicity : Animal testing did not show any mutagenic effects.

Did not cause genetic damage in cultured bacterial cells.

Genetic damage in cultured mammalian cells was observed in some

laboratory tests but not in others.

Reproductive toxicity : No toxicity to reproduction

Animal testing did not show any effects on fertility.

Teratogenicity : Animal testing showed no developmental toxicity.

Thifensulfuron methyl

Repeated dose toxicity

The following effects occurred at levels of exposure that significantly

exceed those expected under labeled usage conditions.

Oral - feed multiple species

-

Reduced body weight gain

Carcinogenicity : Animal testing did not show any carcinogenic effects.

Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Animal testing did not show any mutagenic effects.

Reproductive toxicity : No toxicity to reproduction

Animal testing showed no reproductive toxicity.

Teratogenicity : Did not show teratogenic effects in animal experiments.

Animal testing showed effects on embryo-fetal development at levels

equal to or above those causing maternal toxicity.

Fluroxypyr-meptyl

Carcinogenicity : Not classifiable as a human carcinogen.



Version 2.2

Revision Date 04/05/2016 Ref. 130000115902

Information given is based on data obtained from similar substances.

Mutagenicity : Animal testing did not show any mutagenic effects.

Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Reproductive toxicity : No toxicity to reproduction

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels

equal to or above those causing maternal toxicity.

Carcinogenicity

The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity
Metsulfuron methyl

96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 150 mg/l

72 h EC50 : Anabaena flos-aquae (cyanobacteria) 0.066 mg/l

14 d EC50 : Lemna minor (common duckweed) 0.00036 mg/l

48 h EC50 : Daphnia magna (Water flea) > 120 mg/l

Thifensulfuron methyl

96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 100 mg/l

14 d EC50 : Lemna minor (duckweed) 0.0013 mg/l

48 h EC50 : Daphnia magna (Water flea) 470 mg/l

28 d : NOEC Americamysis bahia (mysid shrimp) 7.93 mg/l



Version 2.2

Revision Date 04/05/2016 Ref. 130000115902

Fluroxypyr-meptyl

96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 0.225 mg/l OECD Test

Guideline 203

72 h EC50 : Scenedesmus quadricauda (Green algae) > 0.47 mg/l

48 h EC50 : Daphnia magna (Water flea) > 0.183 mg/l OECD Test Guideline 202

: NOEC Oncorhynchus mykiss (rainbow trout) 0.32 mg/l

Environmental Fate

Fluroxypyr-meptyl

Bioaccumulation : Bioaccumulation is unlikely.

Additional ecological information : Environmental Hazards: This product is toxic to fish. Do not apply

directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply where/when conditions favour runoff. Do not apply where weather conditions favour drift from areas treated. Do not contaminate

water when cleaning equipment or disposing of equipment

washwaters or rinsate. See product label for additional application

instructions relating to environmental precautions.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste disposal methods -

Product

: Do not contaminate water, food or feed by disposal. Wastes resulting from the

use of this product must be disposed of on site or at an approved waste

disposal facility.

Waste disposal methods -

Container

: Refer to the product label for instructions.

Do not transport if this container is damaged or leaking.

In the event of a major spill, fire or other emergency, call 1-800-441-3637 day

or night.

Contaminated packaging : No applicable data available.

SECTION 14. TRANSPORT INFORMATION

IATA_C UN number : 3082



Version 2.2

IMDG

Revision Date 04/05/2016 Ref. 130000115902

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Fluroxypyr meptyl, Thifensulfuron-methyl, Metsulfuron

methyl)

Class : 9 Packing group : III

Labelling No. : 9MI UN number : 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Fluroxypyr meptyl, Thifensulfuron-

methyl, Metsulfuron methyl)

Class : 9
Packing group : III
Labelling No. : 9

Marine pollutant : yes (Fluroxypyr meptyl, Thifensulfuron-methyl)

Not regulated as a hazardous material by DOT.

SECTION 15. REGULATORY INFORMATION

Other regulations : This Safety Data Sheet is for a pesticide product registered by the US

Environmental Protection Agency (USEPA) and various state regulatory agencies, and is therefore also subject to certain requirements under US and state pesticide laws, including the Federal Insecticide Fungicide and Rodenticide Act (FIFRA). These requirements differ from the classification criteria and hazard information required by OSHA for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is information

determined by USEPA, and various states.

CAUTION!

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove and wash contaminated clothing before re-use.

This product is toxic to: Aquatic invertebrates

SARA 313 Regulated

Chemical(s)

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established

by SARA Title III, Section 313.

NJ Right to Know : Substances on the New Jersey Workplace Hazardous Substance List present



Version 2.2

Revision Date 04/05/2016 Ref. 130000115902

Regulated Chemical(s) at a concentration of 1% or more (0.1% for substances identified as

carcinogens, mutagens or teratogens): Methanol

EPA Reg. No. : 352-896

In the United States this product is regulated by the US Environmental Protection Agency (EPA) under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

California Prop. 65 : WARNING! This product contains a chemical or chemicals known to the State

of California to cause cancer. Formaldehyde, 1,4-Dioxane, Acetaldehyde,

Ethylene oxide, Quartz

WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. Methanol,

Ethylene oxide

SECTION 16. OTHER INFORMATION

[™] Trademark of E.I. du Pont de Nemours and Company.

Registered trademark of E.I. du Pont de Nemours and Company

Revision Date : 04/05/2016

Contact person : DuPont Crop Protection, Wilmington, DE, 19805, Phone: 1-888-638-7668

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.