COMPOSITE PACKAGING



TRILEX EVERGOL CO-PACK

Version 1 / CDN Revision Date: 08/23/2018
102000026861 Print Date: 01/30/2019

Identification of the product and of the company/undertaking

Trade name TRILEX EVERGOL CO-PACK

Product code (UVP) 80522614

SDS Number 102000026861

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd,

SE

Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

Composite packaging

This composite packaging consists of the following products:

		UVP	Specification	SDS
METALAXYL FS 312 G	U-US	84961019	102000027133	<u>Link</u>
PFL+TFS FS 154+154 G	U-WW	79462069	102000019578	<u>Link</u>

You will find attached the Safety Data Sheets for the single products. Please read them carefully. Safety Data Sheets already received for single products in the Composite Packaging are not being sent again. Updates to the Safety Data Sheets for the single products will be sent automatically with a subsequent shipment.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.



TRILEX® COMPONENT B SEED TREATMENT FUNGICIDE

Version 1.0 / CDN Revision Date: 10/13/2017 102000027133 Print Date: 02/12/2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name TRILEX® COMPONENT B SEED TREATMENT FUNGICIDE

Product code (UVP) 84961019, 80968884

SDS Number 102000027133

PCP Registration No. 30645

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide, Seed treatment

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

Eye irritation: Category 2B

Acute toxicity(Inhalation): Category 4

Labelling in accordance with Part 3 of the Hazardous Products Regulations



Signal word: Warning

Hazard statements

Causes eye irritation. Harmful if inhaled.

Precautionary statements

Wash thoroughly after handling.



TRILEX® COMPONENT B SEED TREATMENT FUNGICIDE

Version 1.0 / CDN Revision Date: 10/13/2017 102000027133 Print Date: 02/12/2019

Avoid breathing dust, mist, spray.

Use only outdoors or in a well-ventilated area.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name CAS-No. Concentration % by weight

Metalaxyl 57837-19-1 28.35

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.



TRILEX® COMPONENT B SEED TREATMENT FUNGICIDE

Version 1.0 / CDN Revision Date: 10/13/2017 102000027133 Print Date: 02/12/2019

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Foam, Dry chemical, Carbon dioxide (CO2)

Unsuitable None known.

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Evacuate personnel to safe areas. Avoid contact with spilled product or

contaminated surfaces. Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point No data available

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning upSoak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.



TRILEX® COMPONENT B SEED TREATMENT FUNGICIDE

Version 1.0 / CDN Revision Date: 10/13/2017 102000027133 Print Date: 02/12/2019

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children,

preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No known occupational limit values.

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Chemical resistant goggles must be worn.

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.



TRILEX® COMPONENT B SEED TREATMENT FUNGICIDE

Version 1.0 / CDN Revision Date: 10/13/2017 102000027133 Print Date: 02/12/2019

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance light brown

Physical State Liquid
Odor musty

Odour Threshold No data available

pH 5.0 - 8.0 at 100 % (23 °C)

Vapor Pressure No data available
Vapor Density (Air = 1) No data available

Density ca. 1.10 g/cm³ at 20 °C

Evaporation rate

Boiling Point

Melting / Freezing Point

No data available
No data available

Water solubility dispersible

Minimum Ignition Energy Not applicable

Decomposition Not applicable
temperature

Partition coefficient: n-

octanol/water

Not applicable

Viscosity 250 - 600 mPa.s at 25 °C

160 - 300 mPa.s at 20 °C Velocity gradient 20 /s 75 - 115 mPa.s at 20 °C Velocity gradient 100 /s

Flash point No data available

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition Not applicable

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.



TRILEX® COMPONENT B SEED TREATMENT FUNGICIDE

Version 1.0 / CDN Revision Date: 10/13/2017 102000027133 Print Date: 02/12/2019

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials Strong acids, Strong bases, Oxidizing agents

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Skin contact, Eye contact, Ingestion, Inhalation

Immediate Effects

Eye Moderate eye irritation.

Skin Harmful if absorbed through skin. May cause skin irritation.

Ingestion Harmful if swallowed.

Inhalation May be harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,900 mg/kg
Acute inhalation toxicity LC50 (Rat) > 2.67 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Acute dermal toxicity LD50 (Rabbit) > 2,000 mg/kg

Skin irritation No skin irritation (Rabbit)

Eye irritation Moderate eye irritation. (Rabbit) **Sensitisation** Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity - repeated exposure

Metalaxyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Metalaxyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Metalaxyl was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA



7/9

TRILEX® COMPONENT B SEED TREATMENT FUNGICIDE

Version 1.0 / CDN Revision Date: 10/13/2017 102000027133 Print Date: 02/12/2019

None.

Assessment toxicity to reproduction

Metalaxyl did not cause reproductive toxicity in a multi-generation study in rats.

Assessment developmental toxicity

Metalaxyl did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)) > 100 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient metalaxyl.

Biodegradability Metalaxyl:

Not rapidly biodegradable

Koc Metalaxyl: Koc: 163

Bioaccumulation Metalaxyl: Bioconcentration factor (BCF) < 7

Does not bioaccumulate.

Mobility in soil Metalaxyl: Moderately mobile in soils

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Pesticide, spray mixture or rinse water that cannot be used according to

label instructions may be disposed of on site or at an approved waste

disposal facility.

Contaminated packaging Follow advice on product label and/or leaflet.

Do not re-use empty containers.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.



8/9

TRILEX® COMPONENT B SEED TREATMENT FUNGICIDE

Version 1.0 / CDN Revision Date: 10/13/2017 102000027133 Print Date: 02/12/2019

SECTION 14: TRANSPORT INFORMATION

According to national and international transport regulations this material is not classified as dangerous goods / hazardous material.

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 30645

US Federal Regulations

TSCA list

None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

None.

Canadian Regulations

Canadian Domestic Substance List

None.

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act



TRILEX® COMPONENT B SEED TREATMENT FUNGICIDE

Version 1.0 / CDN Revision Date: 10/13/2017 102000027133 Print Date: 02/12/2019

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: New Safety Data Sheet.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 10/13/2017

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.



PFL+TFS FS 154+154 G

U-WW

 Version 2.0 / CDN
 Revision Date: 02/22/2017

 102000019578
 Print Date: 02/12/2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name PFL+TFS FS 154+154 G U-WW

Product code (UVP) 79462069

SDS Number 102000019578

Relevant identified uses of the substance or mixture and uses advised against

Use Seed treatment

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

This material is not hazardous under the criteria of Part 2 of the Hazardous Products Regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Penflufen	494793-67-8	13.3
Trifloxystrobin	141517-21-7	13.3
1,2-Propanediol	57-55-6	11.6
Polyethylene-polypropylene copolymer	9003-11-6	4.0
Sodium lignosulphonate	8061-51-6	5.0



PFL+TFS FS 154+154 G

U-WW

Version 2.0 / CDN 102000019578

Revision Date: 02/22/2017 Print Date: 02/12/2019

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO2), Dry chemical

Unsuitable None known.

Special hazards arising from the substance or

Hydrogen cyanide (hydrocyanic acid), Nitrogen oxides (NOx),

Hydrogen fluoride, Carbon monoxide (CO)

Advice for firefighters

mixture

Special protective Firefighters should wear NIOSH approved self-contained breathing

equipment for firefighters apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed

containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.



PFL+TFS FS 154+154 G

U-WW

Version 2.0 / CDN Revision Date: 02/22/2017 102000019578 Print Date: 02/12/2019

Flash point > 85 °C

No flash point - Determination conducted up to the boiling point.

Auto-ignition temperature480 °C / 896 °FLower explosion limitNo data availableUpper explosion limitNo data available

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning upSoak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If material is accidentally spilled,

do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain

exposure levels below the exposure limit through the use of general and

local exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities



PFL+TFS FS 154+154 G

U-WW

 Version 2.0 / CDN
 Revision Date: 02/22/2017

 102000019578
 Print Date: 02/12/2019

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Penflufen	494793-67-8	1.1 mg/m3		OES BCS*
		(TWA)		
Trifloxystrobin	141517-21-7	2.7 mg/m3		OES BCS*
		(SK-SEN)		
1,2-Propanediol	57-55-6	155 mg/m3/50 ppm	06 2015	CAD ON
		(TWA)		OEL
(Vapor and aerosol.)				
1,2-Propanediol	57-55-6	10 mg/m3	11 2010	CAD ON
		(TWA)		OEL
(Aerosol.)				

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance dark blue Physical State Liquid

Odor characteristic
Odour Threshold No data available



PFL+TFS FS 154+154 G

U-WW

Version 2.0 / CDN 102000019578

Revision Date: 02/22/2017 Print Date: 02/12/2019

pH 8.0 - 9.5 at 100 % (23 °C)

Vapor Pressure No data available
Vapor Density (Air = 1) No data available

Density ca. 1.16 g/cm³ at 20 °C

Evaporation rateNo data availableBoiling PointNo data availableMelting / Freezing PointNo data available

Water solubility dispersible

Minimum Ignition Energy Not applicable

Decomposition temperature

Stable under normal conditions.

Partition coefficient: n-

octanol/water

Not applicable

Flash point > 85 °C

No flash point - Determination conducted up to the boiling point.

Auto-ignition temperature480 °C / 896 °FLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot explosive

92/69/EEC, A.14 / OECD 113

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials Strong oxidizing agents, Strong acids, Strong bases

Store only in the original container.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.



PFL+TFS FS 154+154 G

U-WW

Version 2.0 / CDN Revision Date: 02/22/2017 102000019578 Print Date: 02/12/2019

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Inhalation, Eye contact, Skin contact, Ingestion

Immediate Effects

Eye May cause eye irritation.

Skin Harmful if absorbed through skin.

IngestionHarmful if swallowed.InhalationHarmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 4.2 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Highest attainable concentration.

No deaths

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

Skin irritationNo skin irritation (Rabbit)Eye irritationslight irritation (Rabbit)

Sensitisation Non-sensitizing. (Mouse)

OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity - repeated exposure

Penflufen did not cause specific target organ toxicity in experimental animal studies. Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Penflufen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Penflufen caused at high dose levels an increased incidence of tumours in rats in the following organ(s): hematopoietic system, ovaries, Brain. The mechanism that triggers these tumours is not relevant to humans.

Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA



PFL+TFS FS 154+154 G

U-WW

 Version 2.0 / CDN
 Revision Date: 02/22/2017

 102000019578
 Print Date: 02/12/2019

None.

Assessment toxicity to reproduction

Penflufen did not cause reproductive toxicity in a two-generation study in rats.

Trifloxystrobin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Trifloxystrobin is related to parental toxicity.

Assessment developmental toxicity

Penflufen did not cause developmental toxicity in rats and rabbits.

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Cyprinus carpio (Carp)) 0.103 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient penflufen.

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.015 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient trifloxystrobin.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) > 4.66 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient penflufen. No acute toxicity was observed at its limit of water solubility.

EC50 (Daphnia magna (Water flea)) 0.016 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient trifloxystrobin.

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) > 5.1 mg/l

Growth rate; Exposure time: 96 h

The value mentioned relates to the active ingredient penflufen. No acute toxicity was observed at its limit of water solubility.

IC50 (Desmodesmus subspicatus (green algae)) 0.0053 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient trifloxystrobin.

Biodegradability Penflufen:

Not rapidly biodegradable

Trifloxystrobin:

Not rapidly biodegradable



PFL+TFS FS 154+154 G

U-WW

 Version 2.0 / CDN
 Revision Date: 02/22/2017

 102000019578
 Print Date: 02/12/2019

Koc Penflufen: Koc: 280

Trifloxystrobin: Koc: 2377

Bioaccumulation Penflufen: Bioconcentration factor (BCF) 142

Does not bioaccumulate.

Trifloxystrobin: Bioconcentration factor (BCF) 431

Does not bioaccumulate.

Mobility in soil Penflufen: Moderately mobile in soils

Trifloxystrobin: Slightly mobile in soils

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Do not contaminate water, food, or feed by disposal.

Dispose in accordance with all local, state/provincial and federal

regulations

Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste

disposal facility.

Contaminated packaging Do not re-use empty containers.

Triple rinse containers.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

SECTION 14: TRANSPORT INFORMATION

TDG

UN number 3082
Labels 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(PENFLUFEN, TRIFLOXYSTROBIN)

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082



PFL+TFS FS 154+154 G

U-WW

Version 2.0 / CDN Revision Date: 02/22/2017 102000019578 Print Date: 02/12/2019

Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(PENFLUFEN, TRIFLOXYSTROBIN SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID.

N.O.S.

(PENFLUFEN, TRIFLOXYSTROBIN SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information Exempt from regulation when transported by road or rail, in

accordance with TDG Regulations 1.45.1.

This exemption provides that this product does not require dangerous goods shipping documentation or safety marks

when transported on land by road or rail.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

TSCA list

None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

1,2-Propanediol 57-55-6 MN, RI

Canadian Regulations



10/11

PFL+TFS FS 154+154 G

U-WW

Version 2.0 / CDN Revision Date: 02/22/2017 102000019578 Print Date: 02/12/2019

Canadian Domestic Substance List

1,2-Propanediol57-55-6Polyethylene-polypropylene copolymer9003-11-6Sodium lignosulphonate8061-51-6

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 0 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 0 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current Canadian WHMIS standard (WHMIS 2015).

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 02/22/2017

This information is provided in good faith but without express or implied warranty. The customer assumes



PFL+TFS FS 154+154 G

U-WW

Version 2.0 / CDN 102000019578

Revision Date: 02/22/2017 Print Date: 02/12/2019

all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.