

TUFF TRAX® SUPERSEDES: 05/29/15

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

IDENTIFICATION OF THE MATERIAL AND SUPPLIER 1.

1.1 PRODUCT IDENTIFIER: TRADE NAME: **TUFF TRAX®** 1.2 RECOMMENDED USE:

FOAM CONCENTRATE

1.3 SUPPLIER DETAILS:

LOVELAND PRODUCTS, INC. P.O. Box 1286 • Greeley, CO 80632-1286

1.4 24 Hour Emergency Phone: 1-800-424-9300 - Medical Emergencies: 1-866-944-8565 - Product Information: 1-888-574-2878 (LPI-CUST) U.S. Coast Guard National Response Center: 1-800-424-8802

HAZARDS IDENTIFICATION 2.

2.1 Classification of the substance or mixture		
Classification according to 29 CFR 1910.1200		
Combustible Liquid	Category 4	H227
Skin Corrosion/Irritation	Category 2	H315
Eye Damage/Irritation	Category 2A	H319

2.2 Label elements



	Signal word: Hazard Statement:	WARNING H315 – Causes skin irritation. H319 – Causes serious eye irritation. H227 – Combustible Liquid.
	Precautionary Statement: (Prevention):	P264 – Wash hands thoroughly after handling. P280 – Wear protective gloves/protective clothing/eye protection/face protection. P210 – Keep away from flames and hot surfaces No smoking.
	Precautionary Statement: (Response):	 P302+P352 – IF ON SKIN: Wash with plenty of soap and water. P321 – Specific treatment: (see First Aid on the product label). P332+P313 – Is skin irritation occurs: Get medical advice/attention. P362 – Take off contaminated clothing and wash it before reuse. P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present, and easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attention. P370+P378 – In case of fire: Use suitable media to extinguish (see Section 5).
	Precautionary Statement: (Storage):	P403+P235 – Store in a well ventilated space. Keep cool.
	Precautionary Statement: (Disposal):	P501 – Dispose of contents/container in accordance with local/national regulations.
2.	3 Other hazards	



SDS REVISIONS: SEC. 2

DATE OF ISSUE: 11/14/17

COMPOSITION, INFORMATION ON INGREDIENTS 3.

3.1 Substances

3.2 Mixtures

Classification according to 29 CFR 1910.1200

Chemical Name:	CAS No.	Concentration	
Alkyl Sulfonate 4-methyl-2, 4-pentane-diol	Mixture	[%] 100.00	

4.	. FIRST AID MEASURES		

4.1 Description of First Aid Measures

Get medical attention if symptoms occur. General Advice:

- Eye contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Skin contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Ingestion: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.
- 4.2 Most Important Symptoms and Effects, Acute and Delayed

Causes serious eye irritation. May be harmful in contact with skin. Causes skin irritation. Symptoms:

4.3 Immediate Medical Attention and Special Treatment

Treat symptomatically. Symptoms may be delayed. Treatment: FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565

Take container, label or product name with you when seeking medical attention.

No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the NOTES TO PHYSICIAN: patient.

FIRE FIGHTING MEASURES 5.

5.1	EXTINGUISHING MEDIA:				
	Suitable Extinguishing Media:	Dry chemical, carbon dioxide (CO ₂), alcohol foam, foam, water spray or fog. Do not use water jet as			
		this will spread the fire.			
5.2	SPECIAL HAZARDS ARISING FROM THE S	UBSTANCE OR MIXTURE:			
	Specific Hazards During Firefighting:	During a fire oxides of carbon may be formed.			
5.3	3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS				
	Special Protective Equipment for Firefighters:	Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.			



ACCIDENTAL RELEASE MEASURES 6. 6.1 PERSONAL PRECAUTIONS. PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES Personal Precautions: Avoid inhalation of vapors and spray mist and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing. 6.2 ENVIRONMENTAL PRECAUTIONS Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers, or watercourses. 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to Remove residual contamination. Never return spills to original containers for re-use. HANDLING AND STORAGE 7.1 PRECAUTIONS FOR SAFE HANDLING: Advice on Safe Handling: Avoid inhalation of mists, vapors / spray and contact with eyes, skin and clothing. Do not breathe mists or vapor. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking. 7.2 CONDITIONS FOR SAFE STORAGE: Requirements for Storage Areas and Containers: Store in a well-ventilated space. Keep cool. Store in original container. Keep tightly closed. Do not reuse empty container. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

0.5. 1	orkplace Exposure Level (OSH	A, ACGIH or AIHA) Guides		
	<u>Components</u>	Туре	Value	
	2-methylpentane-2,4-diol	TWA	25 ppm (Ceiling) - ACGIH	
	2-Butoxy-ethanol	TWA	50 ppm (240 mg/m ³) [Skin] – OSHA	
	2-Butoxy-ethanol	TWA	20 ppm (97 mg/m ³) - ACGIH	
Biological I	mit values			
Biological I	, , , , , , , , , ,			

ACGIH Biological Exposu	ACGIH Biological Exposure Indices			
Components	Value	Specimen		
2-Butoxy-ethanol	200 mg/g creatnine	Urine – End of shift		

8.2 EXPOSURE CONTROLS: Engineering Measures

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

Individual Protection Measures:

 Eye / Face Protection:
 Goggles or shielded safety glasses are recommended.

 Skin Protection:
 Wear chemical-resistant gloves. Long-sleeved shirt, long pants, and socks.

 Respiratory Protection:
 In case of inadequate ventilation or risk of inhalation of mists or vapors, use MSHA/NIOSH approved respirator

 equipment. Wear respiratory protection during operations where spraying or misting occurs. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1	APPEARANCE:	Liquid.
	ODOR:	Sweet.
	ODOR THRESHOLD:	No data available.
	COLOR:	Clear, pale vellow.
	pH:	7 - 9 (1% solution)
	MELTING POINT / FREEZIN	G POINT: No data available.
	BOILING POINT:	No data available.
	FLASH POINT:	176 °F (80 °C) / SCC
	FLAMMABILILITY (solid, gas)	No data available.
	UPPER / LOWER FLAMMABI	LITY OR EXPLOSIVE LIMITS: No data available.
	VAPOR PRESSURE:	No data available.
	SOLUBILITY:	Dispersible.
	PARTITION CO-EFFICIENT,	n-OCTANOL / WATER: No data available.
	AUTO-IGNITION TEMPERAT	URE: No data available.
	DECOMPOSITION TEMPERA	ATURE: No data available.
	VISCOSITY, kinematic:	No data available.
	SPECIFIC GRAVITY (Water =	= 1): 1.03 g/ml
	DENSITY:	8.59 lbs/gal 1.03 kg/L
Note:	These physical data are ty	pical values based on material tested but may vary from sample to sample.
	- · · · · · · · ·	

Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

- Stable
- **10.2 CHEMICAL STABILITY**
- Stable under normal temperature conditions
- 10.3 POSSIBILITY OF HAZARDOUS REACTIONS No reactions known under normal use conditions. Will not polymerize.
- 10.4 CONDITIONS TO AVOID
- Extreme heat/open flame/sparks and other sources of ignition.
- 10.5 INCOMPATIBILE MATERIALS Strong acids, strong bases, strong oxidizers. 10.6 HAZARDOUS DECOMPOSITION PRODUCTS
 - No data available.

11. TOXICOLOGICAL INFORMATION

11.1 LIKELY ROUTES OF EXPOSURE

Eye contact. Skin contact. LC₅₀ (rat): No data available. LD₅₀ Oral (rat): 4,000 mg/kg LD₅₀ Dermal (rabbit): >5,000 mg/kg Acute Toxicity Estimates: No data available Skin Irritation (rabbit): Causes skin irritation. Eye Irritation (rabbit): Causes serious eye irritation. Specific Target Organ Toxicity: Single exposure: No data available. Aspiration: No data available Skin Sensitization (mouse): No data available. Carcinogenicity: No data available Germ Cell Mutagenicity: No data available Interactive Effects: None known



Test Results

12. ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. **Ecotoxicological Data**

Species

No data available

Drift or runoff may adversely affect non-target plants. Do not apply directly to water. Do not contaminate water when disposing of equipment wash water.

Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

- **Biodegradability:** No data available
- **12.3 BIOACCUMULATIVE POTENTIAL** Bioaccumulation: No data available.
- **12.4 MOBILITY IN SOIL**
- No data available.
- 12.5 OTHER ADVERSE EFFECTS

No data available. Assessment:

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at http://www.acrecycle.org/. Do not contaminate water, food or feed by storage or disposal.

14. TRANSPORT INFORMATION

14.1 LAND TRANSPORT

DOT Shipping Description: 119 GALLONS or less: NOT REGULATED. DOT Shipping Description: GREATER THAN 119 GALLONS: NA1993, COMBUSTIBLE LIQUIDS, N.O.S. (ETHYLENE GLYCOL MONOBUTYL ETHER), III ERG GUIDE 128

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS 60)

15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NFPA & HMIS Hazard Ratings:

Health 1 1

NFPA

- Flammability 0 Instability
- 1 2 Moderate 3

0

High 4 Severe

Least

Slight

- HMIS Health 1
- Flammability 1
- Reactivity 0
- В PPE



SDS REVISIONS: SEC. 2

DATE OF ISSUE: 11/14/17

TUFF TRAX® SUPERSEDES: 05/29/15

REVIEWED BY: Environmental Health and Safety

SARA Hazard Notification/Reporting SARA Title III Hazard Category:	Immediate Delayed	<u>Y</u> N	Fire Reactive	<u>Y</u> N	Sudden Release of Pressure	<u> N </u>
Reportable Quantity (RQ) under U.S. (SARA, Title III, Section 313: Not listed RCRA Waste Code: Not listed CA Proposition 65: Not applicable		listed				

16. OTHER INFORMATION

SDS STATUS: Section 2 revised

PREPARED BY: Registrations and Regulatory Affairs

®Tuff Trax is a registered trademark of Loveland Products, Inc.

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.