

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

- 1.1 **PRODUCT IDENTIFIER:** CA REGISTRATION NO. 34704-50062; WA REGISTRATION NO. 34704-09002
TRADE NAME: UNFOAMER®
- 1.2 **RECOMMENDED USE:** ANTIFOAMING/DEFOAMING AGENT
- 1.3 **SUPPLIER DETAILS:**
LOVELAND PRODUCTS, INC.
P.O. Box 1286 • Greeley, CO 80632-1286
- 1.4 **24 Hour Emergency Phone:** 1-800-424-9300 - **Medical Emergencies:** 1-866-944-8565 – **Product Information:** 1-888-574-2878 (LPI-CUST)
U.S. Coast Guard National Response Center: 1-800-424-8802

2. HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture****Classification according to 29 CFR 1910.1200**

| | | |
|---------------------------|-------------|------|
| Acute Toxicity – Oral | Category 4 | H302 |
| Skin Corrosion/Irritation | Category 2 | H315 |
| Eye Damage/Irritation | Category 2A | H319 |

2.2 Label elements

Signal word: **WARNING**
Hazard Statements: H315 – Causes skin irritation.
H319 – Causes serious eye irritation.

Precautionary Statement: P264 – Wash hands and face thoroughly after handling.
(Prevention): P280 – Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement: P302+P352 – IF ON SKIN: Wash with soap and water.
(Response): P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 – If eye irritation persists: Get medical advice/attention
P321 – Specific treatment (see First Aid on the product label).
P332+P313 – If skin irritation occurs: Get medical advice/attention.
P362 – Take off contaminated clothing and wash it before reuse.

Precautionary Statement: P403+P235 – Store in a well-ventilated place. Keep cool.
(Storage):

Precautionary Statement: P501 – Dispose of contents/container in accordance with local, state and national regulations.
(Disposal):

2.3 Other hazards
None known



SAFETY DATA SHEET

SDS NUMBER: 1000016856-18-LPI

SDS REVISIONS: SEC. 2, 3, 15

DATE OF ISSUE: 11/06/18

UNFOAMER®
SUPERSEDES: 07/28/15

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

Classification according to 29 CFR 1910.1200

| Chemical Name: | CAS No. | Concentration [%] |
|--|------------|-------------------|
| Proprietary Dimethylpolysiloxane blend | N/A | 85.00 |
| Polypropylene Glycol | 25322-69-4 | 2.50 |
| Methylated Silicone | Mixture | 12.50 |

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

- Eye contact:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Ingestion:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Inhalation:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

4.2 Most Important Symptoms and Effects, Acute and Delayed

- Overview:** No data available.
- Eyes:** Causes serious eye irritation.
- Skin:** Causes skin irritation.
- Ingestion:** May be harmful if swallowed.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.
FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565
Take container, label or product name with you when seeking medical attention.

NOTES TO PHYSICIAN: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Foam, carbon dioxide (CO₂), dry chemical, water spray.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: Keep away from heat / sparks / open flames / hot surfaces - No smoking. Irritating or toxic substances may be emitted upon thermal decomposition. Thermal decomposition products may include oxides of carbon as well as smoke and fume.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.



SAFETY DATA SHEET

SDS NUMBER: 1000016856-18-LPI

SDS REVISIONS: SEC. 2, 3, 15

DATE OF ISSUE: 11/06/18

UNFOAMER®
SUPERSEDES: 07/28/15

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Remove sources of ignition, do not turn lights or unprotected electrical equipment on or off. In case of a major spill or spillage in a confined space, evacuate the area.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Do not allow spills to enter drains, sewers, or watercourses.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13). Clean, preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or watercourses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the U.S. Coast Guard National Response Center should also be informed.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Handle containers carefully to prevent damage and spillage. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before re-use.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Store in cool, dry place. Store in original container. Keep tightly closed. Do not reuse empty container. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

OCCUPATIONAL EXPOSURE LIMITS

U.S. Workplace Exposure Level (OSHA, ACGIH, NIOSH) Guides

| Components | Type | CAS No. | Value |
|--------------------|------|---------|-------|
| No data available. | TWA | | |

Biological limit values

ACGIH Biological Exposure Indices

| Components | Value | Specimen |
|-------------|-------|----------|
| No listings | | |

8.2 EXPOSURE CONTROLS:

Engineering Measures

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Individual Protection Measures:

Eye / Face Protection: Goggles or shielded safety glasses are recommended.

Skin Protection: Coveralls worn over long-sleeved shirt and long pants. Chemical-resistant gloves. Chemical-resistant footwear plus socks.

Respiratory Protection: In case of inadequate ventilation or risk of inhalation of mists or vapors, use suitable respiratory equipment such as MSHA/NIOSH TC-21C or NIOSH approved respirator with N, R, P or HE filter. Wear respiratory protection during operations where spraying or misting occurs. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.



SAFETY DATA SHEET

SDS NUMBER: 1000016856-18-LPI

SDS REVISIONS: SEC. 2, 3, 15

DATE OF ISSUE: 11/06/18

UNFOAMER®
SUPERSEDES: 07/28/15

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|--|
| 9.1 APPEARANCE: | Liquid |
| ODOR: | Mild. |
| ODOR THRESHOLD: | No data available. |
| COLOR: | Milky white. |
| pH: | 5 – 7 (neat). |
| MELTING POINT / FREEZING POINT: | No data available |
| BOILING POINT: | No data available |
| FLASH POINT: | > 212 °F (> 100 °C) |
| FLAMMABILITY (solid, gas): | No data available. |
| UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: | No data available. |
| VAPOR PRESSURE: | No data available. |
| SOLUBILITY: | Dispersible |
| PERCENT VOLATILE (by volume): | No data available |
| PARTITION CO-EFFICIENT, n-OCTANOL / WATER: | No data available. |
| AUTO-IGNITION TEMPERATURE: | No data available. |
| DECOMPOSITION TEMPERATURE: | No data available |
| VISCOSITY, dynamic: | No data available |
| SPECIFIC GRAVITY (Water = 1): | 1.00 – 1.02 g/ml |
| DENSITY: | 8.34 – 8.51 lbs/gal / 1.00 – 1.02 kg/L |

Note: These physical data are typical values based on material tested but may vary from sample to sample.
Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No reactions known under normal use conditions. Will not polymerize.

10.4 CONDITIONS TO AVOID

Extreme heat and fire.

10.5 INCOMPATIBLE MATERIALS

Strong oxidizing agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Oxides of carbon, oxides of sulfur, oxides of nitrogen, crystalline silica from burning. Can generate formaldehyde at temperatures above 300 °F.

11. TOXICOLOGICAL INFORMATION

11.1 LIKELY ROUTES OF EXPOSURE

Eye contact. Skin contact.

LC₅₀ (rat): No data available

LD₅₀ Oral (rat): > 5000 mg/kg

LD₅₀ Dermal (rat): > 5000 mg/kg

Acute Toxicity Estimates: No data available

Skin Irritation (rabbit): Causes skin irritation.

Eye Irritation (rabbit): Causes serious eye irritation.

Specific Target Organ Toxicity: Single exposure: No data available.

Aspiration: No data available

Skin Sensitization (guinea pig): Not a sensitizer

Carcinogenicity: No data available

Germ Cell Mutagenicity: No data available

Interactive Effects: None known



SAFETY DATA SHEET

SDS NUMBER: 1000016856-18-LPI

SDS REVISIONS: SEC. 2, 3, 15

DATE OF ISSUE: 11/06/18

UNFOAMER®
SUPERSEDES: 07/28/15

12. ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

The product is not for aquatic use.

Ecotoxicological Data

| | Species | Test Results |
|--------------------------|---------------------|--------------|
| Product component | | |
| 96-hour LC ₅₀ | Oncorhynchus mykiss | > 1000 mg/L |
| 96-hr NOEC | Oncorhynchus mykiss | 100 mg/L |
| 48-hour EC ₅₀ | Daphnia Magna | > 100 mg/L |
| 48-hour NOEC | Daphnia Magna | 100 mg/L |
| 96-hour LC ₅₀ | Fathead minnow | > 1000 mg/L |

Drift or runoff may adversely affect non-target plants.
Do not apply directly to water.
Do not contaminate water when disposing of equipment wash water.
Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: No data available

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

12.4 MOBILITY IN SOIL

No data available.

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at <http://www.acrecycle.org/>. Do not contaminate water, food or feed by storage or disposal.

14. TRANSPORT INFORMATION

14.1 LAND TRANSPORT

DOT Shipping Description: NOT REGULATED.

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS 60)



SAFETY DATA SHEET

SDS NUMBER: 1000016856-18-LPI

SDS REVISIONS: SEC. 2, 3, 15

DATE OF ISSUE: 11/06/18

UNFOAMER®
SUPERSEDES: 07/28/15

15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

| | | | |
|--|----------------|------------|----------------|
| NFPA & HMIS Hazard Ratings: | NFPA | | HMIS |
| | 1 Health | 0 Least | 1 Health |
| | 0 Flammability | 1 Slight | 0 Flammability |
| | 0 Instability | 2 Moderate | 0 Reactivity |
| | | 3 High | B PPE |
| | | 4 Severe | |

SARA Hazard Notification/Reporting

SARA Title III Hazard Category: Immediate Y Fire N Sudden Release of Pressure N
 Delayed N Reactive N

Reportable Quantity (RQ) under U.S. CERCLA: Ethyl Acrylate (CAS: 140-88-5) 1,000 lbs.

SARA, Title III, Section 313: Ethyl Acrylate (CAS: 140-88-5) ≤ 0.000935%.

RCRA Waste Code: No listings.

CA Proposition 65: **WARNING:** This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

16. OTHER INFORMATION

SDS STATUS: Sections 2, 3 and 15 revised.

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

®Unfoamer is a registered trademark of Loveland Products, Inc.

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.