SAFETY DATA SHEET



1. Identification

VAPAM® HL Soil Fumigant **Product identifier**

Other means of identification

SDS number 141 **Product registration** 29128

number

Metam sodium * Metam * VAPAM **Synonyms**

Soil Fumigant. Recommended use

Recommended restrictions This is a Restricted Use Pesticide and is for use by licensed applicators only.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

AMVAC Chemical Corporation Company name

Address 4695 MacArthur Court

Suite 1200

Newport Beach, CA 92660

AMVAC Chemical Corp Telephone 949-260-1200

> **AMVAC Chemical Corp** 949-260-6270(FAX)

Website www.amvac.com E-mail CustServ@amvac.com

Emergency phone number Medical 888-681-4261

CHEMTREC® 800-424-9300

(USA+Canada)

Product Use 888-462-6822 +1-703-527-3887 CHEMTREC® (Outside

USA)

Supplier Not available.

2. Hazard identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

> Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2B Sensitization, skin Category 1 Category 1

Environmental hazards Hazardous to the aquatic environment, acute

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

Label elements



Signal word Danger

Hazard statement May be corrosive to metals.

Harmful if swallowed. Harmful if inhaled. Causes skin irritation. Causes eye irritation.

May cause an allergic skin reaction.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

Material name: VAPAM® HL Soil Fumigant

SDS CANADA

Precautionary statement

Prevention Keep only in original container.

Avoid breathing mist or vapor. Wash thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves/protective clothing.

If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. Response

If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Specific treatment (see this label).

Absorb spillage to prevent material damage.

Store in corrosive resistant container with a resistant inner liner. Storage

Store in original container.

Protect from extreme temperatures.

Disposal Dispose of contents/container (in accordance with related regulations). Dispose of

contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information This is a pesticide product registered in Canada under the Pest Control Products Act and is

subject to certain labeling requirements. These requirements differ from the classification criteria and hazard information required for GHS compliant safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information, including

directions for use.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
Sodium methyldithiocarbamate	Metam Sodium Metam	137-42-8	42

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

Composition comments All concentrations are in percent by weight.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

> CENTER or doctor/physician if you feel unwell. Administer oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical

device.

Call a physician or poison control center immediately. In case of eczema or other skin disorders: Skin contact

Seek medical attention and take along these instructions. Wash contaminated clothing before

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Call a physician or poison control center immediately. Ingestion

Rinse mouth.

Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head

low so that stomach content doesn't get into the lungs.

Never give anything by mouth to a victim who is unconscious or is having convulsions.

Material name: VAPAM® HL Soil Fumigant 994 Version #: 2.0 Revision date: Mar-26-2021 Issue date: Jul-21-2016 Most important symptoms/effects, acute and delayed

Overexposure to Metam Sodium as sold may result in damage to the skin, skin irritation, excessive salivation, sweating, fatigue, weakness, nausea, headache, dizziness, eye, nose, throat and respiratory tract irritation. In addition, dilution to use levels results in the release of methyl isothiocyanate (MITC) and/or hydrogen sulfide. Overexposure to MITC may result in strong skin and eye irritation, running nose, dizziness, cramps, nausea, vomiting, and mild to severe disturbances of the nervous system. Overexposure to hydrogen sulfide may result in severe irritation to the eyes and mucous membranes. In addition, exposure may result in headache, dizziness, excitement, staggering gait, diarrhea, difficult or painful urination, difficult breathing, chronic pulmonary edema, coma and death.

Chronic exposure may also cause conjunctivitis, photophobia, digestive disturbances, weight loss, general bodily weakness, and blurred vision. In addition, laboratory studies have shown that exposure to the active ingredient, followed by ingestion of alcohol, may cause an adverse reaction, including low blood pressure, rapid heartbeat, and flushing of the skin. Consumption of alcohol during and after exposure to this product should be avoided.

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed. Contact your local or State Poison control Center for further information.

Take off contaminated clothing and shoes immediately. Take off immediately all contaminated clothing. In case of shortness of breath, give oxygen. Immediate medical attention is required. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep victim under observation. Keep victim warm. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions Specific methods

General fire hazards

Use fire-extinguishing media appropriate for surrounding materials.

Material reacts with water. Dilution with water may cause generation of flammable and toxic fumes of MITC and Hydrogen sulfide. See Chemical Stability information in SECTION 10.

Material reacts with water. Fire may produce irritating, corrosive and/or toxic gases. This product can release toxic fumes of methyl isothiocyanate (MITC) and hydrogen sulfide, as well as nitrogen oxides, when heated to decomposition or diluted with water.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Evacuate the area promptly. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep upwind. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Avoid breathing mist or vapor. Avoid breathing mist. Avoid contact with eyes, skin, and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Prevent entry into waterways, sewer, basements or confined areas. Siphon the majority of the liquid into drums for use or disposal, depending on the circumstances. Clean the area as described for a small spill.

Small Spills: Absorb spillage with non-combustible, absorbent material. Scoop up used absorbent into drums or other appropriate container. Scrub the area with detergent and water. Rinse with water. Pick up wash liquid with additional absorbent and place in a disposable container.

Never return spills to original containers for re-use.

Environmental precautions

Avoid release to the environment. Refer to special instructions/safety data sheets. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment.

7. Handling and storage

Precautions for safe handling

Read label before use. Keep out of the reach of children. Keep away from food, drink and animal feedstuffs. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities Store locked up. Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occ

Decomposition	Туре	Value
Hydrogen sulfide (CAS 7783-06-4)	STEL	5 ppm
	TWA	1 ppm
Canada. Alberta OELs (O	Occupational Health & Safety Code, Sche	dule 1, Table 2)
Decomposition	Туре	Value
Hydrogen sulfide (CAS 7783-06-4)	Ceiling	21 mg/m3
		15 ppm
	TWA	14 mg/m3
		10 ppm
Safety Regulation 296/97		for Chemical Substances, Occupational Health and
Decomposition	Туре	Value
Hydrogen sulfide (CAS 7783-06-4)	Ceiling	10 ppm
Canada. Manitoba OELs (Decomposition	(Reg. 217/2006, The Workplace Safety A	nd Health Act) Value
Hydrogen sulfide (CAS	STEL	5 ppm
7783-06-4)	STEE	3 ррш
	TWA	1 ppm
Canada. Ontario OELs. (0	Control of Exposure to Biological or Che	mical Agents)
	Control of Exposure to Biological or Che Type	mical Agents) Value
Decomposition Hydrogen sulfide (CAS		
Canada. Ontario OELs. (ODecomposition Hydrogen sulfide (CAS 7783-06-4)	Туре	Value
Decomposition Hydrogen sulfide (CAS 7783-06-4)	Type STEL TWA	Value 15 ppm 10 ppm
Decomposition Hydrogen sulfide (CAS 7783-06-4) Canada. Quebec OELs. (I	Type STEL	Value 15 ppm 10 ppm
Decomposition Hydrogen sulfide (CAS 7783-06-4) Canada. Quebec OELs. (I Decomposition Hydrogen sulfide (CAS	Type STEL TWA Ministry of Labor - Regulation respecting	Value 15 ppm 10 ppm g occupational health and safety)
Decomposition Hydrogen sulfide (CAS 7783-06-4) Canada. Quebec OELs. (I Decomposition Hydrogen sulfide (CAS	Type STEL TWA Ministry of Labor - Regulation respecting Type	Value 15 ppm 10 ppm g occupational health and safety) Value
Decomposition Hydrogen sulfide (CAS 7783-06-4) Canada. Quebec OELs. (I Decomposition Hydrogen sulfide (CAS	Type STEL TWA Ministry of Labor - Regulation respecting Type	Value 15 ppm 10 ppm g occupational health and safety) Value 21 mg/m3
Decomposition Hydrogen sulfide (CAS 7783-06-4) Canada. Quebec OELs. (I Decomposition Hydrogen sulfide (CAS	Type STEL TWA Ministry of Labor - Regulation respecting Type STEL	Value 15 ppm 10 ppm g occupational health and safety) Value 21 mg/m3 15 ppm
Decomposition Hydrogen sulfide (CAS 7783-06-4) Canada. Quebec OELs. (I Decomposition Hydrogen sulfide (CAS 7783-06-4)	Type STEL TWA Ministry of Labor - Regulation respecting Type STEL TWA	Value 15 ppm 10 ppm g occupational health and safety) Value 21 mg/m3 15 ppm 14 mg/m3 10 ppm
Decomposition Hydrogen sulfide (CAS 7783-06-4) Canada. Quebec OELs. (I Decomposition Hydrogen sulfide (CAS 7783-06-4) Canada. Saskatchewan Canada. Saskatchewan Canada.	Type STEL TWA Ministry of Labor - Regulation respecting Type STEL	Value 15 ppm 10 ppm g occupational health and safety) Value 21 mg/m3 15 ppm 14 mg/m3 10 ppm
Decomposition Hydrogen sulfide (CAS 7783-06-4) Canada. Quebec OELs. (I Decomposition Hydrogen sulfide (CAS 7783-06-4) Canada. Saskatchewan C Decomposition Hydrogen sulfide (CAS Pecomposition)	Type STEL TWA Ministry of Labor - Regulation respecting Type STEL TWA TWA DELs (Occupational Health and Safety Regulation and	Value 15 ppm 10 ppm g occupational health and safety) Value 21 mg/m3 15 ppm 14 mg/m3 10 ppm egulations, 1996, Table 21)
Decomposition Hydrogen sulfide (CAS 7783-06-4) Canada. Quebec OELs. (I Decomposition Hydrogen sulfide (CAS 7783-06-4)	Type STEL TWA Ministry of Labor - Regulation respecting Type STEL TWA DELs (Occupational Health and Safety ReType	Value 15 ppm 10 ppm g occupational health and safety) Value 21 mg/m3 15 ppm 14 mg/m3 10 ppm egulations, 1996, Table 21) Value
Decomposition Hydrogen sulfide (CAS 7783-06-4) Canada. Quebec OELs. (I Decomposition Hydrogen sulfide (CAS 7783-06-4) Canada. Saskatchewan C Decomposition Hydrogen sulfide (CAS Pecomposition)	Type STEL TWA Ministry of Labor - Regulation respecting Type STEL TWA DELs (Occupational Health and Safety Retrype 15 minute	Value 15 ppm 10 ppm g occupational health and safety) Value 21 mg/m3 15 ppm 14 mg/m3 10 ppm egulations, 1996, Table 21) Value 15 ppm 10 ppm

Appropriate engineering

controls

Mechanical ventilation or local exhaust ventilation may be required. Eye wash facilities and

emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses with side shields or tight fitting chemical goggles should be used whenever

hazardous chemicals are being handled. A full face respirator should be worn whenever there is a

chance of splashing or misting.

Skin protection

Hand protection Wear chemical resistant gloves (preferably nitrile).Other Wear appropriate chemical resistant clothing (see label).

Respiratory protection For exposures that may exceed the TLV, a respirator with either an organic vapor-removing

cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) is required. A

full-face respirator or a SCBA may be required if misting or splashing are possible.

Thermal hazards Not applicable

General hygiene considerations

When using, do not eat, drink or smoke. Do not get this material on clothing. Wash hands after handling. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.

Color Light yellow-green

Odor Essentially odorless to fairly strong odor of amine or sulfur.

Odor threshold Not available. pH 9.5 - 11

Melting point/freezing point $32 \, ^{\circ}\text{F} \, (0 \, ^{\circ}\text{C})$

Initial boiling point and boiling

range

233.6 °F (112 °C)

Not available.

Flash point > 200 °F (> 93 °C) Closed Cup

Evaporation rate 1 (compared to water)

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Flammability limit - upper Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 2.40E+01 mm Hg (77 °F (25 °C))

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Miscible.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Bulk density 10.07 lb/gal

Molecular formula C2-H4-N-S2.Na

Molecular weight 129.18 g/mol

Specific gravity 1.21 at 20°C/4°C (68°F/39°F)

10. Stability and reactivity

Reactivity May be corrosive to metals. The product is stable and non-reactive under normal conditions of

use, storage and transport.

Chemical stability Material is stable under normal conditions.

Metam Sodium decomposes, when diluted with water, to methyl isothiocyanate (MITC, a lachrymator and moderate poison) and/or to hydrogen sulfide (a highly poisonous gas). Use the

solution promptly after mixing. Do not allow the solution to stand.

Metam Sodium can also decompose to carbon disulfide and monomethylamine (both highly

This product is incompatible with additional water and strong aqueous acids. In addition, it is

flammable) if contacted with a strong acid.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use. Hazardous polymerization does not

occur.

Conditions to avoid Contact

Incompatible materials

 $\label{lem:contact} \textbf{Contact with incompatible materials. Contact with water liberates flammable gas.}$

corrosive to copper, brass, and zinc, and may soften and/or discolor iron.

Hazardous decomposition

products

When treated with water or heated to decomposition, this product will give off toxic fumes of methyl isothiocyanate (MITC), hydrogen sulfide, and nitrogen oxides. If treated with strong acids, fumes of

carbon disulfide and monomethylamine will be given off.

11. Toxicological information

Information on likely routes of exposure

Inhalation Toxic if inhaled. Harmful if inhaled. May cause damage to organs by inhalation. May cause

irritation to the respiratory system.

Skin contact

Toxic in contact with skin. Causes severe skin burns. Causes skin burns. Harmful in contact with

skin. May be harmful in contact with skin. Causes skin irritation. May cause an allergic skin

reaction. May cause sensitization by skin contact.

Eye contact Causes eye burns. Causes serious eye damage. Causes serious eye irritation. Causes eye

irritation. Direct contact with eyes may cause temporary irritation.

Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Overexposure to Metam Sodium as sold may result in damage to the skin, skin irritation, excessive salivation, sweating, fatigue, weakness, nausea, headache, dizziness, eye, nose, throat and respiratory tract irritation. In addition, dilution to use levels results in the release of methyl isothiocyanate (MITC) and/or hydrogen sulfide. Overexposure to MITC may result in strong skin and eye irritation, running nose, dizziness, cramps, nausea, vomiting, and mild to severe disturbances of the nervous system. Overexposure to hydrogen sulfide may result in severe irritation to the eyes and mucous membranes. In addition, exposure may result in headache, dizziness, excitement, staggering gait, diarrhea, difficult or painful urination, difficult breathing, chronic pulmonary edema, coma and death.

Chronic exposure may also cause conjunctivitis, photophobia, digestive disturbances, weight loss, general bodily weakness, and blurred vision. In addition, laboratory studies have shown that exposure to the active ingredient, followed by ingestion of alcohol, may cause an adverse reaction, including low blood pressure, rapid heart beat, and flushing of the skin. Consumption of alcohol during and after exposure to this product should be avoided.

Impaired pulmonary function and preexisting eye problems may be aggravated. Preexisting skin diseases may also be aggravated by exposure to the decomposition products.

Information on toxicological effects

Acute toxicity Harmful if swallowed. Harmful if inhaled. Causes skin irritation. Causes mild eye irritation. May

cause an allergic skin reaction.

 Product
 Species
 Test Results

 VAPAM® HL Soil Fumigant
 Acute

 Dermal
 LD50
 Rabbit
 > 2020 mg/kg

 Inhalation
 LC50
 Rat
 2.28 mg/l

Material name: VAPAM® HL Soil Fumigant

Product Species Test Results

Oral

LD50 Rat 812 mg/kg

Decomposition Species Test Results

Methyl isothiocyanate (MITC) (CAS 556-61-6)

Acute Dermal

LD50 Rabbit 33 mg/kg

Inhalation

LC50 Rat 1.9 mg/l, 1 Hours

Oral

LD50 Rat 175 mg/kg

Skin corrosion/irritation Causes skin irritation.

Irritation Corrosion - Skin

Irritation Corrosion - Eye

VAPAM® HL Soil Fumigant Result: Moderate Irritant

Species: Rabbit

Serious eye damage/eye

irritation

Causes eye irritation.

VAPAM® HL Soil Fumigant

Result: Mild Irritant
Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization May cause an allergic skin reaction.

Skin sensitization

VAPAM® HL Soil Fumigant Result: Sensitizer

Species: Guinea pig

Germ cell mutagenicity No evidence of mutagenicity "in vivo", but some evidence has been observed "in vitro", in

mutagenicity animal testing.

Carcinogenicity Limited evidence of a carcinogenic effect.

Reproductive toxicity

This product has shown some developmental effects but has not shown any reproductive effects in

laboratory animals.

Specific target organ toxicity -

single exposure

May cause damage to organs (). May cause respiratory irritation. Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Chronic effects Not expected to be hazardous by WHMIS criteria. Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects. This product is toxic to fish. Do not apply directly

to water, to areas where surface water is present, or to intertidal areas below the mean high water

mark. Do not contaminate water when disposing of equipment washwaters.

Decomposition Species Test Results

Hydrogen sulfide (CAS 7783-06-4)

Aquatic

Acute

Fish LC50 Bluegill (Lepomis macrochirus) 0.009 mg/l, 96 hours

Methyl isothiocyanate (MITC) (CAS 556-61-6)

Aquatic

Acute

Crustacea LC50 Water flea (Daphnia magna) 0.18 - 0.56 mg/l, 48 hours

0.032 - 0.1 mg/l, 14 days

Persistence and degradability Product decomposes rapidly in wet environments.

Decomposes rapidly - will not bioaccumulate. **Bioaccumulative potential**

This product decomposes when diluted with water and the decomposition products will leach from Mobility in soil

the soil.

None known. Other adverse effects

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site according to all

> applicable regulations. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with all applicable local/regional/national/international

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with all applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal methods/information). Avoid discharge into water courses or onto the ground.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal according to all applicable regulations. Since emptied containers may retain product residue,

follow label warnings even after container is emptied.

14. Transport information

TDG

UN number UN3266

UN proper shipping name Transport hazard class(es) CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Metam Sodium 42%)

Class 8 Subsidiary risk

Ш Packing group

Marine pollutant only when containing 10% or more substances identified as marine pollutants or **Environmental hazards**

severe marine pollutant when containing 1% or more substances identified as severe marine

pollutants

Special precautions for user Not available.

IATA

UN number UN3266

UN proper shipping name Transport hazard class(es) Corrosive liquid, basic, inorganic, n.o.s. (Metam Sodium 42%)

8 Class Subsidiary risk Ш Packing group **Environmental hazards** Yes **ERG Code** 8L

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

UN number UN3266

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Metam Sodium 42%), MARINE **UN proper shipping name**

POLLUTANT

Transport hazard class(es)

Class 8 Subsidiary risk Ш Packing group **Environmental hazards**

Marine pollutant Yes F-A. S-B **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Material name: VAPAM® HL Soil Fumigant

SDS CANADA

8 / 10

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

IATA; IMDG; TDG



Marine pollutant



General information

DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

15. Regulatory information

Canadian regulations

CANADIAN REGULATIONS: This product is registered under the Pest Control Product Act of Canada. It is a violation of Canadian Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product has been classified according to the hazard criteria of the CPR and the SDS contains all the information required by the CPR. This chemical is a pest control product registered [or regulated] by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label.

PCP: 29128

RESTRICTED PRODUCT

CAUTION
POISON CORROSIVE
POTENTIAL SKIN SENSITIZER

Keep Out of Reach Of Children. Harmful if inhaled or swallowed, irritating to eyes, nose, throat and skin. Avoid breathing vapour. Do not get in eyes, on skin, or on clothing. Potential skin sensitizer.

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

Symbols Required: Skull and crossbones symbol inside a black inverted triangle-shaped border. Corrosive label inside a black inverted triangle-shaped border.

"There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)NoEuropeEuropean Inventory of Existing Commercial ChemicalYes

Substances (EINECS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

No

16. Other information

Issue dateJul-21-2016Revision dateMar-26-2021

Version # 2.0

References CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

EPA: Environmental Protection Agency

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act

OSHA: Occupational Safety and Health Agency

TSCA: Toxic Substances Control Act DOT: Department of Transportation

Disclaimer

©2019 AMVAC Chemical Corporation. All Rights Reserved. AMVAC and the AMVAC Logo are trademarks owned by AMVAC Chemical Corporation. This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates. AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

VAPAM is a trademark owned by AMVAC Chemical Corporation.

ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

CHEMTREC is a trademark of the American Chemistry Council, Inc.

HMIS is a trademark of the American Coatings Association.

NFPA is a trademark of the National Fire Protection Association, Inc.

Revision information Exposure controls/personal protection: Hand protection

Physical & Chemical Properties: Multiple Properties

Regulatory information: Mexico Other information: Disclaimer

Material name: VAPAM® HL Soil Fumigant

994 Version #: 2.0 Revision date: Mar-26-2021 Issue date: Jul-21-2016

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).