SAFETY DATA SHEET



1. Identification

Product identifier	WIL-GRO MINI PLUS 26-4-11	
Other means of identification	None.	
Recommended use	Ag Product - Plant Nutrition	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name Address	Wilbur-Ellis Company LLC 16300 Christensen Rd. Ste 135 Tukwila, WA 98188 United States	5
Telephone	Branded Products Information	(800) 500-1698
E-mail	SDS@wilburellis.com	
Emergency phone number	Chemtrec - Domestic Chemtrec - International	(800) 424-9300 +1 703-741-5970
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Not classified.	
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	The mixture does not meet the	criteria for classification.
Precautionary statement		
Prevention	Observe good industrial hygien	e practices.
Response	Wash hands after handling.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of waste and residues	in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Urea		57-13-6	20 - < 30
Monoammonium Phosphate		7722-76-1	5 - < 10
Monoammonium Sulfate		7783-20-2	5 - < 10
Sulfur		7704-34-9	1 - < 3
Other components below reportal	ble levels		50 - < 60

Percentage ranges of composition to protect confidentiality or due to batch variation.

None.

4. First-aid measures

Supplemental information

Inhalation

If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a physician if symptoms develop or persist.

Skin contact	Rinse skin with water. Get medical attention if irritation develops and persists.
Eye contact	Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.
Most important symptoms/effects, acute and delayed	Irritation of eyes. Upper respiratory tract irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Cuitable autinguiables madia	Water for From Dry chamical neurolar Carbon disvide (CO2)

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust from the spilled material. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generation and accumulation. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Provide appropriate exhaust ventilation at places where dust is formed. Minimize dust generation and accumulation. Avoid breathing dust. Avoid contact with eyes. Avoid prolonged exposure. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Туре	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.
Biological limit values	No biological exposure limits noted for the	ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. If engineering measures are not sufficient to maintain soft dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn.		ures, local exhaust ventilation, ommended exposure limits. If s to an acceptable level. uildup of any dusts or fumes gineering measures are not

Individual protection measures, such as personal protective equipment

Eye/face protection	Use tight fitting goggles if dust is generated.
Skin protection Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear suitable protective clothing.
Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state	Solid.		
Form	Granular.		
Color	Not available.		
Odor	Not available.		
Odor threshold	Not available.		
рН	Not available.		
Melting point/freezing point	Not available.		
Initial boiling point and boiling range	Not available.		
Flash point	Not available.		
Evaporation rate	Not available.		
Flammability (solid, gas)	Not available.		
Upper/lower flammability or exp	losive limits		
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	Not available.		
Vapor density	Not available.		
Relative density	Not available.		
Solubility(ies)			
Solubility (water)	Not available.		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
Viscosity	Not available.		
10. Stability and reactivity			
–		 	 ,

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Incompatible materials	Strong oxidizing agents.

Hazardous decomposition products

11. Toxicological information

Information on likely routes of exposure

Inhalation	Harmful if inhaled. May cause damage to organs through prolonged or repeated exposure by inhalation.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Dust in the eyes will cause irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes. Upper respiratory tract irritation.

Information on toxicological effects

Acute toxicity	Harmful if inhaled.	
Components	Species	Test Results
Monoammonium Phosphate (CA	S 7722-76-1)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 5000 mg/kg, 24 Hours
	Rat	> 5000 mg/kg, 24 Hours
Inhalation		
LC50	Rat	> 5 mg/l, 4 Hours
Oral		
LD50	Rat	3252 mg/kg
Monoammonium Sulfate (CAS 77	783-20-2)	
Acute		
Dermal		
LD50	Mouse	> 2000 mg/kg
	Rat	> 2000 mg/kg
Oral		
LD50	Mouse	> 2000 mg/kg
	Rat	4250 mg/kg
Sulfur (CAS 7704-34-9)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours
Oral		
LD50	Rat	> 2200 mg/kg
Urea (CAS 57-13-6)		
Acute		
Oral		
LD50	Mouse	13000 mg/kg
	Rat	15000 mg/kg
* Estimates for product may	be based on additional component data not shown.	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation	on.
Serious eye damage/eye irritation	Dust in the eyes will cause irritation.	
Respiratory or skin sensitizatio	n	
Respiratory sensitization	Not available.	

Respiratory sensitization Not available.

Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Risk of cancer cannot be excluded with prolonged exposure. In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003)
IARC Monographs. Overall	Evaluation of Carcinogenicity
Not listed.	
	d Substances (29 CFR 1910.1001-1050)
Not regulated.	ANTEN Deserved on Occurring source
Not listed.	ogram (NTP) Report on Carcinogens
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. May cause damage to organs through prolonged or repeated exposure.
Further information	This product has no known adverse effect on human health.
12. Ecological information	1
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the

Ecoloxicity	possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.			
Local disposal regulations	Dispose in accordance with all applicable regulations.			
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings, if applicable, even after container is emptied.			

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

15. negulatory information	1					
US federal regulations	This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.					
TSCA Section 12(b) Export	Notification (40 CFR 70	7, Subpt. D)				
Not regulated.						
CERCLA Hazardous Substa	nce List (40 CFR 302.4)					
Not listed. SARA 304 Emergency released	se notification					
Not regulated.	d Substanses (20 CED	1010 1001 1050)				
OSHA Specifically Regulate Not regulated.	a Substances (29 CFR	1910.1001-1050)				
0						
Superfund Amendments and Re Hazard categories	Immediate Hazard - No					
nazaru categones	Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	,				
SARA 302 Extremely hazard	lous substance					
Not listed.						
SARA 311/312 Hazardous chemical	No					
SARA 313 (TRI reporting)						
Chemical name		CAS number	% by wt.			
AMMONIA (INCLUDES A AQUEOUS AMMONIA FF AMMONIUM SALTS AND TOTAL AQUEOUS AMM UNDER THIS LISTING) AMMONIA (INCLUDES A AQUEOUS AMMONIA FF AMMONIUM SALTS AND	ROM WATER DISSOCIA O OTHER SOURCES; 10' ONIA IS REPORTABLE ANHYDROUS AMMONIA ROM WATER DISSOCIA O OTHER SOURCES; 10'	BLE % OF ANN 10283-20-2 BLE	5 - < 10 5 - < 10			
TOTAL AQUEOUS AMM UNDER THIS LISTING)	ONIA IS REPORTABLE					
Other federal regulations						
Clean Air Act (CAA) Section	112 Hazardous Air Pol	lutants (HAPs) List				
Not regulated. Clean Air Act (CAA) Section	112(r) Accidental Relea	ase Prevention (40 C	CFR 68.130)			
Not regulated.						
Safe Drinking Water Act (SDWA)	Not regulated.					
US state regulations						
US. California Proposition 6		we to the State of Cal	ifernia ta aquad appar			
WARNING: This product						
US - California Proposit	ne Silica (CAS 14808-60-3					
	e Silica (CAS 14000-00-)	7) Listed: Octob	Jei I, 1900			
International Inventories						
Country(s) or region United States & Puerto Rico	Inventory name	tral Act (TCCA) Invent	ton	On inventory (yes/no)*		
*A "Yes" indicates that all compor A "No" indicates that one or more country(s).		with the inventory requi	rements administered by the gov			
16. Other information, incl	luding date of prep	aration or last ro	vision			
Issue date	05-22-2015					
	09-26-2017					
Revision date	03-20-2017					

03

Version #

NFPA ratings

NFPA ratings

Health: 1 Flammability: 0 Instability: 0



Disclaimer

This information was developed from information on the constituent materials. No warranty is expressed or implied regarding the completeness or continuing accuracy of the information contained herein, and Wilbur-Ellis disclaims all liability for reliance thereon. The user should satisfy himself that he has all current data relevant to his particular use.