

Date Issued: 03/31/2021 Supersedes: 08/26/2019

DREXEL X® 28-0-0

SECTION 1: MATERIAL IDENTIFICATION

Product Name: Drexel X® 28-0-0 Slow-Release Nitrogen Fertilizer Solution

Product Usage: Fertilizer

Manufacturer: **Drexel Chemical Company** Address: 1700 Channel Avenue

PO Box 13327

Memphis, Tennessee, 38113-0327, USA

901-774-4370

CHEMTREC **Emergency Telephone Numbers:** 800-424-9300

DREXEL CHEMICAL COMPANY 901-774-4370

SECTION 2: HAZARD IDENTIFICATION

(As defined by the OSHA Hazard Communication Standard, 29)

Label Elements:

Pictograms: Signal Word:

WARNING



Classifications:

Hazard Class: Toxicity Study: Category:

> Acute Toxicity, Oral Category 4 Skin corrosion/irritation Category 2 Serious eye damage / Irritation Category 2B

Statement: **Hazard Statements:** H Code:

> H302 Harmful if swallowed H315 Causes skin irritation H320 Causes eye irritation

Precautionary Statements:

Prevention: Obtain special instructions before use.

> Do not handle until all safety precautions have been read and understood. Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

In case of inadequate ventilation, wear respiratory protection.

Avoid release into the environment.

Response:

If in Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do so. Continue rinsing. Get immediate medical advice/attention.

If Swallowed: Call a POISON CENTER or doctor/physician if you feel unwell. Treat symptomatically. If Inhaled:

Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or

doctor if you feel unwell.

Drexel X® 28-0-0 Page 1 of 8



If on Skin or Clothing: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If exposed or concerned: None available, get medical attention.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

<u>Disposal:</u> Dispose of contents/container in accordance with your local or area regulatory authorities.

Specific hazards: None available.

SECTION 3: COMPOSITION INFORMATION

<u>Chemical Name:</u> <u>Synonym:</u> <u>CAS No.:</u> <u>EC No.:</u> <u>RTECS:</u> % By Wt.:

Active Ingredient:

Urea – Triazone solution Proprietary 100.0%

Total nitrogen: 28.0% (7.8% urea nitrogen, 20.2% other water-soluble nitrogen)

SECTION 4: FIRST-AID MEASURES

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call CHEMTREC at 800-424-9300 for emergency medical treatment information.

Eye Contact: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a

poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip

a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious

person.

Skin/Clothing Contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20

minutes. Call a poison control center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center

or doctor for further treatment advice.

Indication of Medical Attention and Special Treatment Needed:

None / Treat symptomatically

SECTION 5: FIRE FIGHTING MEASURES

Fire Fighting Media: Dry chemical, foam, water spray.

Use appropriate media for surrounding fire.

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Evacuate the

area and fight the fire from upwind at a safe distance to avoid hazardous vapors or decomposition products. Cool containers with water if possible. Dike and collect fire-extinguishing water to prevent environmental

damage and excessive waste runoff.

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and

protective firefighting clothing (includes firefighting helmet, coat,

Drexel X® 28-0-0 Page 2 of 8



trousers, boots, and gloves). Use full face shield and operate in positive pressure mode. Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

Specific Fire Hazards: Flammability classification (OSHA 29 CFR 1910.1200):

Non-flammable / Non combustible

Flash point: > 200°F

Lower flammable limit (% by volume): N/Av Upper flammable limit (% by volume): N/Av

Hazardous Combustion Products: National Fire Protection Association: Strong acids.

NFPA:		<u>Health</u>	<u>Fire</u>		<u>Reactivity</u>
		1	0		0
Ratings:	4-Extreme	3-High	2-Moderate	1-Slight	0-Insignificant

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to SECTION 7: HANDLING AND STORAGE, for additional precautionary measures. Ventilate area of leak or spill. Use appropriate safety equipment. For additional information, refer to SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION.

Environmental Precautions:

Prevent from entering soil, ditches, sewers, waterways and/or groundwater. Refer to SECTION 12: ECOLOGICAL INFORMATION.

Steps to be taken if Material is Released or Spilled:

Control the spill at its source.

Small spills: Apply suitable absorbent and sweep up. Collect in suitable and properly labeled containers.

Large spills: Contact Drexel Chemical Company for clean-up assistance. Stop the flow of material, if this is without risk.

Collect and dispose of spillage as indicated in SECTION 13. Refer to SECTION 13: DISPOSAL CONSIDERATIONS,

for additional information. Prevent entry into waterways, sewers, basements or confined areas.

SECTION 7: HANDLING AND STORAGE

KEEP OUT OF REACH OF CHILDREN

Handling: General Handling: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do not swallow.

Avoid breathing dust. Use with adequate ventilation. Wear long-sleeved shirt, long pants and shoes with socks when handling. Keep away from heat, sparks and flame. Refer to SECTION 8: EXPOSURE CONTROLS /

PERSONAL PROTECTION

Storage: Store in a cool, dry, ventilated and secure area designated specifically for pesticides and away from heat

sources. Keep in original containers and keep containers closed when not in use. Do not store in excessive heat.

Do not store near children, food, foodstuffs, drugs or potable water supplies.

Drexel X® 28-0-0 Page 3 of 8



SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Components:	OSHA PEL	ACGIH TLV
Urea – triazone solution	N/A	10 mg/m ³

THIS SECTION IS FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD REFER TO THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

Engineering Controls:

Ventilation: Investigate engineering techniques to reduce exposures. Use engineering controls to maintain airborne level

below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some

operations.

Personal Protection:

Eye/Face Eye contact should be avoided through the use of chemical safety glasses, goggles, or a face shield selected in **Protection**: regard to exposure potential. Wear chemical splash goggles to prevent vapors or mists from entering the eyes.

Where there is potential for eye contact have eye flushing equipment available. Safety glasses with side-shields.

Ingestion: Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash

hands and face thoroughly with soap and water before smoking or eating. Avoid getting wash water in eyes.

Hand Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include:

Protection: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Polyvinyl chloride ("PVC" or "vinyl").

Skin Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, **Protection**: boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area.

Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands,

reuse of dispose of property. Items which cannot be decontainmated, such as shoes, belt.

should be removed and disposed of properly.

Respiratory Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or **Protection**: guidelines. When handling in enclosed areas, when large quantities of dusts are generated or prolonged

exposure is possible in excess of the TLV, use a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for

pesticides (MSHA/NIOSH approval number prefix TC-14G).

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property Reported Value

Physical State

Appearance / Color

Odor

Odor threshold

pH

Melting point

Freezing point

Liquid

Colorless

Mild Ammonia

Not available

10.0 – 11.0

Not available

<5°F

Boiling point >212°F Flash point >200°F (non-combustible)

Evaporation rate Not available Flammability Not available Upper flammability/explosive limits Not available

Drexel X® 28-0-0 Page 4 of 8



Lower flammability/explosive limits Not available Vapor pressure Not available Vapor density Not available Relative density 10.0 Lbs. / Gal. Solubility in water Complete in water Solubility in organic solvents Not available Partition coefficient (n-octanol/water) Not available Auto-ignition temperature Not available Decomposition temperature Not available Viscosity Not available **Explosive properties** Not available Oxidizing properties Not available **Dissociation Constant** Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Thermally stable at typical use temperatures and in closed containers.

Chemical Stability: Stable under recommended storage conditions.

Hazardous Polymerization: Will not occur

Conditions to Avoid: Extreme temperatures

Incompatible Materials:Strong acidsHazardous Decomposition Products:Oxides of nitrogen

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity:

Potential routes of exposure/potential health effects: Eye contact. Skin contact. Inhalation. Ingestion.

Acute Oral:LD50 (Rat):No data availableAcute Dermal:LD50 (Rat):No data available

Acute Inhalation: LC₅₀ (Rat): May cause respiratory irritation.

Eye Irritation:(Rabbit):Eye irritationSkin Irritation:(Rabbit):Skin irritationSkin Sensitization:(Guinea Pig):No data available

Chronic Toxicity: No data available

Carcinogenicity: No data available

Mutagenicity: No data available

Teratogenicity: No data available

Reproductive Toxicity: No data available

Developmental Toxicity: No data available

Other Hazards Effects: None / No data available

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

Urea – triazone solution Prevent entry into waterways, sewers, basements or confined areas. Avoid release into the

environment.

Page 5 of 8



ECO-ACUTE TOXICITY

Aquatic Toxicity: Rainbow Trout, LC₅₀ 96 hour

Bluegill Sunfish, LC₅₀ 96 hour Daphnia magna, LC₅₀ 48 hour No data available

Arthropod Toxicity: Bees, Acute LD₅₀ No data available

Bird Toxicity: Mallard Duck, LD₅₀ No data available

Bobwhite Quail, LD₅₀

Algal Toxicity: Green Algae, LC₅₀ 96 hour No data available

Soil Organism Toxicity: Earthworm acute toxicity No data available

Persistence and degradability: Not established
Bioaccumulation: Not established
Mobility in soil: No data available

Other adverse effects: Do not contaminate water supplies, lakes, streams, ponds or drains with this product.

SECTION 13: DISPOSAL CONSIDERATIONS

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14: TRANSPORT INFORMATION

DOT: Not Regulated IMDG: Not Regulated IATA / ICOA: Not Regulated

UN Identification No.:

Proper Shipping Name:

Hazard Class:

Packing Group:

Reportable Quantity:

Environmental Hazard:

Not applicable

Not applicable

Not applicable

Freight Description: Nitrogen fertilizer solution (28%), liquid, N.O.S.

Transport Information Note: None

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

SECTION 15: REGULATORY INFORMATION

OSHA Hazard Communication Standard: This product is NOT a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR1910.1200.

Label Signal Word: WARNING

Label Information: KEEP OUT OF REACH OF CHILDREN

Drexel X® 28-0-0 Page 6 of 8



Label Information:

WARNING: Causes skin and eye irritation. Harmful if swallowed. Do not get on skin, in eyes or on clothing. Take off contaminated clothing and wash before reuse. If swallowed, call poison center, doctor/physician if you feel unwell. Do not eat, drink or smoke when using this product. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, chewing gum, using tobacco or using the toilet. Do not apply this product in such a manner as to directly expose workers or other persons. If product is being mixed with pesticides, spray adjuvants and/or compatibility agents, follow the FIRST AID and Precautionary Statements on the product's labeling.

PERSONAL PROTECTION EQUIPMENT (PPE)

Wear eye protection, face protection, protective clothing and protective gloves.

EPCRA SARA Title III Classification:

Section 302: Extremely Hazardous Substance Notification: This material is not known to contain any

Extremely Hazardous Substances.

Sections 311 and 312: Immediate (Acute) Health Hazard: Yes

> Delayed (Chronic) Health Hazard: Nο

Fire Hazard: Nο Reactive Hazard: No

Sudden Release of Pressure Hazard:

Section 313 Toxic Release Inventory (TRI): This material does not contain any chemical components

> with known CAS numbers that exceed the threshold reporting levels established by SARA Title III, Section 313.

CERCLA/SARA 304 Reportable Quantity (RQ): None

RCRA Hazardous Waste Classification (40 CFR 261): Not listed / Not available

US EPA Toxic Substances Control Act (TSCA): All components of this product are on the TSCA Inventory or

are exempt from TSCA Inventory requirements under 40 CFR

720.30.

California Proposition 65 (Safe Drinking Water and Toxic

Enforcement Act of 1986):

Urea-triazone

Listed as causing:

Not listed

solution

Not listed Listing date: Listing basis:

Not listed

SECTION 16: OTHER INFORMATION

Date Issued: March 31, 2021 **Date Supersedes:** August 26, 2019 Revision: 1

For all non-emergency questions 1700 Channel Avenue Phone: 901-774-4370 about this product, please contact: PO Box 13327 901-774-4666

> Memphis, Tennessee 38113-0327, USA Website: www.drexchem.com

Drexel Chemical Company recommends that each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific

Drexel X® 28-0-0 Page 7 of 8



SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

Page 8 of 8