

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/13/2019

Reviewed on 03/13/2019

1 Identification

- · Product Identifier
- · Trade Name: Xpect
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Fertilizer
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier: Redox Chemicals LLC 130 South 100 West PO Box 129 Burley, ID 83318 Phone: 208-678-2610 Fax: 208-677-3609
- Emergency telephone number: 208-678-2610

2 Hazard(s) Identification

· Classification of the substance or mixture:

Eye Irrit. 2B H320 Causes eye irritation.

- · Label elements:
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms: Non-Regulated Material
- · Signal word: Warning
- · Hazard statements:

H320 Causes eye irritation.

• Precautionary statements:

P264 Wash thoroughly after handling.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 5 % of the mixture consists of component(s) of unknown toxicity.
- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE0Fire = 0REACTIVITY0Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with non-hazardous additions.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/13/2019

Page 2/7

Reviewed on 03/13/2019

Trade Name: Xpect

Dangerous Components:

CAS: 7727-37-9 Nitrogen RTECS: QW 9700000

Press. Gas, H280; Simple Asphyxiant

nt ≤2.5%

Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If skin irritation occurs, consult a doctor.
- After eye contact:
- Rinse opened eye for several minutes under running water.
- If easy to do so, remove contact lenses if worn.
- If eye irritation occurs, consult a doctor.
- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:
- No further relevant information available.

5 Fire-Fighting Measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up:
- Dispose of the collected material according to regulations.
- · Reference to other sections:
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

PAC-1:	
7727-37-9 Nitrogen	7.96E+05 ppm
PAC-2:	
7727-37-9 Nitrogen	8.32E+05 ppm
· PAC-3:	
7727-37-9 Nitrogen	8.69E+05 ppm
	(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/13/2019

Trade Name: Xpect

Reviewed on 03/13/2019

7 Handling and Storage

- · Handling
- · Precautions for safe handling: No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store in the original container.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.
- 8 Exposure Controls/Personal Protection
- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

7727-37-9 Nitrogen

TLV withdrawn TLV, see App. F; simple asphyxiant

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

- Exposure controls:
- Personal protective equipment
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing and wash before reuse. Wash hands before breaks and at the end of work. Avoid contact with the eyes.
- Breathing equipment: Not required.
- Protection of hands: Not required.
- Material of gloves: Not applicable.
- · Penetration time of glove material: Not applicable.
- Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:
- Form:
- Color:
- · Odor:
- · Odor threshold:
- · pH-value:

Brown Characteristic Not determined. Not applicable.

Liquid

 Change in condition Melting point/Melting range: Not determined.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/13/2019

Trade Name: Xpect

Reviewed on 03/13/2019

Boiling point/Boiling range:	≥100 °C (≥212 °F)
· Flash point:	None
 Flammability (solid, gaseous): 	Not determined.
· Ignition temperature:	Not applicable
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure:	Not applicable.
 Density @ 20 °C (68 °F): Relative density: Vapor density: Evaporation rate: 	5.5 g/cm³ (45.8975 lbs/gal) Not determined. Not applicable. Not applicable.
 Solubility in / Miscibility with: Water: 	Soluble.
· Partition coefficient (n-octanol/water): Not determined.	
 Viscosity: Dynamic: Kinematic: 	Not applicable. Not applicable.
 Solvent content: VOC content: 	0.00 %
Solids content: • Other information:	51.1 % No further relevant information available.

10 Stability and Reactivity

· Reactivity: No further relevant information available.

- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: No data available.
- · Primary irritant effect:
- · On the skin: No irritating effect.
- On the eye: Irritating effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/13/2019

Trade Name: Xpect

Irritant

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

• OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

2 Ecological Information

- · Toxicity:
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

13 Disposal Considerations

· Waste treatment methods

· Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport Information

 · UN-Number: · DOT, ADR/ADN, ADN, IMDG, IATA · UN proper shipping name: · DOT, ADR/ADN, ADN, IMDG, IATA · Transport hazard class(es): 	Non-Regulated Material Non-Regulated Material
· DOT, ADR/ADN, ADN, IMDG, IATA · Class: · Decking group:	Non-Regulated Material
 Packing group: DOT, ADR/ADN, IMDG, IATA Environmental hazards: 	Non-Regulated Material Not applicable.
 Special precautions for user: Transport in bulk according to Annex I MARPOL73/78 and the IBC Code: 	Not applicable.

Reviewed on 03/13/2019



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/13/2019

Trade Name: Xpect

· UN "Model Regulation":

5 Regulatory Information

Section 355 (extremely hazardous substances):

Non-Regulated Material

- Safety, health and environmental regulations/legislation specific for the substance or mixture: • SARA (Superfund Amendments and Reauthorization):
- None of the ingredients are listed. Section 313 (Specific toxic chemical listings): None of the ingredients are listed. • TSCA (Toxic Substances Control Act): 7727-37-9 Nitrogen · California Proposition 65: · Chemicals known to cause cancer: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed. · Chemicals known to cause developmental toxicity: None of the ingredients are listed. • New Jersey Right-to-Know List: 7727-37-9 Nitrogen • New Jersey Special Hazardous Substance List: None of the ingredients are listed. · Pennsylvania Right-to-Know List: 7727-37-9 Nitrogen Pennsylvania Special Hazardous Substance List: None of the ingredients are listed. · Carcinogenic categories: · EPA (Environmental Protection Agency):

None of the ingredients are listed.

• TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

- NIOSH-Ca (National Institute for Occupational Safety and Health):
- None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms: Non-Regulated Material
- · Signal word: Warning
- · Hazard statements:
- H320 Causes eye irritation.
- Precautionary statements:
- P264 Wash thoroughly after handling.

Reviewed on 03/13/2019



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/13/2019

Trade Name: Xpect

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313

If eye irritation persists: Get medical advice/attention.

National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Date of preparation / last revision: 03/13/2019 / 7

Abbreviations and acronvms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Press. Gas: Gases under pressure - Dissolved gas Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106