

# Safety Data Sheet

## Zidua Pro powered by Kixor Herbicide

Revision date : 2023/06/26

Version: 4.0

Page: 1/13

(30658778/SDS\_CPA\_US/EN)

### 1. Identification

#### Product identifier used on the label

#### Zidua Pro powered by Kixor Herbicide

#### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, herbicide

Unsuitable for use: Uses other than recommended

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF Agricultural Solutions US LLC  
2 TW Alexander Drive  
Research Triangle Park, NC 27713  
USA

Telephone: +1 973 245-6000

#### Emergency telephone number

##### 24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Substance number: 764615

Registration number: EPA Registration number: 7969-365

Synonyms: Saflufenacil + Imazethapyr + Pyroxasulfone

### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

Repr.  
STOT RE

2 (unborn child)  
2 (oral)

Reproductive toxicity  
Specific target organ toxicity — repeated

# Safety Data Sheet

## Zidua Pro powered by Kixor Herbicide

Revision date: 2023/06/26

Version: 4.0

Page: 2/13

(30658778/SDS\_CPA\_US/EN)

|                 |   |  |
|-----------------|---|--|
| Aquatic Acute   | 1 | exposure                                       |
| Aquatic Chronic | 1 | Hazardous to the aquatic environment - acute   |
|                 |   | Hazardous to the aquatic environment - chronic |

### Label elements

Pictogram:



Signal Word:

Warning

Hazard Statement:

|      |  |
|------|--|
| H361 | Suspected of damaging the unborn child.  |
| H373 | May cause damage to organs (Kidney, Liver, Heart, Nervous system) through prolonged or repeated exposure (oral). |
| H400 | Very toxic to aquatic life.  |
| H410 | Very toxic to aquatic life with long lasting effects.  |

Precautionary Statements (Prevention):

|      |  |
|------|--|
| P273 | Avoid release to the environment.  |
| P280 | Wear protective gloves, protective clothing and eye protection or face protection. |
| P260 | Do not breathe mist or vapour.   |
| P201 | Obtain special instructions before use.  |
| P202 | Do not handle until all safety precautions have been read and understood.          |

Precautionary Statements (Response):

|             |   |
|-------------|---|
| P308 + P313 | IF exposed or concerned: Get medical attention. |
| P391        | Collect spillage.                               |

Precautionary Statements (Storage):

|      |                  |
|------|------------------|
| P405 | Store locked up. |
|------|------------------|

Precautionary Statements (Disposal):

|      |   |
|------|---|
| P501 | Dispose of contents/container in accordance with local regulations. |
|------|---|

### Hazards not otherwise classified

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

## 3. Composition / Information on Ingredients

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

saflufenacil

CAS Number: 372137-35-4

Content (W/W): 4.81 %

Synonym: Saflufenacil

# Safety Data Sheet

## Zidua Pro powered by Kixor Herbicide

Revision date: 2023/06/26

Version: 4.0

Page: 3/13

(30658778/SDS\_CPA\_US/EN)

### Imazethapyr

CAS Number: 81335-77-5

Content (W/W): 13.45 %

Synonym: 3-Pyridinecarboxylic acid, 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-5-ethyl-

### Pyroxasulfone

CAS Number: 447399-55-5

Content (W/W): 23.06 %

Synonym: pyroxasulfone technical

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts

CAS Number: 68425-94-5

Content (W/W):  $\geq 1.0$  -  $< 5.0\%$

Synonym: Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt

Content (W/W):  $\geq 1.0$  -  $< 3.0\%$

Synonym: No data available.

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

CAS Number: 55965-84-9

Content (W/W):  $> 0.0$  -  $< 0.1\%$

Synonym: 5-Chloro-2-methyl-3(2H)-isothiazolone mixt. with 2-methyl-3(2H)-isothiazolone

---

## 4. First-Aid Measures

### Description of first aid measures

#### General advice:

Remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### If on skin:

Wash thoroughly with soap and water

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

#### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

# Safety Data Sheet

## Zidua Pro powered by Kixor Herbicide

Revision date: 2023/06/26  
Version: 4.0

Page: 4/13  
(30658778/SDS\_CPA\_US/EN)

### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:  
water spray, dry powder, foam, carbon dioxide

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
carbon monoxide, carbon dioxide, hydrogen fluoride, Hydrogen chloride, hydrogen bromide, nitrogen oxides, sulfur oxides, halogenated compounds, silica compounds  
The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:  
Wear self-contained breathing apparatus and chemical-protective clothing.

### Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

## 7. Handling and Storage

### Precautions for safe handling

# Safety Data Sheet

## Zidua Pro powered by Kixor Herbicide

Revision date: 2023/06/26

Version: 4.0

Page: 5/13

(30658778/SDS\_CPA\_US/EN)

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Protect contents from the effects of light. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: -5 °C

Characteristics of the product are irreversibly changed below the limit temperature.

Protect from temperatures above: 40 °C

Damage by exceeding the maximum temperature is reversible.

---

## 8. Exposure Controls/Personal Protection

**Users of a pesticidal product should refer to the product label for personal protective equipment requirements.**

### Components with occupational exposure limits

Saflufenacil TWA value 0.824 mg/m<sup>3</sup> ;

Pyroxasulfone TWA value 0.138 mg/m<sup>3</sup> ;

### **Advice on system design:**

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

### Personal protective equipment

**RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:**

### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing

# Safety Data Sheet

## Zidua Pro powered by Kixor Herbicide

Revision date: 2023/06/26

Version: 4.0

Page: 6/13

(30658778/SDS\_CPA\_US/EN)

apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

### Eye protection:

Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

### General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

|                        |   |
|------------------------|---|
| Form:                  | liquid, suspension  |
| Odour:                 | odourless   |
| Odour threshold:       | not applicable, odour not perceivable   |
| Colour:                | cream, almost white   |
| pH value:              | approx. 2 - 4<br>( 1 %(m), 20 °C)   |
| Melting point:         | approx. 0 °C  |
| Boiling point:         | Information applies to the solvent.<br>approx. 100 °C   |
| Flash point:           | Information applies to the solvent.<br>> 100 °C   |
| Flammability:          | No flash point - Measurement made<br>up to the indicated temperature, pilot<br>light extinguishes.  |
| Lower explosion limit: | not applicable  |
| Upper explosion limit: | As a result of our experience with this<br>product and our knowledge of its<br>composition we do not expect any<br>hazard as long as the product is used<br>appropriately and in accordance with<br>the intended use. |
| Autoignition:          | As a result of our experience with this<br>product and our knowledge of its<br>composition we do not expect any<br>hazard as long as the product is used<br>appropriately and in accordance with<br>the intended use. |
| SADT:                  | approx. 390 °C  |

(Regulation  
440/2008/EC, A.15)

# Safety Data Sheet

## Zidua Pro powered by Kixor Herbicide

Revision date: 2023/06/26

Version: 4.0

Page: 7/13

(30658778/SDS\_CPA\_US/EN)

|   |  |
|---|--|
| Vapour pressure:                                    | approx. 23.4 hPa<br>( 20 °C)<br>Information applies to the solvent.  |
| Density:  | approx. 1.19 g/cm3<br>( 20 °C)   |
| Vapour density:                                     | not applicable   |
| Partitioning coefficient n-octanol/water (log Pow): | The statements are based on the properties of the individual components.   |
| Thermal decomposition:                              | 170 °C, 300 kJ/kg<br>(onset temperature)<br>Not a substance liable to self-decomposition according to UN transport regulations, class 4.1. |
| Viscosity, dynamic:                                 | approx. 159 mPa.s<br>( 20 °C)<br>approx. 156 mPa.s<br>( 40 °C)   |
| Viscosity, kinematic:                               | approx. 133 mm2/s<br>( 40 °C)  |
| Solubility in water:                                | emulsifiable   |
| Evaporation rate:                                   | not applicable   |
| Other Information:                                  | If necessary, information on other physical and chemical parameters is indicated in this section.  |

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating (Regulation 440/2008/EC, A.21)

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid

See SDS section 7 - Handling and storage.

### Incompatible materials

strong acids, strong bases, strong oxidizing agents

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

170 °C

(onset temperature)

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

# Safety Data Sheet

## Zidua Pro powered by Kixor Herbicide

Revision date: 2023/06/26  
Version: 4.0

Page: 8/13  
(30658778/SDS\_CPA\_US/EN)

### 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Acute Toxicity/Effects

##### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

##### Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg (OECD Guideline 423)

No mortality was observed.

##### Inhalation

Type of value: LC50

Species: rat

Value: > 3.5 mg/l (OECD Guideline 403)

Exposure time: 4 h

An aerosol was tested.

No mortality was observed. Highest concentration technically achievable.

##### Dermal

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg (OECD Guideline 402)

##### Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

##### Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin.

##### Skin

Species: rabbit

Result: non-irritant

Method: OECD Guideline 404

##### Eye

Species: rabbit

Result: non-irritant

Method: OECD Guideline 405

##### Sensitization

Assessment of sensitization: No sensitizing effect.



# Safety Data Sheet

## Zidua Pro powered by Kixor Herbicide

Revision date: 2023/06/26

Version: 4.0

Page: 9/13

(30658778/SDS\_CPA\_US/EN)

Buehler test  
Species: guinea pig  
Result: Non-sensitizing.  
Method: OECD Guideline 406

### Chronic Toxicity/Effects

#### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

#### *Information on: Pyroxasulfone*

*Assessment of repeated dose toxicity: Repeated oral exposure to small quantities may affect certain organs.*

#### *Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)*

*Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. Based on available data, the classification criteria are not met.*

#### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

#### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

#### *Information on: Pyroxasulfone*

*Assessment of carcinogenicity: When given in high doses, the substance was carcinogenic in animal studies. Based on its mechanism of action, a carcinogenic potential is not expected after exposure to low doses.*

#### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

#### *Information on: saflufenacil*

*Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.*

#### Other Information

Misuse can be harmful to health.

# Safety Data Sheet

## Zidua Pro powered by Kixor Herbicide

Revision date: 2023/06/26  
Version: 4.0

Page: 10/13  
(30658778/SDS\_CPA\_US/EN)

## 12. Ecological Information

### Toxicity

Aquatic toxicity  
Assessment of aquatic toxicity:  
Very toxic to aquatic life with long lasting effects.

#### Toxicity to fish

LC50 (96 h) > 100 mg/l, Pimephales promelas (OECD Guideline 203)

#### Aquatic invertebrates

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

#### Aquatic plants

EC50 (72 h) 0.0119 mg/l, Pseudokirchneriella subcapitata (OECD Guideline 201)

EC10 (72 h) 0.00502 mg/l, Pseudokirchneriella subcapitata (OECD Guideline 201)

### Persistence and degradability

#### Assessment biodegradation and elimination (H<sub>2</sub>O)

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Assessment biodegradation and elimination (H<sub>2</sub>O)

*Information on: Pyroxasulfone*

*Not readily biodegradable (by OECD criteria).*

*Information on: Imazethapyr*

*Not readily biodegradable (by OECD criteria).*

*Information on: saflufenacil*

*Not readily biodegradable (by OECD criteria).*

### Bioaccumulative potential

#### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Assessment bioaccumulation potential

*Information on: Pyroxasulfone*

*Information on: Imazethapyr*

# Safety Data Sheet

## Zidua Pro powered by Kixor Herbicide

Revision date: 2023/06/26  
Version: 4.0

Page: 11/13  
(30658778/SDS\_CPA\_US/EN)

*Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.*

*Information on: saflufenacil*

*Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.*  
-----

### Mobility in soil

#### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Imazethapyr*

*Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.*

*Information on: saflufenacil*

*Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.*  
-----

### Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

## 13. Disposal considerations

### **Waste disposal of substance:**

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### **Container disposal:**

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

---

## 14. Transport Information

### **Land transport**

USDOT

Not classified as a dangerous good under transport regulations

### **Sea transport**

IMDG

Hazard class: 9

Packing group: III

# Safety Data Sheet

## Zidua Pro powered by Kixor Herbicide

Revision date: 2023/06/26

Version: 4.0

Page: 12/13

(30658778/SDS\_CPA\_US/EN)

ID number: UN 3082  
Hazard label: 9, EHSM  
Marine pollutant: YES  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYROXASULFONE, IMAZETHAPYR)

### Air transport

IATA/ICAO  
Hazard class: 9  
Packing group: III  
ID number: UN 3082  
Hazard label: 9, EHSM  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYROXASULFONE, IMAZETHAPYR)

### Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Crop Protection TSCA, US released / exempt

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

### State regulations

| State RTK | CAS Number | Chemical name    |
|-----------|------------|------------------|
| NJ        | 57-55-6    | Propylene glycol |
| PA        | 57-55-6    | Propylene glycol |

### Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

**WARNING:** This product can expose you to chemicals including FORMALDEHYDE (GAS), which is known to the State of California to cause cancer, and METHANOL, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### NFPA Hazard codes:

Health: 1 Fire: 1 Reactivity: 0 Special:

### Labeling requirements under FIFRA

# Safety Data Sheet

## Zidua Pro powered by Kixor Herbicide

Revision date: 2023/06/26

Version: 4.0

Page: 13/13

(30658778/SDS\_CPA\_US/EN)

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

Hazards to humans and domestic animals.

HARMFUL IF SWALLOWED.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

---

### 16. Other Information

**SDS Prepared by:**

BASF Agricultural Solutions US NA Product Regulations

SDS Prepared on: 2023/06/26

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

END OF DATA SHEET