according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 1.3 11/01/2024 50002324 Date of first issue: 03/31/2023

SECTION 1. IDENTIFICATION

Product identifier

Product name Zironar™ biofungicide/bionematicide

Other means of identification

Product code 50002324

Recommended use of the chemical and restrictions on use
Recommended use Biological fungicide/nematicide

Restrictions on useUse as recommended by the label.

Details of the supplier of the safety data sheet

<u>Manufacturer</u> FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 SDS-Info@fmc.com

<u>Supplier Address</u> FMC Corporation

2929 Walnut Street Philadelphia PA 19104

USA

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 1.3 11/01/2024 50002324 Date of first issue: 03/31/2023

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Bacillus subtilis strain FMCH002	Not Assigned	4
BLI (FMCH001) BIOLOGICAL TECHNICAL (CHR. HANSEN)	Not Assigned	3.5
glycerol	56-81-5	>= 30 - < 50
sodium hydrogensulphate	7681-38-1	>= 1 - < 5
pentasodium triphosphate	7758-29-4	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

If symptoms persist, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses. Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth with water.

Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

Hazardous combustion prod- : Thermal decomposition can lead to release of irritating gases

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 11/01/2024 50002324 Date of first issue: 03/31/2023 1.3

ucts and vapors.

Carbon oxides Ammonia

phosphorus oxides

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

Use a water spray to cool fully closed containers.

Further information Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equipment:

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Evacuate personnel to safe areas.

Use personal protective equipment. If it can be safely done, stop the leak.

Do not touch or walk through the spilled material. Never return spills in original containers for re-use.

For disposal considerations see section 13.

Only qualified personnel equipped with suitable protective

equipment may intervene.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Prevent further leakage or spillage if safe to do so. **Environmental precautions**

Try to prevent the material from entering drains or water

courses.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Neutralize with chalk, alkali solution or ammonia. Wipe up with absorbent material (e.g. cloth, fleece).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

For personal protection see section 8. Advice on safe handling

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Conditions for safe storage

Store in original container.

Electrical installations / working materials must comply with

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 1.3 11/01/2024 50002324 Date of first issue: 03/31/2023

the technological safety standards.

Materials to avoid : Do not store near acids.

Recommended storage tem-

perature

> 39 °F / > 4 °C

•

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
glycerol	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m3	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m3	OSHA P0
urea	57-13-6	TWA	10 mg/m3	US WEEL

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Protective measures : Plan first aid action before beginning work with this product.

Wear suitable protective equipment.

Ensure that eye flushing systems and safety showers are

located close to the working place.

Always have on hand a first-aid kit, together with proper in-

structions.

Hygiene measures : General industrial hygiene practice.

Avoid contact with skin, eyes and clothing.

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version 1.3

Revision Date: 11/01/2024

SDS Number: 50002324

Date of last issue: 02/28/2024 Date of first issue: 03/31/2023

Do not inhale aerosol.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : liquid

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : 4

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : $> 302 \, ^{\circ}\text{F} / 150 \, ^{\circ}\text{C}$

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : No data available

Relative density : 1.18 (68 °F / 20 °C)

Density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 1.3 11/01/2024 50002324 Date of first issue: 03/31/2023

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The product is not oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

Stable under recommended storage conditions.

No hazards to be specially mentioned.

Conditions to avoid : Avoid extreme temperatures.

Avoid formation of aerosol.

Protect from frost.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : Acute toxicity estimate: 20 mg/l

Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

glycerol:

Acute oral toxicity : LD50 (Rat, female): 11,500 mg/kg

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 1.3 11/01/2024 50002324 Date of first issue: 03/31/2023

Acute inhalation toxicity : LC0 (Rat, male): 11 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Guinea pig, male and female): 56,750 mg/kg

sodium hydrogensulphate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Method: OECD Test Guideline 423

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC0 (Rat, male and female): > 2.4 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 436

Remarks: Based on data from similar materials

no mortality

pentasodium triphosphate:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC0 (Rat, male and female): > 0.39 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: EPA OPP 81 - 3 Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 4,640 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : slight or no skin irritation.

Remarks : May cause skin irritation in susceptible persons.

Components:

glycerol:

Species : Rabbit

Result : No skin irritation

sodium hydrogensulphate:

Species : Rabbit

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 1.3 11/01/2024 50002324 Date of first issue: 03/31/2023

Method : OECD Test Guideline 404

Result : No skin irritation

pentasodium triphosphate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : Slight or no eye irritation

Remarks : Not expected to be irritating to eyes.

Components:

glycerol:

Species : Rabbit

Result : No eye irritation

sodium hydrogensulphate:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

pentasodium triphosphate:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

sodium hydrogensulphate:

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.
Remarks : Based on data from similar materials

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 1.3 11/01/2024 50002324 Date of first issue: 03/31/2023

pentasodium triphosphate:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

glycerol:

Genotoxicity in vitro : Test Type: reverse mutation assay

Result: negative

sodium hydrogensulphate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: TA100 Result: negative

Remarks: Based on data from similar materials

Test Type: gene mutation test Test system: mouse lymphoma cells Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster fibroblasts Method: OECD Test Guideline 473

Remarks: Based on data from similar materials

Germ cell mutagenicity -

Assessment

In vitro tests did not show mutagenic effects

pentasodium triphosphate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Method: Regulation (EC) No. 440/2008, Annex, B.13/14

(Ames test) Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: chromosome aberration assay

Species: Rat (male) Application Route: Oral

Method: OECD Test Guideline 475

Result: negative

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 1.3 11/01/2024 50002324 Date of first issue: 03/31/2023

Carcinogenicity

Not classified based on available information.

Components:

glycerol:

Species : Rat Application Route : Oral

Exposure time : 2 years Years Result : negative

pentasodium triphosphate:

Species : Rat, male and female

Application Route : Oral Exposure time : 104 weeks

Dose : 500,5,000,50,000 ppm Method : OECD Test Guideline 453

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

glycerol:

Effects on fertility : Test Type: Two-generation study

Species: Rat

Application Route: Oral Result: negative

Effects on fetal development : Test Type: Two-generation study

Species: Rat

Application Route: Oral Result: negative

sodium hydrogensulphate:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Dose: 100, 300, 1000 mg/kg bw/day

General Toxicity Parent: NOEL: 1,000 mg/kg body weight

Method: OECD Test Guideline 421

according to the OSHA Hazard Communication Standard



Zironar[™] biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 11/01/2024 50002324 Date of first issue: 03/31/2023 1.3

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development Test Type: reproductive and developmental toxicity study

> Species: Mouse Application Route: Oral Dose: 2800 mg/kg/day

General Toxicity Maternal: NOAEL: 2,800 mg/kg body weight Developmental Toxicity: NOAEL: 2,800 mg/kg body weight

Result: negative

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

pentasodium triphosphate:

Effects on fertility Test Type: Three-generation study

Species: Rat, male and female

Application Route: Oral

Dose: 0.5%

Effects on fetal development Species: Rabbit

Application Route: Oral

Dose: 0, 2.5, 11.6, 54, 250 mg/kg Duration of Single Treatment: 12 d

Teratogenicity: NOEC: 250 mg/kg body weight Target Organs: Musculo-skeletal system Method: OECD Test Guideline 414 Result: No teratogenic effects.

Species: Mouse

Application Route: Oral

Dose: 0, 2.4, 11.0, 52.0, 238.0 mg/ Duration of Single Treatment: 17 d

Teratogenicity: NOEC: 238 mg/kg body weight Target Organs: Musculo-skeletal system Method: OECD Test Guideline 414 Result: No teratogenic effects.

Species: Rat

Application Route: Oral

Dose: 0, 1.7, 8.0, 37.0, 170.0 mg/k Duration of Single Treatment: 20 d

Teratogenicity: NOEC: 170 mg/kg body weight Target Organs: Musculo-skeletal system Method: OECD Test Guideline 414 Result: No teratogenic effects.

Species: Hamster **Application Route: Oral**

Dose: 0, 1.41, 6.5, 30.0, 141.0 mg/ Duration of Single Treatment: 14 d

Teratogenicity: NOEC: 141 mg/kg body weight

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 1.3 11/01/2024 50002324 Date of first issue: 03/31/2023

Target Organs: Musculo-skeletal system Method: OECD Test Guideline 414 Result: No teratogenic effects.

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

sodium hydrogensulphate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

pentasodium triphosphate:

Routes of exposure : Oral Target Organs : Kidney

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

glycerol:

Species : Rat
LOAEL : 1 mg/kg
Application Route : Inhalation
Exposure time : 14 d

Dose : 0, 1, 1.93, 3.91 mg/L

Symptoms : respiratory tract irritation, Fatality

Species : Rat
NOAEL : 0.165 mg/l
LOAEL : 0.662 mg/l
Application Route : Inhalation
Exposure time : 13 w

Dose : 0, 0.033, 0.165, 0.662 mg/L Symptoms : respiratory tract irritation

sodium hydrogensulphate:

Species : Rat, male and female

NOAEL : 1,000 mg/kg

Application Route : Oral Exposure time : 7 weeks

Dose : 100, 300, 1000 mg/kg bw/day Method : OECD Test Guideline 421

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 1.3 11/01/2024 50002324 Date of first issue: 03/31/2023

Remarks : Based on data from similar materials

Species : Rabbit, male and female LOAEL : 2 mL/kg/day(16% w/w)

Application Route : Dermal Exposure time : 91 d

Dose : 2 ml/kg/day-16 % w/w aq.- Sodi Method : OECD Test Guideline 411

Remarks : Based on data from similar materials

pentasodium triphosphate:

Species : Rat, male
Application Route : Oral
Exposure time : 28 d
Dose : >2%
Target Organs : Kidney

Species : Dog, male and female

NOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 1 - 5 months

Species : Rat, male and female

Application Route : Oral Exposure time : 2 years

Dose : 0.05%, 0.5% and 5%

Target Organs : Kidney

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

glycerol:

Toxicity to fish : LC50 (Fish): 885 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Scenedesmus capricornutum (fresh water algae)):

2,900 mg/l

plants

Exposure time: 192 h

13 / 20

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 1.3 11/01/2024 50002324 Date of first issue: 03/31/2023

Toxicity to microorganisms : EC10 (Pseudomonas putida): 10,000 mg/l

Exposure time: 16 h

sodium hydrogensulphate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 7,960 mg/l

Exposure time: 96 h
Test Type: static test

Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 1,766 mg/l

Exposure time: 48 h Test Type: static test

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Marine Diatom): 1,900 mg/l

Exposure time: 120 h Test Type: static test

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

LOEC (Ceriodaphnia dubia (water flea)): 1,329 mg/l

Exposure time: 7 d

Test Type: semi-static test

Remarks: Based on data from similar materials

Toxicity to microorganisms : NOEC (activated sludge): 8 g/l

Exposure time: 37 d

Remarks: Based on data from similar materials

pentasodium triphosphate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1,850 mg/l

Exposure time: 24 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

EC50 (Skeletonema costatum (marine diatom)): > 900 mg/l

Exposure time: 96 h

EC50 (Desmodesmus subspicatus (green algae)): 160 mg/l

Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

LOEC (Danio rerio (zebra fish)): 5 mg/l

Exposure time: 4 d

Test Type: static test

Method: OECD Test Guideline 212

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 1.3 11/01/2024 50002324 Date of first issue: 03/31/2023

Persistence and degradability

Components:

glycerol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 94 % Exposure time: 24 h

Bioaccumulative potential

Components:

glycerol:

Partition coefficient: n- : log Pow: -1.75 (77 °F / 25 °C)

octanol/water pH: 7.4

sodium hydrogensulphate:

Bioaccumulation : Bioconcentration factor (BCF): 0.5

Method: QSAR

Remarks: Bioaccumulation is unlikely.

Mobility in soilNo data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 1.3 11/01/2024 50002324 Date of first issue: 03/31/2023

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Road

Not regulated as a dangerous good

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

glycerol 56-81-5 >= 30 - < 50 % urea 57-13-6 >= 1 - < 5 %

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 1.3 11/01/2024 50002324 Date of first issue: 03/31/2023

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

glycerol 56-81-5 pentasodium triphosphate 7758-29-4

Pennsylvania Right To Know

water 7732-18-5
glycerol 56-81-5
Bacillus subtilis strain FMCH002 Not Assigned
BLI (FMCH001) BIOLOGICAL TECHNICAL (CHR. HANSEN) Not Assigned
pentasodium triphosphate 7758-29-4

Maine Chemicals of High Concern

octamethylcyclotetrasiloxane [D4] 556-67-2

Vermont Chemicals of High Concern

octamethylcyclotetrasiloxane [D4] 556-67-2

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California List of Hazardous Substances

pentasodium triphosphate 7758-29-4

California Permissible Exposure Limits for Chemical Contaminants

glycerol 56-81-5

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

BLI (FMCH001) BIOLOGICAL TECHNICAL (CHR. HANSEN)

Bacillus subtilis strain FMCH002

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

Version Revision Date: SDS Number: Date of last issue: 02/28/2024 1.3 11/01/2024 50002324 Date of first issue: 03/31/2023

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

0 No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average

US WEEL / TWA : 8-hr TWA

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/28/2024

 1.3
 11/01/2024
 50002324
 Date of first issue: 03/31/2023

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response: EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

according to the OSHA Hazard Communication Standard



Zironar™ biofungicide/bionematicide

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/28/2024

 1.3
 11/01/2024
 50002324
 Date of first issue: 03/31/2023

 $\ensuremath{\mathsf{FMC}}$ and the $\ensuremath{\mathsf{FMC}}$ Logo are trademarks of $\ensuremath{\mathsf{FMC}}$ Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet