

INDOXACARB GROUP 22A INSECTICIDE



Advion[®] Cockroach

Gel Bait

syngenta.

Insecticide

FOR USE IN RESIDENTIAL, INSTITUTIONAL, COMMERCIAL, AND INDUSTRIAL AREAS

Use sites include single and multi-family residential buildings, schools, commercial and industrial facilities (including warehouses, apartments, supermarkets, restaurants, motels, hotels, hospitals, food handling/storage establishments), and transportation equipment such as aircraft, trains, ships, boats, buses.

**KEEP OUT OF REACH
OF CHILDREN
CAUTION/
PRECAUCIÓN**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**DO NOT TREAT AREAS THAT ARE
EASILY ACCESSIBLE TO CHILDREN
AND PETS**

Active Ingredient:
Indoxacarb: (S)-methyl 7-chloro-2,5-dihydro-2-[[methoxycarbonyl][4(trifluoromethoxy) phenyl]amino]carbonyl]indeno[1,2-e][1,3,4]oxadiazine-4a-(3H)carboxylate 0.6%

Other Ingredients 99.4%
Total: 100.0%

EPA Reg. No. 100-1484
EPA Est. 54450-IL-002
Product of USA

**SCP 1484A-L1C 0620
4123793**

**4 x 1.06 oz (30g)
syringes**

**Net Weight
Non-refillable Container**



(01) 0 07 02941 53206 9

Advion Cockroach Gel Bait

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

HOT LINE NUMBER

For 24-Hour Medical Emergency Assistance
(Human or Animal) Or Chemical Emergency Assistance
(Spill, Leak, Fire or Accident) Call **1-800-888-8372**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 24 hours. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems. Do not apply to any impervious surfaces which may contact or lead directly to surface water, storm drains, or urban runoff conveyance systems (gutters).

Physical and Chemical Hazards

Do not use this product in or on electrical equipment where a possibility of shock hazard exists.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PRODUCT INFORMATION

Advion® Cockroach Gel Bait is designed to control pest species of cockroaches such as German, American, Australian, Smoky-Brown, Brown, Asian, Oriental, and Brown-Banded.

INSECT RESISTANCE MANAGEMENT

INDOXACARB	GROUP	22A	INSECTICIDE
------------	-------	-----	-------------

For resistance management, Advion Cockroach Gel Bait contains a Group 22A insecticide. Any insect population may contain individuals naturally resistant to Advion Cockroach Gel Bait and other Group 22A insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same treated areas. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps:

- Rotate the use of Advion Cockroach Gel Bait or other Group 22A insecticides with different groups that control the same pests.
- Contact your local Syngenta representative, retailer, or extension specialist for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact Syngenta at 1-866-SYNGENT(A) (866-796-4368).

Syngenta encourages responsible product stewardship to ensure effective long-term control of the insects on this label.

Use Instructions and Precautions:

Do not treat areas that are easily accessible to children and pets.

1. Advion Cockroach Gel Bait can be used indoors or outdoors applied as a crack and crevice treatment within residential homes, industrial facilities, offices, warehouses, commercial kitchens, hospitals, schools, nursing homes, hotels, buses, trains, aircraft, retail and commercial establishments, and other areas infested with cockroaches.
2. Apply Advion Cockroach Gel Bait to areas frequented by cockroaches such as between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, and behind and under appliances, cabinets, sinks, closets, and any other equipment that cockroaches are typically known to hide.
3. Do not apply Advion Cockroach Gel Bait to surfaces recently treated with residual sprays.
4. Do not apply residual sprays to surfaces treated with Advion Cockroach Gel Bait.
5. Inspect bait placements during follow-up inspections and apply fresh bait as needed.
6. Do not apply to surfaces that food contacts.
7. Do not allow open foods to contact gel material.

Advion Cockroach Gel Bait

Treatment Rates for All Uses

- For heavy infestations of cockroaches, apply 3 to 5 spots of Advion Cockroach Gel Bait per 10 linear feet.
- For light to moderate infestations of cockroaches, apply 1-3 spots of Advion Cockroach Gel Bait per 10 linear feet.
- Each spot of Advion® Cockroach Gel Bait must equal about 0.5 grams (approx. 1/4" diameter)
- For all levels of cockroach infestations, when a bead of Advion Cockroach Gel Bait is used, apply a small thin bead that is less than 1/8" wide and approximately 2 inches long.

Indoor Use Directions

- Infested areas must be carefully inspected to determine overall infestation levels, locations of harborage areas, and most appropriate application points.
- Apply Advion Cockroach Gel Bait as a small spot of material, approximately 0.5 grams (approx. 1/4" in dia.), to areas not able to be contacted by children or pets.
- Several small applications distributed within an area are more effective than 1 or 2 applications of large quantities. In some cases a small thin bead (less than 1/8" wide and 2" long) may be appropriate such as between construction elements or other cracks and crevices.
- Indoor applications include cracks and crevices along walls or floors, behind or under equipment, under tables, within framing of tables or furniture, around sinks, within or near garbage collection areas, attics, crawl spaces, and cracks and crevices in cabinets.
- Inspect Advion Cockroach Gel Bait placements periodically for consumption or attractiveness and reapply as needed.

Applications in Nonfood/Nonfeed Handling Areas

Advion Cockroach Gel Bait is designed for use as a spot or crack and crevice treatment to control cockroaches in residential structures and the non-food/non-feed areas of commercial, industrial, public and institutional buildings/structures, including restaurants, warehouses, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, schools, laboratories, computer facilities, aircraft, buses, boats/ships, trains, pet shops and zoos.

Nonfood/non-feed areas include areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after bottling or canning). Refer to section below for use directions and restrictions when making applications in food/feed handling areas of Food/Feed Handling Establishments.

Applications in Food/Feed Handling Areas

Application to food/feed areas of food/feed handling establishments may only be made as a crack and crevice treatment only. Apply Advion Cockroach Gel Bait directly into cracks and crevices by placing the bait dispenser tip approximately 1/2 inch into cracks, crevices, holes and similar openings where cockroaches are found or are entering.

Food and feed handling areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation.

- Do not apply Advion Cockroach Gel Bait to areas where food/feed, food utensils or food processing surfaces may come into contact and become contaminated.
- Do not apply Advion Cockroach Gel Bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation and prepared food holding surfaces as bait could be removed by the washing.
- Do not apply Advion Cockroach Gel Bait to surfaces where the temperature exceeds 120-130°F because this could cause the bait to liquefy and lose effectiveness.
- Examples include, but are not limited to, parts of stoves, ovens, grills, fume hoods, saunas, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers, and hot water pipes.
- Use good application practice to avoid movement of Advion Cockroach Gel Bait to exposed surfaces used for food preparation.
- If Advion Cockroach Gel Bait contacts an exposed surface, first remove as much of the gel bait as possible, then wash with soap and water.

Outdoor Use Directions:

A thorough inspection around a structure may reveal areas where cockroaches are gaining access. Attempts should be made to remove the access. Advion Cockroach Gel Bait may also be applied as a spot or thin bead (see above) to pest entry sites such as along windows, doors, between construction elements, sewer areas, adjacent trees which harbor cockroaches, along walls, garbage holding areas, or suitable placement site acting as a cockroach harborage. Place baits in such a way as to reduce the potential of subsequent human contact. Inspect Advion Cockroach Gel Bait placements periodically and apply fresh bait as needed.

Advion Cockroach Gel Bait

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage

Store in cool, dry place inaccessible to children and pets.

Pesticide Disposal

Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Disposal

Nonrefillable Container: Do not reuse or refill this container. Offer for recycling if available. Place empty bait dispensers in trash. If partially filled, wrap in newspaper and discard in trash or call your local solid waste authority for disposal instructions.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY



NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and of Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

Advion®, the ALLIANCE FRAME 
the SYNGENTA Logo and the PURPOSE ICON 
are Trademarks of a Syngenta Group Company
©2020 Syngenta

For non-emergency (e.g., current product information),
call Syngenta Crop Protection at 1-800-334-9481.

Manufactured for:
Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, North Carolina 27419-8300
SCP 1484A-L1C 0620