

**RESTRICTED USE PESTICIDE**

Due to Acute Oral, Dermal and Inhalation Toxicity and Risks to Wildlife.  
For retail sale to, and use only by Certified Applicators or persons under the direct supervision of a Certified Applicator, and only for those uses covered by the Certified Applicator's certification.



**WATER MISCIBLE INSECTICIDE**

**ACTIVE INGREDIENT:**

Dicrotophos (Dimethyl phosphate of 3-hydroxy N,N-dimethyl-cis-crotonamide).....82.0%

**INERT INGREDIENTS:**.....18.0%

**TOTAL: 100.0%**

Contains 8 lbs. active ingredient per gallon.

**KEEP OUT OF REACH OF CHILDREN  
DANGER POISON**



**PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand this label, find someone to explain it to you in detail).

<b>FIRST AID</b> <b>Organophosphate</b>	
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If inhaled:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>EMERGENCY INFORMATION</b>	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Call a physician in all cases of suspected poisoning. If warning symptoms appear, keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest hospital.</p> <p><b>FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY:</b></p> <p>For Medical Emergencies Phone:.....888-681-4261</p> <p>For Transportation Emergencies, including spill, leak or fire, phone: CHEMTREC®.....800-424-9300</p> <p>For Product Use Information phone: AMVAC®.....888-462-6822</p>	

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE.

EPA Reg. No. 5481-448

Net Contents: As Marked on Container

EPA Est. No.



AMVAC Chemical Corporation  
4695 MacArthur Court, Suite 1200  
Newport Beach, CA 92660 U.S.A.

#### NOTE TO PHYSICIAN

This product contains a cholinesterase inhibitor.

**Warning Symptoms:** Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

**Treatment:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion in 250cc of saline over a 15-30 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5 percent solution in water over not less than two minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children the dose of 2-PAM is 0.25 grams. Morphine is an improper treatment. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Fatal if swallowed. May be fatal if absorbed through skin or if inhaled. Causes moderate eye irritation. Do not get in eyes, on skin, or on clothing. Do not breathe spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

##### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators and other handlers using engineering controls must wear:

- Long-sleeve shirt and long pants
- Shoes plus socks
- See Engineering Controls for additional requirements

In addition, mixers and loaders using engineering controls must wear:

- Chemical-resistant gloves made of Barrier Laminate, Butyl Rubber  $\geq$  14 mils, Nitrile Rubber  $\geq$  14 mils, Neoprene Rubber  $\geq$  14 mils, Polyvinyl Chloride (PVC)  $\geq$  14 mils, or Viton<sup>®</sup>  $\geq$  14 mils.
- Chemical-resistant apron
- See Engineering Controls for additional requirements

In addition to the PPE specified above for mixers and loaders, handlers performing tasks, such as spill clean-up or equipment cleaning, for which engineering controls are not feasible, must wear:

- Coveralls
- Chemical-resistant footwear plus socks, and
- Wear a minimum of a NIOSH-approved elastomeric half mask respirator with organic vapor (OV) cartridges and a combination N, R, or P filter; OR a NIOSH-approved gas mask with OV canisters; OR a NIOSH-approved powered air-purifying respirator with OV cartridges and combination HE filters.

#### USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

## ENGINEERING CONTROLS

Mixers and loaders must use a closed system that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR part 170.240(d)(4)], for providing dermal and inhalation protection. The system must be capable of removing the pesticide from the shipping container and transferring it into mixing tanks and/or application equipment. At any disconnect point, the system must be equipped with a dry disconnect or dry couple shut-off device that is warranted by the manufacturer to minimize drippage to not more than 2mL. per disconnect point. In addition, mixers and loaders must:

- Wear the personal protective equipment required in the PPE section for mixers/loaders using engineering controls,
- Wear protective eyewear if the system operates under pressure, and
- Be provided, have immediately available and must use in an emergency, such as a broken package, spill, or equipment breakdown, the following: coveralls, chemical resistant footwear and a minimum of a NIOSH-approved elastomeric half mask respirator with organic vapor (OV) cartridges and a combination N, R, or P filter; OR a NIOSH-approved gas mask with OV canisters; OR a NIOSH-approved powered air-purifying respirator with OV cartridges and combination HE filters.

Applicators using motorized ground equipment and flaggers supporting aerial application must use an enclosed cab that meets the definition in the Worker Protection Standard (WPS) for Agricultural Pesticides [40 CFR part 170.240(d)(5)] for dermal protection. In addition, such applicators and flaggers must:

- Wear the personal protective equipment required in the PPE section for applicators using engineering controls,
- Either wear the type of respirator specified in the PPE section of this label or use an enclosed cab that provides at least as much respirator protection as the type of respirator specified in the PPE section of this labeling,
- Be provided, must have immediately available for use and must use in an emergency when they must exit the cab in the treated area: coveralls, chemical-resistant gloves made of Barrier Laminate, Butyl Rubber  $\geq$  14 mils, Nitrile Rubber  $\geq$  14 mils, Neoprene Rubber  $\geq$  14 mils, Polyvinyl Chloride (PVC)  $\geq$  14 mils, or Viton<sup>®</sup>  $\geq$  14 mils, chemical-resistant footwear, chemical-resistant headgear, if overhead exposure, and if using an enclosed cab that provides respiratory protection, a respirator of the type specified in the PPE section of this labeling.

Pilots must use an enclosed cockpit in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR part 170.240(d)(6)].

## USER SAFETY RECOMMENDATIONS

### Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

## ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to birds and mammals. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Keep out of lakes, ponds, and streams. Do not contaminate water when disposing of equipment wastewater or rinsate.

This product is toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product if bees are visiting the treatment area.

Do not spray border areas. Keep border areas within 25 feet of field free of bird feed and shelter. Birds feeding on treated area may be killed. Do not use whenever large flocks of birds are in the vicinity or when they are noted feeding in or around fields.

## PHYSICAL OR CHEMICAL HAZARDS

Combustible: Do not use or store near heat or open flame.

SPECIMEN

---

## **DIRECTIONS FOR USE**

---

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not allow this product to drift. The applicator also must use all other measures necessary to control drift.

### **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 3 days.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls worn over long-sleeve shirt and long pants
- Chemical-resistant gloves made of Barrier Laminate, Butyl Rubber  $\geq$  14 mils, Nitrile Rubber  $\geq$  14 mils, Neoprene Rubber  $\geq$  14 mils, Polyvinyl Chloride (PVC)  $\geq$  14 mils, or Viton  $\geq$  14 mils
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical-resistant headgear for overhead exposure

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

Some certified crop advisors, and persons performing crop advising tasks under their direct supervision, may be exempt from certain provisions of the Worker Protection Standard (WPS) for Agricultural Pesticides [40 CFR Part 170] if they meet the requirements for the crop advisor exemption listed in the WPS at 40 CFR part 170.104(b) and 170.204(b).

### **APPLICATION DIRECTIONS**

BIDRIN 8 must be used in a closed delivery system (See Engineering Controls).

BIDRIN 8 is a water-miscible product which contains 8 lbs of active ingredient per gallon. For foliage applications, mix the required amount of BIDRIN 8 in sufficient water to provide uniform coverage.

### **CHEMIGATION**

Do not apply this product through any type of irrigation system.

## USE AND DIRECTIONS FOR APPLICATION ON COTTON

### EARLY SEASON USE (Emergence to pre-bloom)

Insect	Dosage (fluid ounces/acre)	Directions for Application
Thrips Cotton fleahoppers Aphids (suppression) Spider Mites (suppression) Grasshoppers* Boll weevils*	1.6 to 3.2	<p><b>Do not apply more than 3.2 fl. oz./ac of BIDRIN 8 (0.2 lb. a.i./ac) during this growth period.</b></p> <p>Do not make more than one application during this growth period.</p> <p>Apply by air or ground to give uniform coverage.</p> <p>Do not graze livestock on treated fields or feed treated gin trash.</p> <p>*For grasshoppers and boll weevils, use 3.2 fl.oz/ac.</p>

### LATE SEASON USE (First bloom to 30 days prior to harvest)

Aphids (suppression) Boll weevils Cotton fleahoppers Leaf footed bug Plant bugs (all species) Spider mites (suppression) Stink bugs (all species)	4.0 to 8.0	<p><b>Do not apply more than 16 fl. oz./ac of BIDRIN 8 (1.0 lb. a.i./ac) during this growth period.</b></p> <p>Apply by air or ground to give uniform coverage.</p> <p>The minimum application interval between applications is 14 days.</p> <p>Do not graze livestock on treated fields or feed treated gin trash.</p> <p>Do not apply within 30 days of harvest.</p>
---	------------	--

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Do not store in or around the home. Store in a secure, dry and temperate area. Store in original container. Keep away from heat and open flame. If spilled, avoid exposure. If significant spill, do not attempt to clean up, call CHEMTREC (800) 424-9300. Spill can be contained by covering with a sufficient amount of absorbent (sand, soil, sawdust, etc.) to collect all liquid. Collected waste must be disposed of according to pesticide disposal below. Wear a pesticide respirator and protective clothing.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Open dumping is prohibited. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then dispose of in a sanitary landfill or by other approved State and local procedures. Offer for recycling, if available.

### LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; and (b) that the directions, warnings, and other statements on this label are based upon responsible experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants and residues on food crops, and upon reports of field experience. Tests have not been made on all varieties of food crops and plants, or in all states or under all conditions. **THIS WARRANTY DOES NOT EXTEND TO THE USE OF THIS PRODUCT CONTRARY TO LABEL INSTRUCTIONS, OR UNDER CONDITIONS NOT REASONABLY FORESEEABLE.**

**THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE SET FORTH HEREIN. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR**

**INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE, TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF QUALITY OR PERFORMANCE. THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN TORT, CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.**

AMVAC offers this product, and Buyer accepts it, subject to the foregoing Limited Warranty which may be varied only by agreement in writing signed by an authorized representative of AMVAC.

©2019 AMVAC Chemical Corporation is a wholly owned subsidiary of American Vanguard Corporation. All Rights Reserved. AMERICAN VANGUARD, AMVAC, BIDRIN, and their respective logos are trademarks owned by AMVAC Chemical Corporation. CHEMTREC is a service mark of the American Chemistry Council, Inc. Viton is a trademark of E. I. DuPont de Nemours & Company Corporation.

AMVAC Chemical Corporation  
4695 MacArthur Court, Suite 1200  
Newport Beach, CA 92660