



0.77 Zn 6-20-0



GUARANTEED ANALYSIS:

0.30% Nitrate Nitrogen 0.70% Urea Nitrogen Available Phosphate (P₂O₅)

Zinc (Zn).

0.77% Water Soluble Zinc

Derived From: Anhydrous Ammonia, Urea-Ammonium Nitrate, Phosphoric Acid and Zinc Sulfate

ALSO CONTAINS NON-PLANT FOOD INGREDIENT:

KEEP OUT OF REACH OF CHILDREN

F1548



Harmful if swallowed. Avoid contact with skin, eyes or clothing.

FOR COMMERCIAL OR PROFESSIONAL USE ONLY

Density: 11.00 lbs/gallon @ 68 °F Net Contents: 2.5 gallons (9.46 liters) Net Weight: 27.50 lbs (12.47 kg)

GUARANTEED BY:

LOVELAND PRODUCTS, INC. * P.O. BOX 1286 • GREELEY, CO 80632-1286

BLACKLABELZN_A3117R

GENERAL INFORMATION

BLACK LABEL® ZN contains humic acids extracted from Leonardite ore. These humic acids are then combined with liquid plant nutrients in a patented reaction process. BLACK LABEL ZN contains introgen, available phosphate, and humic acids. BLACK LABEL ZN may be placed 1 to 2 inches below seeds or directly injected into root system because the product is non-phytotoxic. BLACK LABEL ZN is designed for use in all soil types. It should be concentrated for maximum response. Apply it as a band in the soil or inject it through drip or micro-spirikler systems. Application rates will vary depending on the crop grown. BLACK LABEL ZN is an effective foliar nutrient when mid or late season phosphate levels fall below optimum values. Multiple applications may be beneficial. Applications should be made at night or early in the morning. When used as directed this product does not supply all nutrients required by plants and is to supplement a soil fertility program based on soil these.

Purpose Statement: To aid in plant development by increasing root availability of mineral nutrients and condition soil.

CAUTION: Always check compatibility with other products prior to use. Do not mix with conventional calcium based fertilizers. BLACK LABEL ZN is not compatible with conventional products containing the salts of heavy metals.

DIRECTIONS FOR USE

Crops (EPA Grouping)	Soil Applied Rate	Foliar Applied Rate	
Vegetable, Root and Tuber (01) Potato, Sugarbeet, Onion, Carrot, etc.	2.0 to 5.0 gals/A	1.0 gal/A	
Leafy Veg (04) Celery, Lettuce (Head, Leaf), etc.	1.0 to 3.0 gals/A starter or 1.0 to 3.0 gals/A transplant water	1.0 to 2.0 qts/A	
Brassica Veg (05) Brocolli, Cabbage, Cauliflower, Collards, Brussels Sprouts, etc.	1.0 to 3.0 gals/A starter or 1.0 to 3.0 gals/A transplant water	1.0 to 2.0 qts/A	
Fruiting Veg (08) Peppers, Tomato, Eggplant, etc.	1.0 to 5.0 gals/A (up to three applications)	2.0 to 4.0 qts/A	
Citrus Fruits (10) Oranges, Lemons, Limes, etc.	2.0 to 8.0 gals/A per application	1.0 to 2.0 gals/A	
Stone Fruit (12) Cherry, Peach, Plum, etc.	2.0 to 8.0 gals/A per application	1.0 to 2.0 gals/A	
Berry and Small Fruit (13) Strawberry, Blueberry, Caneberries (Blackberry, raspberry), etc.	1.0 to 5.0 gals/A per application as needed	1.0 to 2.0 qts/A	
Berry and Small Fruit (13) Grape	1.0 to 5.0 gals/A per application as needed	2.0 to 4.0 qts/A	
Tree nuts (14) Almond, Hazelnut, Pistaschio, Pecan, Walnut	1.0 to 5.0 gals/A per application as needed	1.0 gal/A per application	
Cereal Grains (15) Corn, Wheat, Grain Sorghum, Rice, etc.	1.0 to 5.0 gals/A in-furrow or 2x2	2.0 to 4.0 qts/A	
Grass forage Fodder and Hay (16) Grasses, etc.	1.0 to 2.0 gals/A	1.0 to 2.0 qts/A	
Grass forage Fodder and Hay (17) Grass grown for Seed, etc.	1.0 to 2.0 gals/A	1.0 to 2.0 qts/A	
Oilseed (20) Cotton, Sunflower, Canola, etc.	1.0 to 2.0 gals/A	2.0 to 4.0 qts/A	
Misc (99) Avocado, Artichoke, Hops, Peanut, Tobacco, etc.	1.0 to 5.0 gals/A per application as needed	2.0 to 8.0 qts/A	

EQUIPMENT

Brass, copper and galvanized metals may be subject to mild corrosion from prolonged or repeated contact with this product.

COMPATIBILITY

BLACK LABEL ZN can be applied alone or with other compatible spray materials. Ammonium polyphosphate fertilizers tend to be more compatible than orthophosphate types. Including some polyphosphate in the mixture often improves compatiblity of orthophosphates.

Proposed mixtures should be evaluated in a jar test before full scale use. Fertilizer based mixtures that also contain pesticides should be sprayed as soon as possible.

Note: When combining BLACK LABEL ZN with phosphate fertilizers vigorous agitation is required for good product mixing. See mixing directions below for more information.

CROP SAFETY

This product has been tested on a number of crop varieties with no phytotoxicity observed at labeled rates; however, this product has not been tested on all varieties and cultivars. Due to the large number of plant species and their associated varieties or cultivars, and due to variable growing conditions, it is impossible to test every plant for tolerance to this product. It is the responsibility of the user to determine if this product can be used safely prior to commercial use. In a small test area, test the specified rates on plants for phytotoxicity prior to general use. Before using any tank mix, test the combination on a small portion of the crop to be treated to ensure that a phytotoxic response will not occur as a result of application. Treat a small group of target crop including plant cultivars and evaluate for 3 to 7 days prior to making an application to your entire crop.

MIXING INSTRUCTIONS

BLACK LABEL ZN mixes easily with water, as follows:

- Partially fill tank with water and start agitation.
- Add pesticides or other nutrients. BLAČK LABEL ZN is compatible with micronutrients if used at a minimum of 8 parts to 1 part micronutrient.
- Add BLACK LABEL ZN to circulating tank mix.
- 4. Fill tank and agitate thoroughly.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, it present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. His wallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. If inhalted: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT, CALL 1-866-944-8565.

STORAGE AND DISPOSAL

STORAGE: Store above 40 °F (4.4 °C). Store in original containers only. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage area away from children, leed and food products, and seed. Store PROTECT FROM FREEZING. Do not contain water, food, or feed by storage or disposal. DISPOSAL: Do not reuse container. Triple rinse (or equivalent), adding rinse water to spray tank, then offer for recycling at an ACRC site (go to http://www.acrecycle.org/ locations for) or by reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Waster resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal. HANDLING: Avoid breathing fertilizer miss, Avoid prolonged or repeated skin contact. Avoid eye contact. Wash hands thoroughly after handling this product.

For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC 1-800-424-9300.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. Or the seller is authorized to vary. LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when the product is used in accordance with such Directions for Use under normal conditions of use. LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANDISH LITED THIS ESS OF A PARTICULAR PURPOSE. THE BUYER'S OR USER'S EXIOSY FOR ANY NULLIPY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PRODUCT FOR ANY CONSCOUENTIAL, SPECIAL, OR INDIRECT DAMAGES IN THE NATURE OF A PERALTY.

California Proposition 65: WARNING: This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lpi.com

Tests have not been carried out under all possible use conditions and Seller cannot and does not represent or warrant that the goods are compatible with all other chemicals or under all use conditions.

Black Label is a registered trademark of Loveland Products, Inc.

GUARANTEED ANALYSIS:

iolai Miliogeri (M)	0.00 %
5.00% Ammoniacal Nitrogen	
0.30% Nitrate Nitrogen	
0.70% Urea Nitrogen	
Available Phosphate (P ₂ O ₂)	20.00%
Zinc (Zn)	0.77%
0.77% Water Soluble Zinc	

Derived From: Anhydrous Ammonia, Urea-Ammonium Nitrate, Phosphoric Acid and Zinc Sulfate

ALSO CONTAINS NON-PLANT FOOD INGREDIENT:

Soil Amending Ingredients

Humic Acids derived from Leonardite	ore	7.10%
Other Ingredients		92 90%

KEEP OUT OF REACH OF CHILDREN



Harmful if swallowed. Avoid contact with skin, eyes or clothing.

