

BOLLSTER 10-0-9

	GUARANTEED ANALYSIS
Total Nitrogen (N)	GUARANTEED ANALYSIS10.00%
0.45% Ammoniacal Nitrogen	
9.35% Nitrate Nitrogen	
0.20% Urea Nitrogen	
Soluble Potash (K ₂ O)	9.00%
	9.00%
Boron (B)	1.00%
Zinc (Zn)	0.20%
0.200/ Chalatad Zina	

Derived From: Calcium Nitrate, Calcium Ammonium Nitrate, Potassium Nitrate, Urea, Sodium Borate and Zinc EDTA

WARNING: This product contains boron (B) and may be harmful to certain crops. Use only according to manufacturer's directions.

KEEP OUT OF REACH OF CHILDREN



Harmful if swallowed. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist.

FOR AGRICULTURAL OR COMMERCIAL USE ONLY

GENERAL INFORMATION

BOLLSTER is designed to enhance growth and yield. BOLLSTER may be applied alone or in tank mixes containing pesticides. However, when use of an unfamiliar mix is made, a compatibility test is always recommended. Foliar fertilization is a supplement to a regular fertilizer program and will not supply the total nutrients required by a crop. BOLLSTER is recommended as foliar nutrition to be applied to cotton where peak nutrient demand is indicated by laboratory tissue analysis.

DIRECTIONS FOR USE:

With proper agitation running, add BOLLSTER to the spray tank. Add BOLLSTER to the spray tank before adding pesticides. Spray immediately after mixing. Do not store solution mixed with pesticide!

GENERAL APPLICATION RATES

Cotton: 3-6 pts/acre 3-4 applications per season. Time applications at pre bloom, 7-10 days later (10-12 nodes), and 10-14 days later (12-14 nodes). Time fourth application as necessary. For aerial application use a maximum of two 2 quarts of BOLLSTER per 10 gallons of water. Rates suggested are for standard spray volumes of 40-150 gal/acre. For higher volume sprays, rate should be adjusted.

Caution: Store BOLLSTER in temperatures between 41°F to 104°F and avoid extreme variations in temperature.

Use caution when applying to fruiting crops in combination with pesticides and/or surfactants. Use minimal effective rates of stickers during ripening. Do not use high analysis organo silicones or high analysis non-ionics during ripening. Avoid application to fruit at elevated temperatures (>95° F). Avoid applications to crops under environmental stress or pest pressure. Maximum effectiveness will be obtained when applied early in the morning or after dusk.

If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomitting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious

if on skin or clothing: Take off contaminated clothing, Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565.

STORAGE and DISPOSAL

STORAGE: STORE ABOVE 52° F. Shake well before using. Store in original containers only. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage area away from children, feed and food products, and seed. Store at ambient temperatures. Do not contaminate water, food, or feed by storage or disposal. DISPOSAL: Do not reuse container. Plastic: Triple rinse (or equivalent), adding rinse water to spray tank, then offer for recycling at an ACRC site (go to http://www.acrecycle. org/ for locations) or by reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal.

HANDLING: Avoid breathing fertilizer mists. Avoid prolonged or repeated skin contact. Avoid eye contact. Wash hands thoroughly after handling this product.

For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC 1-800-424-9300.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary. LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when the product is used in accordance with such Directions for Use under normal conditions of use. LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

Tests have not been carried out under all possible use conditions and Seller cannot and does not represent or warrant that the goods are compatible with all other chemicals or under all use conditions.

California Proposition 65: WARNING: This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lpi.com

Bulk Density: 13.35 lbs/gallon @ 68°F

Net Contents: 5 gallons (18.92 liters) Net Weight: 66.75 lbs (30.27 kg)

product code: XXXXXXXXXX



Bulk Density: 13.35 lbs/gallon @ 68°F

Net Contents: 30 gallons (113.56 liters) Net Weight: 400.50 lbs (181.66 kg)

product code: XXXXXXXXXX



Bulk Density: 13.35 lbs/gallon @ 68°F Net Contents:

gallons (Net Weight:

liters) lbs (

kg)

product code: XXXXXXXXXX