



Water Conditioning Agent and Nonionic Surfactant

| PRINCIPAL FUNCTIONING AGENTS | % BY WT. |
|---|--------------|
| Ammonium sulfate, carbonyl diamine, polyoxyethylene-polyoxypropylene, | |
| beta-Hydroxy-tricarboxylic acid, dimethylsiloxane | 99.98% |
| CONSTITUENTS INEFFECTIVE AS SPRAY ADJUVANT | <u>0.02%</u> |
| TOTAL | 100.00% |

WA Reg. No. 2935-12005

KEEP OUT OF REACH OF CHILDREN



Causes serious eye irritation

PRECAUTIONARY STATEMENTS

Wear eye protection. Wash thoroughly after handling.

| FIRST AID | |
|-------------|---|
| If in eyes: | Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. |
| | roduct container with you when calling a poison control center or doctor, or going for You may also contact EMERGENCY TELEPHONE NUMBERS: |
| (800) 424-9 | 9300 CHEMTREC (transportation and spills) |
| (800) 222-1 | 222 POISON CONTROL CENTER (human health) |
| (888) 426-4 | 1435 ASPCA (animal health) |

GENERAL INFORMATION

BRONC® PLUS DRY is a water soluble blend of ammonium sulfate, nonionic surfactant, and antifoam agent. BRONC PLUS DRY is formulated to improve the efficacy of glyphosate-based herbicides (i.e., Roundup®) and other postemergence herbicides that recommend ammonium sulfate or nitrogen solution and nonionic surfactant.

BRONC PLUS DRY contains a nonionic surfactant, to help increase the biological efficacy of herbicides.

Ammonium sulfate helps to reduce tank mix antagonism.

The antifoam agent in BRONC PLUS DRY reduces the formation of troublesome foam. BRONC PLUS DRY is micronized to aid in solubility and speed spray mixing.

DIRECTIONS FOR USE

Always add BRONC PLUS DRY to the spray tank water as the first component of the spray tank mixture. SLOWLY pour BRONC PLUS DRY into the mixing tank at the point of maximum agitation. In most cases, this is where the liquid level in the tank is at or just below the injection of the filling water. Continue filling while recirculating until all added products are thoroughly mixed into spray solution.

Screen size in nozzle or line strainers should be no finer than 50 mesh.

Maintain good agitation at all times until the contents of the tank are sprayed. If mixture is allowed to settle, thorough agitation is required to re-suspend mixture before spraying is resumed. If refilling a partially full tank, take care to avoid exceeding recommended use rate for this product.

For optimum performance, the spray mixture must be used within eight hours after herbicide product is mixed with BRONC PLUS DRY.

This product is intended for use with pesticides that are labeled for agricultural, forestry, right-of-way and non-cropland use.

BRONC PLUS DRY is approved for aquatic use.

ALWAYS READ AND FOLLOW ALL DIRECTIONS ON THIS LABEL AND THE LABEL OF THE HERBICIDE BEING USED.

USE RATES

Use BRONC PLUS DRY at the rate of 10-20 pounds per 100 gallons of spray solution. This rate is equivalent to adding 8.5-17 pounds of ammonium sulfate and 1-2 quarts of an 80% nonionic surfactant to 100 gallons of water.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Store in original container only and keep tightly sealed. Store in closed storage area.

PRODUCT DISPOSAL: Dispose of contents in accordance with all government regulations. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility.

CONTAINER HANDLING: Dispose of container in accordance with all government regulations. Dispose of the container in a sanitary landfill, or by other procedures approved by state and local authorities.

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

ALL STATEMENTS MADE HEREIN ARE SUBJECT TO APPLICABLE LAW, AND TO THE EXTENT THERE IS ANY INCONSISTENCY OR CONTENTION, APPLICABLE LAW SHALL GOVERN.

The Directions for Use of the product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of many different factors including, without limitation, manner of use or application, weather, combination with other products, or crop conditions. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Manufacturer and Seller harmless from any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label. EXCEPT FOR THIS WARRANTY, THE PRODUCT IS FURNISHED "AS-IS", AND NEITHER SELLER NOR MANUFACTURER MAKES ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT; SELLER AND MANUFACTURER SPECIFICALLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE BEYOND WHAT IS STATED ON THE LABEL. Buyer and User accept all risks arising from any use of this product, including without limitation, uses contrary to label instructions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Manufacturer.

Neither Manufacturer nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT, OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

These Conditions of Sale and Limitation of Warranty and Liability shall be interpreted, unless otherwise required by the law of the state of purchase, in accordance with the laws of the State of California, excluding its conflicts of laws rules, and may not be amended by any oral or written agreement.

WILBUR-ELLIS® logo, Ideas to Grow With® and BRONC® are registered trademarks of Wilbur-Ellis Company LLC. ADJUVANTS Tri-Droplet™ logo is a trademark of Wilbur-Ellis Company LLC. Roundup® is a registered trademark of Monsanto Technology LLC.

F-012716 40#C7002 10#C7003

In Case of Emergency, Call CHEMTREC: (800) 424-9300

Manufactured for:

WILBUR-ELLIS COMPANY LLC
P.O. BOX 16458 • FRESNO, CALIFORNIA 93755
(559) 442-1220

NET CONTENTS: