



# Bug-No-More

## LARGE PROPERTY INSECT CONTROL

### CONCENTRATE

For Outdoor Residential Use Only.

<b>ACTIVE INGREDIENT:</b>	<b>By Wt.</b>
Zeta-Cypermethrin* . . . . .	17.1%
<b>OTHER INGREDIENTS:</b> . . . . .	82.9%
	<b>TOTAL 100.0%</b>

This product contains 1.5 pounds of active ingredient per gallon.  
 \*Cis/trans ratio: Max. 55%(±) cis and min. 45% (±) trans.

## KEEP OUT OF REACH OF CHILDREN WARNING



Read the label before use.

### PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals**

**WARNING:** May be fatal if swallowed. Harmful if inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, shoes, socks, gloves and protective eyewear. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Get medical attention if irritation persists.

FIRST AID	
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If inhaled:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>

(First Aid continued on next column)

**FIRST AID (cont.)**

**HOTLINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment information.

**NOTE TO PHYSICIAN:** Skin contact (vapor or spray) may be followed by transient tingling or numbness, usually of the face, but this subsides without treatment. This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive.

**For Information Regarding the Use of this Product Call 1-877-800-5556.**

**Environmental Hazards**

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Do not contaminate water when disposing of equipment washwaters or rinsate.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops if bees are visiting the treatment area.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before Use, Read and follow the directions below:

**SHAKE WELL BEFORE USING**

*Farmstead Insecticide*

Bug-No-More® Large Property Insect Control Concentrate is formulated to kill the listed pests that pose harm and nuisance to country and suburban homes and farmsteads. Bug-No-More Large Property Insect Control Concentrate is a versatile tool against insects that can infest and attack lawns, vegetable and flower gardens. Ideal for use with all standard spray equipment including hose-end, pump-style, 12-volt spot, ATV and tow-behind sprayers.

### MIXING INSTRUCTIONS

**When using 12-Volt/Tow-Behind Boom Sprayers†**

To calibrate your application equipment, consult your equipment owner's manual for speed and pressure settings required to deliver 0.5 to 1 gallon of spray solutions to treat 1,000 sq.ft. For example, at 4 mph a sprayer might deliver ½ gallon per 1,000 sq.ft. at 40 psi.

†Spray method for use only with perimeter treatment or home lawn and ornamental gardens.

To apply evenly, drive at a constant speed that delivers the prescribed amount of spray required for the area to be treated.

Mix the appropriate amount of product and water in the sprayer using the following table as a guide:

Tank Size	Spray Volume	Coverage Area (sq.ft.)	Concentrate to add to tank (0.2 fl.oz. rate)	Concentrate to add to tank (0.4 fl.oz. rate)	Concentrate to add to tank (0.6 fl.oz. rate)
15 gal.	1 gal./1000 sq.ft.	15,000	3 fl.oz.	6 fl.oz.	9 fl.oz.
25 gal.	1 gal./1000 sq.ft.	25,000	5 fl.oz.	10 fl.oz.	15 fl.oz.

### 1. LAWNS AND ORNAMENTAL GARDENS

**Pests:** Ants, armyworms, annual bluegrass weevil, billbugs, black turfgrass Ataenius, centipedes, chinch bugs, crickets, cutworms, earwigs, fleas (adults), grasshoppers, Japanese beetles, leafhoppers, mealybugs, millipedes, mole crickets, pillbugs, sod webworms, sow bugs and blacklegged and brown dog ticks.

Use higher volume applications if the thatch layer is excessive or if a relatively long mowing height is being maintained.

**Where to Use:** Use Bug-No-More Large Property Insect Control Concentrate on lawns, vacant lots, ornamental trees, shrubs, and flowers and other similar areas where insect pests are present.



