



C-O-C-S® Copodust

FUNGICIDE

ACTIVE INGREDIENT	By Wt.
†Copper expressed as metallic	6.00%
INERT INGREDIENTS	94.00%
TOTAL	100.00%

†From copper oxchloride and basic copper sulfate.

KEEP OUT OF REACH OF CHILDREN WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

**See Below For Additional Precautionary Statements
And Directions For Use.**

EPA REG. NO. 34704-320

EPA EST. NO. 34704-MS-1

NET WEIGHT 50 LBS. (22.68 KG)

IHT 072506 V1 07G06

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray dust.

Personal Protective Equipment:

Applicators and other handlers must wear: long-sleeved shirt and long pants, waterproof gloves, shoes plus socks and protective eyewear.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering controls statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets with requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:
Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Do not contaminate water by disposal of equipment washwaters.

FIRST AID

If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

**FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL:
1-800-301-7976.**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, shoes plus socks and protective eyewear.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, fold and roll back bags, clamp and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills.

To confine spill: If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

This fungicide is a product containing Copper Oxychloride Sulfate, which is a neutral insoluble copper. It may be applied with airplane or ground application equipment.

FRUITS AND NUTS

ALMONDS: To control Brown Rot and Shot Hole Fungus apply 40 to 50 pounds per acre. Apply in pre-bloom and petal fall period.

APRICOTS: To control Shot Hole Fungus use 40 to 50 pounds per acre. Apply as a fall treatment and in spring at red bud blossom. To control Brown Rot use 40 to 50 pounds per acre and apply in pre-blossom and blossom period.

PEACHES AND NECTARINES: To control Peach Blight and Peach Leaf Curl use 40 to 50 pounds per acre. Apply as a fall treatment and in spring at bud swell. To control Brown Rot and Peach Blight use 40 to 50 pounds per acre. Apply in pre-blossom, blossom and petal fall periods.

CHERRIES: To control Brown Rot and Leaf Spot use 40 to 50 pounds per acre. Apply in popcorn, bloom and petal fall periods.

APPLES AND PEARS: In pre-blossom and blossom periods for the control of Fire Blight and Scab use 15 to 30 pounds per acre. All blossoms must be protected ahead of periods of high humidity. Number of applications to be determined by length of the bloom period. For Scab control after the blossom period use a suitable fungicide which does not contain copper. Do not use on Anjou or Comice varieties of pears.

WALNUTS: To control Walnut Blight use 20 to 50 pounds per acre. Apply in pre-bloom and post-bloom periods.

CITRUS (California): For prevention of Brown Rot use 50 pounds per acre. Apply during the winter months. Treat the ground around the tree and the skirts of the trees to a height of 3 to 4 feet. Give particular attention to covering the fruit. Treat inside as well as outside, covering the trunks and skirts thoroughly. Retreatment may be necessary. Do not disturb soil after treatment. In areas with a history of severe copper damage treat the skirts no more than 2 feet high. Do not apply in areas where copper injury is known to occur or where fumigation with hydrogen cyanide gas is practiced.

BUSHBERRIES (BLACKBERRIES, RASPBERRIES, BOYSENBERRIES, LOGANBERRIES): To control Leaf and Cane Spot and Yellow Rust use 50 pounds per acre. Two applications are necessary. Apply first application when new materials are leafing out, the second when flowers begin to open. A post-harvest application after pruning but prior to the fall rains is of benefit in controlling the above diseases.

FILBERTS: To control Bacterial Blight use 50 pounds per acre. Two applications are necessary. Apply first application in August, the second when half of the leaves have dropped. If the fall is unusually wet, apply a third application when most of the leaves have dropped. Apply dust when trees are wet with dew.

VEGETABLES AND FIELD CROPS

FOR DISEASE CONTROL ON THE FOLLOWING CROPS USE 25 TO 35 POUNDS PER ACRE AT 7 TO 10 DAY INTERVALS TO PROTECT NEW GROWTH THROUGHOUT THE GROWING SEASONS.

MELONS: For control of Downy Mildew, Leaf Blight, Scab and aids in control of Bacterial Wilt.

CARROTS: For control of Leaf Blight.

CUCUMBERS: For control of Downy Mildew, Leaf Blight, Scab and aids in control of Bacterial Wilt.

EGGPLANT: For control of Late Blight.

LIMA BEANS: For control of Downy Mildew, and Pod Spot.

PEPPERS: For control of Late Blight.

LETTUCE: For control of Downy Mildew.

POTATOES: For control of Early and Late Blight.

SQUASH: For control of Downy Mildew, Leaf Blight, Scab and aids in control of Bacterial Blight.

SUGAR BEETS: For control of Leaf Spot.

TOMATOES: For control of Late Blight, Early Blight and Septoria Leaf Spot.

CELERY: For control of Celery Blight.

HOPS: For control of Downy Mildew. As a crown treatment for Early Downy Mildew control apply in the early spring.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY BEFORE BUYING OR USING THIS PRODUCT, read the entire Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary in any way.

Follow the Directions for Use of this product carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop or other plant injury, ineffectiveness, or other unintended consequences may result from such risks as weather or crop conditions, mixture with other chemicals not specifically identified in this product's label, or use of this product contrary to the label instructions, all of which are beyond the control of LOVELAND PRODUCTS, INC. and the seller. The buyer or user of this product assumes all such inherent risks.

Subject to the foregoing inherent risks, LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use when the product is used in strict accordance with such Directions for Use under normal conditions of use. EXCEPT AS WARRANTED IN THIS LABEL, THIS PRODUCT IS SOLD AS IS TO THE EXTENT ALLOWED BY APPLICABLE LAW. LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE.

IN THE UNLIKELY EVENT THAT BUYER OR USER BELIEVES THAT LOVELAND PRODUCTS, INC. HAS BREACHED A WARRANTY CONTAINED IN THIS LABEL, BUYER OR USER MUST SEND, TO THE EXTENT REQUIRED BY APPLICABLE LAW, WRITTEN NOTICE OF SUCH CLAIM TO THE FOLLOWING ADDRESS: LOVELAND PRODUCTS, INC., ATTENTION: LAW DEPARTMENT, 7251 WEST 4TH STREET, GREELEY, CO 80634.

TO THE EXTENT ALLOWED BY APPLICABLE LAW, THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT, INCLUDING BUT NOT LIMITED TO CLAIMS OF BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, STRICT LIABILITY, OR OTHER TORTS, SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. TO THE EXTENT ALLOWED BY APPLICABLE LAW, LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

FORMULATED FOR



P.O. BOX 1286, GREELEY, COLORADO 80632-1286