

CalMax[®]

9-0-0

FOR TREES & VINES

GUARANTEED ANALYSIS

Total Nitrogen (N)	9.00%
0.53% Ammoniacal Nitrogen	
8.27% Nitrate Nitrogen	
0.20% Urea Nitrogen	
Calcium (Ca)	10.00%
Boron (B)	2.00%
Copper (Cu)	0.05%
0.05% Chelated Copper	
Iron (Fe)	0.10%
0.10% Chelated Iron	
Manganese (Mn)	0.10%
0.10% Chelated Manganese	
Zinc (Zn)	0.30%
0.30% Chelated Zinc	

Derived From: Calcium Nitrate and Ammonium Nitrate, Urea, Boric Acid, Copper EDTA, Iron EDTA, Manganese EDTA, and Zinc EDTA.
(EDTA is Ethylenediaminetetraacetic acid)

WARNING: This product contains boron (B) and may be harmful to certain crops. Use only according to manufacturer's directions.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

F1548

FOR AGRICULTURAL OR COMMERCIAL USE ONLY



Loveland
PRODUCTS

GUARANTEED BY:

LOVELAND PRODUCTS, INC. • PO BOX 1286 • GREELEY, CO 80632-1286

DENSITY 12.85 LBS./GALLON (1.54 kg/L) @ 68° F

NET WEIGHT LBS. 32.13 (14.57 kg)

LIQUID MEASURE 2.5 US GALLONS (9.46 L)

calmaxtreesandvines9-0-0_12815 product codes: 1000363832

GENERAL INFORMATION

CalMax® for Trees & Vines is a water-soluble foliar nutritional fertilizer of macro and micronutrients. It is designed for foliar application and may be applied alone or in tank mixes containing pesticides. However, when use of an unfamiliar mix is made, a compatibility test is always recommended. Foliar fertilization is a supplement to a regular fertilizer program and will not supply the total nutrients required by a crop. **CalMax for Trees & Vines** is recommended as a foliar nutrition to be applied to crops where disorders due to insufficient calcium are anticipated.

DIRECTIONS FOR USE

Dissolve the desired amount of **CalMax for Trees & Vines** in water before adding to the spray tank. With proper agitation running, add **CalMax for Trees & Vines** to the spray tank. Add **CalMax for Trees & Vines** to the spray tank before adding pesticides. Spray immediately after mixing. Do not store solution mixed with pesticide! For crops not listed, check with your Loveland Products or Crop Production Services Representative.

SUGGESTED USE RATES

CROP - RATE/ACRE - NUMBER & TIMING OF APPLICATIONS

Almonds: Apply 3-4 pts/acre. Apply 3-4 applications from bud swell through jacket split.

Apples: Apply 3-6 pts/acre. Apply 2-3 applications starting at post thinning through early sizing, including 14-21 days post harvest.

Apricots, Nectarines, Peaches: Apply 3-4 pts/acre. Apply 3 applications – 1st application at bud swell, 2nd application after jacket split, and 3rd application 30-45 days pre-harvest.

Avocados: Apply 3-6 pts/acre. Multiple applications as required. Do not apply within 30 days of harvest.

Caneberries: Apply 3-4 pts/acre 2 applications, one each immediately post bloom and 21-30 days later.

Cherries, Plums Prunes: Apply 3-4 pts/acre. Apply 3-4 applications – 1st application at bud swell, 2nd application at petal fall, 3rd application at first color and 4th application 30-45 days preharvest.

Citrus: Apply 3-6 pts/acre. Multiple applications as required.

Grapes: Apply 2-4 pts/acre. Apply 2-3 applications from post shatter through early ripening.

Table Grapes: Apply 3-4 pts/acre 2-3 applications as required from bloom to ripening.

Hazelnuts: Apply 3-8 pts/acre. Apply 3-4 applications starting at bud swell through early development.

Kiwi: Apply 3-4 pts/acre. Apply 2-3 applications from early fruit formation to ripening.

Ornamentals: Woody Plants: Apply 2-4 pts/acre. Multiple applications during growing season starting at first growth through early fall.

Pears: Apply 3-6 pts/acre. Apply 3-4 applications. 1st application at bud swell, 2nd application 1-2 weeks after petal fall, 3rd application at early fruit sizing and an optional 4th application 40-45 days pre-harvest.

Pistachios: Apply 3-6 pts/acre. Apply 3-4 applications starting at bud swell, 2nd application at green tip and 3rd application at jacket split, followed by a

4th application if required.

Walnuts: Apply 3-6 pts/acre. Apply 2-3 applications - 1st application starting at bud swell, 2nd application at catkin elongation and the 3rd application at first set.

For aerial application: Use a maximum of 3 pints of **CalMax for Trees & Vines** per 10 gallons of water.

Rates suggested are for standard spray volumes of 40-150 gal/acre. For higher volume sprays, rate should be adjusted.

Caution: Store **CalMax for Trees & Vines** in temperatures between 41°F to 104°F and avoid extreme variations in temperature. A reversible separation of ingredients may occur after long storage, this however does not affect quality or effectiveness of the product.

Use caution when applying to fruiting crops in combination with pesticides and/or surfactants.

Use minimal effective rates of stickers during ripening.

Do not use high analysis organo silicones or high analysis non-ionics during ripening. Avoid application to fruit at elevated temperatures (>95°F). Avoid applications to crops under environmental stress or pest pressure. Maximum effectiveness will be obtained when applied early in the morning or after dusk.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565.

STORAGE and DISPOSAL

STORAGE: Store in original containers only. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage area away from children, feed and food products, and seed. Store at ambient temperatures. Do not contaminate water, food, or feed by

storage or disposal. **DISPOSAL:** Do not reuse container. Plastic: Triple rinse (or equivalent), adding rinse water to spray tank, then offer for recycling at an ACRC site (go to <http://www.acrecycle.org/> for locations) or by reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal.

HANDLING: Avoid breathing fertilizer mists. Avoid prolonged or repeated skin contact. Avoid eye contact. Wash hands thoroughly after handling this product.

For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC 1-800-424-9300.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY
BEFORE BUYING OR USING THIS PRODUCT, read the Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary. LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when the product is used in accordance with such Directions for Use under normal conditions of use. LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

Tests have not been carried out under all possible use conditions and Seller cannot and does not represent or warrant that the goods are compatible with all other chemicals or under all use conditions.

CALIFORNIA PROPOSITION 65: WARNING: This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lpi.com>

©CalMax is a registered trademark of InterFarm Inc.



GUARANTEED BY: LOVELAND PRODUCTS, INC. • PO BOX 1286 • GREELEY, CO 80632-1286