

# CHB ROOTMIX



## Guaranteed Analysis

**Total Nitrogen (N)** ..... **0.50%**

**0.15% Ammoniacal Nitrogen**

**0.35% Slowly-Available Water-Soluble Nitrogen\***

**Zinc (Zn)**..... **0.15%**

Derived from Ammonium Hydroxide and Zinc Oxide

\*Slowly Available Nitrogen from fermented grain by-products

## ALSO CONTAINS NON-PLANT FOOD INGREDIENTS:

**0.5% Humic Acids**

Derived from: Leonardite

## NOTICE

Since many pesticide products can be neutralized and/or tied up by soil organic matter, it is highly recommended not to use pesticides applied directly with humic acids. Consult pesticide representative before using on a large scale.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

## CONDITIONS OF SALE

Seller and/or manufacturer warrants only that this product consists of the ingredients specified on this label. No one is hereby authorized to make any warranty and/or guarantee concerning the use of this product. Being that the use, timing, placement, rate, application and other conditions are beyond the control of the seller and/or manufacturer, the seller's and/or manufacturer's liability for handling, storage and use of this product is limited to replacement of product or refund of purchase price.

Quality Concerns? Love our Product?  
Use QR code to let us know ☐



## DIRECTIONS FOR USE

**Applications** - CHB RootMix can be applied by side dress and banding equipment, water run through irrigation systems or sprayed directly on soils with other fertilizer materials. CHB RootMix can also be impregnated into dry fertilizer blends.

**Storage and Disposal** - Store in original containers at temperatures **above freezing**. Dispose waste at approved disposal facility. To dispose of containers, triple rinse and dispose according to local and state regulations.

**It is recommended to shake, stir or agitate containers or tanks of CHB RootMix just prior to usage.**

## SUGGESTIONS FOR USE

CHB RootMix can be soil applied and water run on all crops at rates of 2 to 15 gallons per acre.

It is best to use materials in split applications with other fertilizer and micronutrient products at 1 to 5 gallons per acre in 2 to 3 applications.

Use caution in application to assure coverage on intended treatment areas only.

## GENERAL RECOMMENDATIONS

**Strawberries** - Add 1-3 gallons per acre per week during the growing season.

**All Field & Vegetable Crops** - Apply 1-5 gallons per acre at planting as an side dress. Water run 1-5 gallons per acre during germination or early root growth stage. Water run 1-5 gallons per acre with applied fertilizers during growing season.

**All Tree fruit, Nut Crops, Vines & Canes** - Apply 2-10 gallons per acre in spring and fall during root flush.

## HUMIC ACID / Mixture



### WARNING

H315 CAUSES SKIN IRRITATION

H319 CAUSES SERIOUS EYE IRRITATION

### PRECAUTIONARY STATEMENTS

Keep out of reach of children. Read label before use. Wear protective gloves/protective clothing/eye protection. Avoid contact with skin, eyes, open cuts, or sores. Wash skin thoroughly after handling.



# BioGro



Manufactured by:

Bio-Gro, Inc. • 681 Glade Road • Mabton, WA 98935

Tel: 509-894-4110 Web: [www.BioGro.com](http://www.BioGro.com)

**F002021**

## 8.8 lbs/gallon @ 68° F (1.05 kg/liter)

- ☐ Net Contents: 2 x 2.5 Gal (2 x 9.46 L) ☐ Net Contents: 5 Gal (18.92 L)  
☐ Net Contents: 250 Gal (946 L) ☐ Net Contents: \_\_\_\_\_

BG Rev 139-02/16