

CheckMate®

CRS

A BIOCHEMICAL PESTICIDE FOR MATING DISRUPTION OF THE CALIFORNIA RED SCALE (*Aonidiella aurantii*)



ACTIVE INGREDIENT:
(3S, 6R) (3S, 6S)-3-Methyl-6-isopropenyl-9-decen-1-yl acetate5.86%
Other Ingredients: 94.14%
Total: 100.00%

NET WEIGHT: 70 mg active ingredients per dispenser.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for Precautionary Statements and First Aid.

Suterra®

MANUFACTURED BY:
Suterra LLC
20950 NE Talus Place
Bend, Oregon, USA 97701
1-866-326-6737
FAX (541) 388-3705

EPA Registration No. 56336-71

EPA Establishment No. 56336-OR-1

© 2017 Suterra LLC. All Rights Reserved. SUTERRA, and CHECKMATE are registered trademarks Suterra LLC.

WARRANTY AND LIMITATION OF DAMAGES

To the extent consistent with applicable law, Suterra® LLC warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use. To the extent consistent with applicable law, Suterra LLC neither makes nor authorizes any agent or representative to make any other warranty of fitness or of merchantability, guarantee or representation, express or implied, concerning this material. To the extent consistent with applicable law, Suterra LLC's maximum liability for breach of this warranty shall not exceed the purchase price of this product. To the extent consistent with applicable law, the buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this material contrary to label instructions.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through the skin or inhaled. Causes moderate skin irritation. Avoid contact with skin, eyes or clothing. Avoid breathing vapor. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when contacting a poison control center or doctor, or going for treatment. For emergency information on product, uses, and treatment, etc., call the National Pesticides Information Center at 1-800-858-7378, 6:30 am - 4:30 pm Pacific Time (PT), 7 days a week. Otherwise, call the Poison Control Center at 1-800-222-1222.

ENVIRONMENTAL HAZARDS

FOR TERRESTRIAL USES: Do not apply directly to water, or areas where surface water is present or to intertidal areas below the high water mark.

NET CONTENTS:
1,000
DISPENSERS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CheckMate® CRS is a behavior modifying biochemical product (pheromone) which functions by mating disruption. It is to be used for control of the California Red Scale (*Aonidiella aurantii*) on citrus crops such as oranges, lemons, limes, grapefruit, clementines, tangerines and any other crop where the California Red Scale is a pest.

METHOD OF APPLICATION

The rate of application is 180 dispensers per acre. Do not exceed 150 grams of active ingredient per acre per year. Distribute dispensers uniformly across the orchard. Apply dispensers to a branch in the inner part of the canopy, at mid-height. Choose branches approximately one-inch thick to secure placement. Alternatively structures such as wires can also be used for applying the dispensers. If there is a persistent and prevalent wind, the upwind edge may require reinforcement. Place monitoring traps in the treated area before handling. Monitor treatments carefully. Reseal containers immediately after use. Do not use from damaged, punctured or unsealed containers.

APPLICATION NOTES

Apply the dispensers shortly before the onset of the male flight of the first generation that is being targeted. The best results have been achieved by deploying before the onset of the flight of males of the second generation. This product only affects adult males and will have no effect on females, eggs or nymphs. Monitor adequately the populations and conduct supplemental insecticide applications during the season if needed. Use monitoring and degree-day models to establish the timing of supplemental insecticides.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store container in cool place until used. Reseal containers immediately after use. Store unused product in a refrigerator or freezer not used for food storage.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on-site or at an approved disposal facility.

CONTAINER HANDLING: Dispose of according to local or state regulations.

L17780 CRS Disp. US FG17359 Rev06262017v1