

CITRI-CHE[®] IRON 5%

GUARANTEED ANALYSIS

Iron (Fe).....5.0%
5.0% Chelated Iron (Fe)

Derived from Iron HEDTA and Iron citrate.

KEEP OUT OF REACH OF CHILDREN



WARNING

Causes serious eye irritation. Causes skin irritation. Harmful if swallowed. May cause respiratory irritation.

PRECAUTIONARY STATEMENTS

Wash hands thoroughly after handling. Wear eye and face protection and protective gloves. Avoid breathing mist, spray or fumes. Use only outdoors in a well-ventilated area. Do not eat, drink or smoke when using this product. Store in a well-ventilated and secured place. Keep container tightly closed. Do not store below 32oF (0oC). Store out of direct sunlight. Dispose of contents/container in accordance with Federal, state and local regulations.

FIRST AID

IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison control center or doctor for treatment advice if you feel unwell.

IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse.

IF SWALLOWED: Immediately call a poison control center or doctor for treatment advice. Rinse mouth. In case of medical emergency, call toll free 1-877-424-7452.

For Emergency, Spill, Leak, Fire, Exposure, or Accident, Call: CHEMTREC 1-800-424-9300

F1683

Distributed and Guaranteed By:
Winfield Solutions, LLC
P.O. Box 64589
St. Paul, MN. 55164-0589

Weight per gallon 10.54 lbs. (4.79 kg)
Net contents: 2.5 gallons (9.46 L)
Net Weight: 26.35 lbs. (11.96 KG)
1/0520/9

GENERAL INFORMATION

CITRI-CHE® Iron 5% contains 5% chelated iron in a form readily available to plants. It is recommended for use as an additive in liquid fertilizer and can also be used as a foliar spray. CITRI-CHE Iron 5% is compatible with herbicides, insecticides, and most agricultural chemicals that may be utilized in combination with liquid fertilizer. CITRI-CHE Iron 5% is most effective when placed in the root zone during planting or moved into the soil by irrigation, tillage, or rainfall. It is important that the iron deficiency be treated before visual symptoms appear to insure proper yields. Rates of application will vary depending upon the severity of the deficiency, climate, soil conditions, and method of application.

DIRECTIONS FOR USE

This product is for use on all food and fiber crops. These are general recommendations. Consult your State Agricultural Experiment Station, Extension Specialists or Winfield representative for advice in selecting treatments from this label to best fit your crop and local conditions.

Soil application: CITRI-CHE Iron 5% can be applied in water or in combination with liquid fertilizer for pre-plant, starter, or side-dress applications. The most effective treatment of row crops is soil applications in a band at planting time or as a side-dressing shortly after planting. For dry fertilizer applications, use Winfield LS granular micronutrients.

Foliar Application: CITRI-CHE Iron 5% diluted with water according to label recommendations can be applied as a foliar spray. To ensure even distribution on the leaf surfaces and increase the effectiveness of foliar application, a small amount of wetting agent or detergent may be added.

SOIL APPLICATION

Deficiency Level	Rate Banded	Rate Broadcast
Mild	1-2 qt/acre	1-3 qt/acre
Moderate	2-3 qt/acre	3-5 qt/acre
Severe	3-4 qt/acre	5-8 qt/acre

FOLIAR APPLICATION

By ground, apply 1-2 pints per acre in a minimum of 20 gallons of water. By air, apply 1-2 pints per acre in a minimum of 5 gallons of water.

APPLICATION WITH IRRIGATION WATER

PIVOT, SPRINKLER, OVERHEAD AND SOLID SET IRRIGATION: Apply within 2 weeks of planting and before flowering using 1 to 4 quarts per acre or the dosage rates and timing recommended by your State Agricultural Experiment Station, Extension Specialists or Winfield Regional Plant Nutrition Specialist. This product may be mixed with most liquid fertilizers or pesticides before injection. Use a back-flow check valve to prevent material from back siphoning into water system.

MIXING INSTRUCTIONS

Add ½ of water and/or liquid fertilizer mix to the tank. Start agitation. Add correct amount of CITRI-CHE Iron 5%. Add remainder of fertilizer, and continue strong agitation until mixed. Other chemicals, if used, should be added after the fertilizer-micronutrient mix has been prepared.

If there are questions regarding compatibilities of other substances with CITRI-CHE Iron 5%, conduct a jar pilot test to determine the mixing characteristics of the different materials.

NOTE

A number of variables influence the rate of application necessary to control or correct a specific deficiency. For best results follow good agronomic practices, soil test and, if necessary, use tissue analysis.

Information regarding the contents and levels of metals in this product is available on the internet at:
<http://www.aapfco.org/metals.html>

WARRANTY DISCLAIMER

WINFIELD SOLUTIONS, LLC warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to Directions for Use. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NOR IS ANY REPRESENTATIVE OF SELLER AUTHORIZED TO MAKE ANY SUCH WARRANTY OR MODIFY THESE TERMS. This warranty does not extend to the storage, handling or use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such storage, handling or use. Seller shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty.

CITRI-CHE® is a registered trademark of Winfield Solutions, LLC.