

D2BIO

# CUSTOS

BACTERICIDE AND FUNGICIDE

## ACTIVE INGREDIENTS

Garlic Oil	75%
Excipient *	20%
Rosemary Oil	4%
Peppermint	1%

\*Organic Soya Lecithin



This product has not been registered by the United States Environmental Protection Agency. D2BIO represents that it is exempt from registration under the Federal Insecticide, Fungicide and Rodenticide Act [FIFRA § 25 (b)] as a minimum risk pesticide.

**For use on low-THC cannabis or medical cannabis by approved Florida Dispensing Organizations.**

## KEEP OUT OF REACH OF CHILDREN



## WARNING

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMAN AND DOMESTIC ANIMALS

Harmful if swallowed. Causes skin irritation and serious eye irritation. May cause allergic skin reaction and respiratory irritation. Wear protective eyewear and gloves when mixing or handling concentrate. Avoid breathing vapors/spray. Use only outdoors or in a well-ventilated area. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Take off contaminated clothing and wash before reuse.

#### FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

IF SWALLOWED: Rinse mouth.

Call a poison center or doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

IF ON SKIN: Wash with plenty of water.

If skin irritation or rash occurs, get medical attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. PESTICIDE STORAGE: Store locked up in original container in a cool, well-ventilated area away from children, animals, foods, feeds, and seeds. Avoid excessive heat and freezing temperatures. Keep container tightly closed during storage.

PESTICIDE DISPOSAL: Dispose of contents/container in accordance with local regulations. CONTAINER DISPOSAL: Triple rinse (or equivalent) during mixing and loading.

Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at [www.acrecycle.org](http://www.acrecycle.org). Decontaminated containers may also be disposed of in a sanitary landfill.

#### **DIRECTIONS FOR USE**

Read the entire label before using this product. Use only according to label instructions. SITES:

CUSTOS is used on amenity/ornamental plants/crops grown for their reproductive and/or vegetative components used for feed, food, fuel, fiber and medicinal purposes. This includes use on cannabis (marijuana and industrial hemp) in states where cannabis (marijuana and industrial hemp) is legal.

PESTS: CUSTOS has been shown effective in controlling bacterial pests such as: *Pseudomonas* spp., *Xanthomonas* spp., *Ralstonia* spp. And *Erwinia amylovora*. In addition, this product has shown control or suppression of fungal diseases caused by: *Alternaria dauci*, *Blumeria graminis*, *Botrytis cinerea*, *Cladosporium cucumerinum*, *Fusarium graminearum*, *Phytophthora infestans*, *Plasmopara viticola*, *Phythium irregulare*, *Rhizoctonia solani*, *Sclerotinia sclerotiorum*, and *Venturia inequalis*.

MIXING: Shake well before using. The use of adjuvants (spreaders and/or penetrants) is highly recommended for improving performance. Fill spray tank 1/2 full with intended amount of water. Add this product at recommended rate, then other products as desired, and continue filling with water. Maintain agitation while mixing and during application for best results. Always clean tank, pump and lines thoroughly with water after use.

REI/PHI: This product does not require a restricted entry interval nor a pre-harvest interval. It can be applied to crops at any time up to and including the day of harvest.

APPLICATION: For best results, spray coverage should be uniform and complete.

Spray droplet size should be adjusted to maximize coverage and minimize drift. Begin spraying when disease first appears or conditions for disease development are favorable. Do not wait until plants are heavily infected. Use lower rates for prevention and/or light to moderate disease pressure and higher rates for heavy infestations. Repeat as needed (5 day minimum interval) to maintain desired level of control. There are no restrictions on the number of applications per season.

GROUND SPRAY: Applications of this product may be made with standard field sprayers and backpack or other hand-held spray equipment.

PLANT SAFETY: Rate recommendations are based on product testing on a wide variety of plants. However, not all plant species/varieties/cultivars have been tested with this product, applied alone or with possible spray mix combinations (adjuvants, fertilizers, or other pesticides). Test spray a few leaves with intended spray mix 1 day before spraying entire plant. Do not use if leaf burn or spotting is observed. Use with care on plants with tender establishment. Do not apply to wilted or otherwise stressed plants, or to newly transplanted material prior to root establishment. Do not apply when the temperature is >90°F.

**RATE RECOMMENDATIONS:**

<b>CROPS</b> Grown outdoors, in greenhouse, shadehouses and nurseries; including but not limited to	<b>RATE</b>
<b>ORNAMENTALS_INDOORS</b> (greenhouses, interior plantscapes, lath and shadehouses): Bedding and flowering plants, Foliage plants, Groundcovers, Shrubs, Evergreens, Ornamental trees.	1-3.5 teaspoons per gallon of spray solution Or
<b>ORNAMENTALS_OUTDOORS</b> (nurseries and commercial, industrial, recreational and residential outdoor landscapes): Bedding and flowering plants, Foliage plants, Groundcovers, Shrubs, Evergreens, Ornamental trees	1.5-6 fl.oz. per 10 gallons of spray solution
<b>TURF:</b> Golf courses, Cemeteries, Parks, Sports fields, Lawns, Turfgrass grown for sod or seed	
<b>Herbs and Spices:</b> Anise, Basil, Dill, Mint, Peppermint, Spearmint, Thyme, Wintergreen	3-20 fl. oz. in a minimum spray volume of 20 gallons per acre according to plant/flower growth.

LIMITED WARRANTY: D2BIO warrants that the Product conforms to the chemical description given on this label and is reasonably fit for the purpose stated when used in accordance with label directions under normal conditions of use. D2BIO and Seller make no other warranties, express or implied, including warranty of merchantability or fitness for a particular purpose. Buyer and User accept all risks arising from any use of this Product. To the extent allowed by law, D2BIO and the Seller shall not be liable to the Buyer or User of this Product for any consequential, special, incidental or indirect damages.

NET CONTENTS: 5 liters

D2BIO

Manufactured by : Phytoauxilium, 15 Avenue de Nantes, 49280 La Séguinière, France