



EDT CONCENTRATE

DEPOSITION AID

	%BY WT.
PRINCIPAL FUNCTIONING AGENTS:	1.3%
Polyacrylamide polyvinyl polymer complex	
CONSTITUENTS INEFFECTIVE AS SPRAY ADJUVANTS	<u>98.7%</u>
TOTAL	<u>100.0%</u>

WA Reg. No. 2935-04003

KEEP OUT OF REACH OF CHILDREN



WARNING

May cause an allergic skin reaction.

PRECAUTIONARY STATEMENTS

Wear rubber or chemical-resistant gloves. Avoid breathing mist or vapor. Contaminated work clothing must not be allowed out of the workplace.

FIRST AID	
If on skin:	<ul style="list-style-type: none"> • Wash with plenty of water. • If skin irritation or rash occurs: Get medical attention. • Wash contaminated clothing before reuse.
<p>Have the product container with you when calling a poison control center or doctor, or going for treatment. You may also contact EMERGENCY TELEPHONE NUMBERS:</p> <p>(800) 424-9300 CHEMTREC (transportation and spills) (800) 222-1222 POISON CONTROL CENTER (human health) (888) 426-4435 ASPCA (animal health)</p>	

GENERAL INFORMATION

EDT CONCENTRATE IS AN EFFECTIVE, EASY-TO-USE DEPOSITION AID FOR INCREASING DEPOSITION AND CANOPY PENETRATION IN SPRAYING OPERATIONS.

One gallon of EDT CONCENTRATE treats up to 200 gallons of spray solution.

Do not use with dormant oils, ULV oils, or where fertilizer is substituted for water as the carrier for pesticide sprays.

NOT FOR AQUATIC USE.

DIRECTIONS FOR USE

Step 1: Select correct EDT CONCENTRATE dosage from chart.

Step 2: Shake EDT CONCENTRATE before using. For optimum results, add wettable powder pesticides before EDT CONCENTRATE. Add liquid pesticides EDT CONCENTRATE. When using liquid micronutrients, a jar test for compatibility and order of addition is strongly recommended. Wetter spreaders may be added before or after EDT CONCENTRATE. EDT CONCENTRATE should be added to the agitating tank mix. For tanks with weak agitation, added EDT CONCENTRATE during the tank filling.

Step 3: Continue to agitate the mix tank before use.

Pesticide label must be followed when spraying pesticides EDT CONCENTRATE can improve deposition of pesticides in the target swath and can reduce, but not totally eliminate drift.

Spray equipment should be rinsed after use. Follow all clean up procedures as noted on label of the pesticide used.

DOSAGE CHART

Ground Application	EDT CONCENTRATE Dosage
Air Blast Sprayer	1-3 quarts per 100 gallons spray solution
Controlled Droplets Applicators	1 pint-2 quarts per 100 gallons spray solution

Spray Pressure	Nozzle Type	EDT CONCENTRATE Dosage
Up to 30 PSI	Flat Fan, Flood Jet Off Center	1-3 quarts per 100 gallons spray solution 2-6 quarts per 100 gallons spray solution
30-50 PSI	Flat Fan, Flood Jet Off Center Hollow Core or Raindrop Spray Guns	1½-6 quarts per 100 gallons spray solution 3-8 quarts per 100 gallons spray solution 1-3 quarts per 100 gallons spray solution 1-8 quarts per 100 gallons spray solution

Aerial Application

Spray Pressure	Nozzle Orientation	EDT CONCENTRATE Dosage
Up to 45 PSI	Straight Back	2-6 quarts per 100 gallons spray solution
Up to 45 PSI	45° angle in back position	3-8 quarts per 100 gallons spray solution

USE RESTRICTIONS

Not for aquatic use.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Store in original container only and keep tightly sealed. Store in closed storage areas.

PRODUCT DISPOSAL: Dispose of contents in accordance with all government regulations. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER HANDLING: Dispose of container in accordance with all government regulations. Triple rinse (or equivalent), then offer for recycling, if available, or reconditioning, if appropriate. Alternatively, puncture and dispose of the container in a sanitary landfill, or by other procedures approved by state and local authorities.

Recycling cleaned containers is the best option of container disposal. The ACRC (Agricultural Container Recycling Council) operates the national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at www.acrecycle.org.

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

ALL STATEMENTS MADE HEREIN ARE SUBJECT TO APPLICABLE LAW, AND TO THE EXTENT THERE IS ANY INCONSISTENCY OR CONTENTION, APPLICABLE LAW SHALL GOVERN.

The Directions for Use of the product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of many different factors including, without limitation, manner of use or application, weather, combination with other products, or crop conditions. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Manufacturer and Seller harmless from any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label. EXCEPT FOR THIS WARRANTY, THE PRODUCT IS FURNISHED "AS-IS", AND NEITHER SELLER NOR MANUFACTURER MAKES ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT; SELLER AND MANUFACTURER SPECIFICALLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE BEYOND WHAT IS STATED ON THE LABEL. Buyer and User accept all risks arising from any use of this product, including without limitation, uses contrary to label instructions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Manufacturer.

Neither Manufacturer nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT, OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

These Conditions of Sale and Limitation of Warranty and Liability shall be interpreted, unless otherwise required by the law of the state of purchase, in accordance with the laws of the State of California, excluding its conflicts of laws rules, and may not be amended by any oral or written agreement.

WILBUR-ELLIS® logo, Ideas to Grow With®, ADJUVANTS Tri-Droplet® logo are registered trademarks of Wilbur-Ellis Company LLC.

F-033115

**In Case of Emergency, Call CHEMTREC:
(800) 424-9300**

**WILBUR-ELLIS COMPANY LLC
P.O. BOX 16458 • FRESNO, CALIFORNIA 93755
(559) 442-1220**

NET CONTENTS: