

M S O

High Surfactant Methylated Seed Oil Concentrate Spray Adjuvant

For post-emergence applications with herbicides.

PRINCIPAL FUNCTIONING AGENTS:

Methylated Seed Oil	60.0%
Surfactant, Emulsifier Blend	40.0%
TOTAL:.....	100.0%

Ingredients exempt from tolerance under 40 CFR 180.

KEEP OUT OF REACH OF CHILDREN
CAUTION

See **FIRST AID**

Read Entire Label Before Using This Product
SHAKE WELL BEFORE USING



FARMERS VALUE

crop protection & nutrient efficiency



MSO High Surfactant Methylated Seed Oil Concentrate Spray Adjuvant

DIRECTIONS FOR USE

MSO may be used with products registered for: Agricultural, Industrial, Forestry Site Prep, Municipal, Non-cropland, Utility and Road-side rights-of-way, Ornamentals, Turf and other uses. The addition of an adjuvant to some pesticides or tank mix combinations may cause phytotoxicity to foliage or fruit of susceptible crops. Refer to the label of the tank mixture partner(s) for any additional use instructions or restrictions. Always follow the most restrictive label. MSO may be applied by high or low volume ground, aerial or any type of equipment recommended by pesticide labels. Not for aquatic use.

Note: Care should be exercised when spray containing MSO, is applied to new crop varieties or highly inbred crop lines not previously sprayed with this product. It is recommended that a small test area be treated before spraying large areas. Use care when pesticides are more active, such as during periods of hot or humid conditions.

ENVIRONMENTAL HAZARDS

Do not contaminate water sources by cleaning of equipment or disposal of wash water

USE INFORMATION

MSO is a superior blend of special emulsifier, surfactants and methylated seed oil, designed to enhance pesticide performance when compared to standard Methylated Seed Oils (MSO) or Crop Oil Concentrates (COC). Use a minimum of 4 to 8 fluid ounces per acre or at 50% of the recommended rate of either standard Methylated Seed Oil or Crop Oil Concentrate.

MSO will optimize the performance of many glyphosate tank mixes. Always read herbicide labels for specific directions on using MSO's.

MIXING: To prepare sprays containing MSO, fill the spray tank half full with water, add the proper amount of pesticide, fertilizer or micronutrient as directed by its label and then add MSO. Maintain agitation during the entire process. Continue agitation before and during each application to ensure a uniform spray. For tank mix compatibility concerns, conduct a jar test of the proposed mixture to ensure compatibility of all components. Mix the components in the same ratio as the proposed tank mix.



FARMERS VALUE
crop protection & nutrient efficiency

Net Contents: 2.5g

FIRST AID

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PRODUCT STORAGE: May be stored below 32°F if thawed and thoroughly agitated before use. Keep container closed in storage. Do not allow water to be introduced. Store only in original container.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler, visit the ACRC web page at www.acrcycle.org. Decontaminated containers may also be disposed of in a sanitary land fill.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes eye and skin irritation. Harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, smoking tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Wear chemical-resistant gloves, long-sleeved shirt and long pants, and shoes plus socks when mixing or applying this product.

WARRANTY: OUR DIRECTIONS FOR USE of MSO are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, and mixtures with other chemicals not specifically recommended and other influencing factors in the use of MSO are beyond the control of the seller. To the extent consistent with applicable law, Buyer assumes all risks of use, storage and handling of MSO not in strict accordance with directions given herewith. To the extent consistent with applicable law, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of MSO when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.