FBN Clethodim Adjuvant

EMI	II SI	FΔR	IF	CON	ICEN	JTR/	1TF
LIVIL	JLOI	FAD		CUI	CLI		4 I L

FOR USE WITH THE POST-EMERGENCE HERBICIDE FBN CLETHODIM 240

COMMERCIAL (AGRICULTURAL)

ACTIVE INGREDIENT: Phosphate Ester Surfactant30%

REGISTRATION NO. 33357

PEST CONTROL PRODUCTS ACT

WARNING: CAUSES SEVERE EYE AND SKIN IRRITATION

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

NET CONTENTS: 1L - BULK

Farmer's Business Network Canada, Inc. PO Box 5607 High River, Alberta Canada T1V 1M7

1-844-200-FARM (3276)

FOR EMERGENCY MEDICAL ASSISTANCE (HUMAN OR ANIMAL) CONTACT ROCKY MOUNTAIN POISON CONTROL AT 1-866-767-5041.

FOR CHEMICAL EMERGENCY ASSISTANCE (SPILL, LEAK, FIRE OR ACCIDENT) CONTACT CHEMTREC AT 1-800-424-9300 (NORTH AMERICA) OR 1-703-527-3887 (INTERNATIONAL).

DIRECTIONS FOR USE:

FBN Clethodim Adjuvant is only to be used in a tank-mix with the postemergence herbicide **FBN CLETHODIM 240** for control of grass weeds, volunteer cereals and quackgrass.

FBN Clethodim Adjuvant is to be used in a tank-mix with **FBN CLETHODIM 240** in seedling alfalfa, highbush blueberry, canola, coriander, dill, caraway, fenugreek, cranberry, flax (including low linolenic acid varieties), oriental (brown) mustard (condiment and oilseed types), yellow mustard, dry bulb onions and garlic, potatoes, prairie carnations, safflower, soybeans, spinach, sunflowers, basil, red garden (table) beet, parsnip, carrot, radish, cherry (sweet and tart), certain herbs and spices, hops, *Brassica carinata*, and dried shelled beans and peas [including Bean (*Lupinus* spp.) (includes grain lupin, sweet lupin, white lupin and white sweet lupin); Bean (*Phaseolus* spp.) (includes field bean, kidney bean, lima bean (dry), navy bean, pinto bean, tepary bean); Bean (*Vigna* spp.) (includes adzuki bean, blackeyed pea, catjang, cowpea, Crowder pea, moth bean, mung bean, rice bean, southern pea, urd bean); Broad bean (fava bean) (*Vicia faba*); Chickpea (garbanzo bean) (*Cicer arietinum*); Guar (*Cyamopsis tetragonoloba*); Lablab bean (hyacinth bean) (*Lablab purpureus*); Lentil (*Lens esculenta*); Pea (*Pisum* spp.) (includes field pea); Pigeon pea (*Cajanus cajan*)].

FBN Clethodim Adjuvant is to be used at 0.5% v/v-1.0% v/v with the recommended rate of **FBN CLETHODIM 240** as specified on the product label.

PRECAUTIONS:

WARNING: Causes severe eye and skin irritation.

KEEP OUT OF REACH OF CHILDREN.

Avoid contact with skin, eyes and clothing. Wear long sleeved shirt, long pants during all activities and goggles, face shield and chemical resistant gloves during mixing, loading, clean up and repair activities. Wash concentrate from skin or eyes immediately. Avoid breathing vapours or spray mist. Avoid working in spray mist. After use, wash hands and other exposed skin thoroughly. Store the container tightly closed away from seeds, fertilizer, plants and foodstuffs. Avoid contamination of ponds, streams, rivers and other water sources.

FIRST AID:

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE: Store this product away from food or feed. May be stored at any temperature.

DISPOSAL:

Recyclable Container Disposal: DO NOT reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

- 1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
- 2 Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial or territorial requirements.

Disposal of Unused, Unwanted Product: For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial or territorial regulatory agency. Contact the manufacturer and the provincial or territorial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offense under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.