

FERROXX[®] AQ

SLUG AND SNAIL BAIT

Read Entire Container Label Before Using This Product

The active ingredient in this product is exempt from the requirement for a tolerance when used as a molluscicide in or on all food commodities. Can be used around domestic animals (pets) and wildlife.

Active Ingredient:	By weight
Iron phosphate	3.0 %
Other Ingredients	97.0 %
Total	100.0 %

NET WEIGHT 50 LBS

EPA Reg No. 67702-49 EPA Est No. 67702-DEU-2

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

If in eyes

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information concerning this product, call the Poison Control Center 1-800-222-1222.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE

Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty metal drum, plastic bag, box or plastic tote into application equipment. Then dispose of empty metal drum, plastic bag, box or plastic tote in a sanitary landfill, or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION.

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE) Requirements

Applicators and other handlers must wear: long-sleeved shirts and long pants; and shoes plus socks. Follow manufacturer's instructions for maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

For aquatic uses: Do not apply directly to treated, finished drinking water reservoirs or drinking water receptacles when the water is intended for human consumption. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a manner that will contact workers or other persons, either directly or through drift. Only protected workers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency representative responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about Personal Protective Equipment (PPE) and the restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS).

There is a restricted-entry interval of four hours for this product.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

There are no restrictions.

HOW TO APPLY

Apply bait granules around or over the plants to be protected at the rate of 4-15 lbs per acre (0.09-0.34 lbs per 1000 sq. ft.) and reapply as the bait is consumed or as needed. For heavy pest pressure apply 20-25 lbs per acre. Do not place in piles.

Broadcast or Aerial Application: Apply uniformly with appropriate, calibrated equipment within the application rates on this label. Do not apply when weather conditions favor drift from treated areas. Test for phytotoxicity prior to broadcast or aerial application on sensitive soft leaved plants such as leafy greens and herbs, or take precautions to avoid contact with sensitive plant parts. **Aquatic Application:** For the control of aquatic slugs or snails, such as Golden Apple Snail, apply at a rate of 20-44 lbs per acre (0.46-1.0 lbs per 1000 sq. ft.). Broadcast or aerial applications may be made to crops that are flooded intentionally, such a rice and taro. Apply the bait directly to the water in likely areas of infestation. Re-apply if the infestation is severe. Use the higher application rates for larger snails. The water level should be high enough such that the target pests don't estivate.

WHEN TO APPLY

For best results, apply the bait in the evening, as slugs and snails travel and feed mostly by night or early morning.

WHERE TO APPLY

Treat all likely areas of infestation, especially around the base of plants, between rows and around the perimeter of the plot to provide a protective "barrier" for slugs and snails entering the field.

Vegetables

Apply bait to protect any vegetables from slug and snail damage, such as:

Artichoke

Asparagus

Root and Tuber Vegetables: beet, carrot, ginger, ginseng, parsnip, potato, radish, rutabaga, sweet potato, sugar beet, taro, turnip, yam

Bulb Vegetables: dry bulb onion, garlic, great-headed elephant garlic, green onion, leek, onion, shallot, Welch onion

Leafy Vegetables and Leaves of Root and Tuber and

Legume Vegetables: arugula, beet, blackeyed pea, celery, lettuce, pea, rhubarb, spinach, Swiss chard, turnip greens, watercress

Cole Crops and Brassica Leafy Vegetables: broccoli, broccoli raab, Brussels sprouts, cabbage, canola, cauliflower, cavalo, Chinese broccoli, Chinese cabbage (bok choy), Chinese/napa cabbage, Chinese mustard cabbage (gai choy), collards, kale, kohlrabi

Legumes: beans and peas, soybean

Cucurbit Vegetables: cantaloupe, cucumber, edible gourd, honeydew, melon, muskmelon, pumpkin, summer squash, watermelon, winter squash

Fruiting Vegetables: eggplant, ground cherry, okra, pepino, pepper, tomatillo, tomato

Corn: field corn, sweet corn, pop corn

Fruits (Including Citrus) and Nuts: Apply bait to protect fruits and nuts from slugs and snails, such as:

Banana, Plantain, Fig, Grape, Kiwi

Tropical Tree Fruits: avocado, guava, mango, papaya, passion fruit

Citrus Fruits: calamondin, citron, grapefruit, kumquat, lemon, lime, mandarin orange, pummelo, tangerine, tangelo

Pome Fruits: apple, crabapple, loquat, mayhaw, pear, quince

Stone Fruits: apricot, cherry, nectarine, peach, plum, prune

Berries: bushberries (blueberry, currant, elderberry, gooseberry, huckleberry, juneberry, ligonberry, salal), caneberries (blackberry, boysenberry, loganberry, red and black raspberry), cranberry, strawberry

Tree Nuts, Peanuts and Pistachios: tree nuts (almond, cashew, chestnut, filbert, macadamia nut, pecan, walnut), peanut (*not for use in CA), pistachio

Herbs: Apply bait to protect herbs from slugs and snails, such as: angelica, balm, basil, borage, burnet, chamomile, catnip, chervil, chive, clary, costmary, cilantro, curry, dillweed, horehound, hyssop, lavender, lemongrass, lovage, marigold, nasturtium, parsley, pennyroyal, peppermint, rosemary, rue, sage, savory, spearmint, sweet bay, tansy, tarragon, thyme, wintergreen, woodruff and wormwood

Hops: Apply bait to protect hops from slugs and snails.

Grass and Legumes Grown for Seed Production, Forage, Sugarcane, and Cereal Crops (such as: wheat, barley, oats and rye): Apply bait to grass grown for seed production, grass crops, sugarcane, legume forage, including legumes grown for seed production (such as clover and alfalfa), and small cereal grains (such as barley, buckwheat, corn, grain amaranth, milo, oats, pearl millet, proso millet, rice, rye, sorghum, triticale, wheat).

Commercial Turf, Sod, Golf Courses and Grass Buffers around Gardens and Ornamentals: Apply bait to lawns, athletic fields, and recreational areas including schools and parks, to commercial turf, sod, and golf courses, and to grass buffers around gardens and ornamentals.

Outdoor Ornamentals: Apply bait to protect herbaceous and woody plants, greenhouse ornamentals, outdoor container-grown nursery plants, tree farms and plantations (conifers, including Christmas trees, and deciduous trees).

Greenhouses: Apply bait to greenhouse benches, floors and in or around the pots and containers.

Pastures, Rangeland, Forests, Parks, Playgrounds, Cemeteries, Picnic Areas, Roadsides, Campgrounds, Industrial Sites, Fallow Land, Barrier Strip and Buffer Zones: Use to protect non-crop areas, such as: pastures, rangeland, forests, parks, playgrounds, cemeteries, picnic areas, roadsides, campgrounds, industrial sites, fallow land, barrier strips, and buffer zones.

The slugs and snails controlled by this product include (but are not limited to): *Deroceras reticulatum* (Field slug), *Deroceras laeve* (Smooth slug), *Arion subfuscus* (Dusky slug), *Arion circumscriptus* (Gray garden slug), *Arion hortensis* (Black field slug), *Arion rufus* (Large red slug), *Arion ater* (Large black slug), *Limax flavus* (Spotted garden slug), *Limax tenellus* (Slender slug), *Ariolimax columbianus* (Banana slug), *Pomacea canaliculata* (Golden Apple Snail) *Achatina fulica* (Giant African land snail), *Helix* spp., *Helicella* spp., and *Cepaea* spp.

WARRANTY

To the extent consistent with applicable law, the seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with the directions for use. This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied.

Can be used up to and including day of harvest.

Remains effective after rain or sprinkling.

US Patent number 6,352,706

Small pellets for greater coverage.

Batch Code: See Bag!



Registrant:

W. Neudorff GmbH KG

An der Mühle 3 · 31860 Emmerthal · Germany

Phone: 250-652-5888 · www.neudorffpro.com