Foliar Nutrient 3

Solution

READ ENTIRE CONTAINER LABEL BEFORE USING THIS PRODUCT

GUARANTEED ANALYSIS	
Total Nitrogen (N)	
10% Urea Nitrogen	
Available Phosphate (P2O5)	
Sulfur (S)	
Manganese (Mn)	
Zinc (Zn)	
Derived from: Urea, Phosphoric Acid, Manganese Sulfate and Zinc Sulfate.	

ANALYSIS AS SPRAY ADJUVANT

PRINCIPAL FUNCTIONING AGENTS:	
Phosphoric Acid	
Manganese Sulfate	
Zinc Sulfate	
INERT INGREDIENTS	
TOTAL	
California Reg. No. 34704-50083	

KEEP OUT OF THE REACH OF CHILDREN CAUTION

NET CONTENTS:

4 x 1 U.S. Gallon (4 x 3.785 L)

5 U.S. Gallons (18.925 L)

Density: 10.73 Lbs. @ 68 °F

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, absorbed through skin or inhaled. Avoid breathing vapor or spray mist. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing before reuse. **Personal Protective Equipment:** Wear long-sleeved shirt and long pants, socks, shoes and chemical-resistant gloves.

First Aid: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL 1-866-944-8565.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-lpi.com/

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to interidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwater.

DO NOT REUSE CONTAINER Corrosive Liquid, N.O.S. UN 1760 (Contains Phosphoric Acid)

DIRECTIONS FOR USE

ACIDIFYING AGENT: Will lower the pH of alkaline water, thus increasing the effectiveness of all phosphate, carbamate and chlorinated hydrocarbon insecticides and lengthening their residual life.

COMPATIBILITY: Compatible with most insecticides and minor elements with the exception of compounds containing sabadilla used on citrus. Caution should be used with copper fungicides as this material may increase their solubility.

NOT FOR AQUATIC USE IN WASHINGTON.

SUGGESTED USES

ALMONDS, APRICOTS, NECTARINES, PEACHES, PLUMS, WALNUTS: Apply in delayed dormant period continuing through spring period. Apply 1.0 to 2.0 quarts per acre per application. Several applications per year are advised.

ALFALFA: For seed formation, apply in period prior to bloom followed by 3 to 4 applications every 10 days. Apply 1.0 to 2.0 quarts per acre in 10.0 to 30.0 gallons of water.

ARTICHOKES, ASPARAGUS, CARROTS, CELERY, GARLIC, ONIONS, PEPPERS, POTATOES, SPINACH: Apply 1.0 to 2.0 quarts per acre as often as needed.

BARLEY, MILO, OATS, RICE, WHEAT: Apply in seeding stage. Apply 1.0 to 2.0 quarts per acre per application.

BEANS, PEAS: Apply 1.0 to 2.0 quarts per acre just prior to bloom stage.

BOYSENBERRIES, BLACKBERRIES, STRAWBERRIES: Apply 1.0 to 2.0 quarts per acre.

CITRUS: Apply 1.0 to 2.0 quarts per acre

COLE CROPS: Broccoli, Brussels Sprouts, Cabbage, Cauliflower: Apply 1.0 to 2.0 quarts per acre. 1 to 2 applications per season.

CORN: Apply 1.0 to 2.0 quarts per acre in 20.0 gallons of water per acre. Best period is when the tassels are first appearing.

COTTON: 1 to 3 applications starting at period prior to main bloom. Apply 1.0 to 3.0 quarts per acre.

GRAPES: 3 applications per year, starting with period of bloom. Apply 1.0 to 2.0 quarts per acre.

LETTUCE: 1 to 4 applications at 10-day intervals starting at thinning period. Apply 1.0 to 2.0 quarts per acre.

CANTALOUPES, CUCUMBERS, ITALIAN SQUASH, MELONS: Apply 1.0 to 2.0 quarts per acre with maximum concentration of 1.0 to 2.0 quarts in 15.0 gallons of water.

ORNAMENTALS AND FLOWER CROPS: Apply 1.0 to 2.0 quarts per acre in sufficient water to cover.

SUGAR BEETS: Apply 1.0 to 2.0 quarts per acre. Several applications at 10- to 15-day intervals may be needed.

TOMATOES: Apply 1.0 to 2.0 quarts per acre every 10 to 15 days in the period just before and during fruiting period.

STORAGE AND DISPOSAL

STORAGE - Store in a cool, dry place. Store in original container. Keep container tightly closed. Do not reuse empty container. DISPOSAL - Do not contaminate water, food or feed by storage or disposal. Wastes may be disposed of on-site or at an approved waste disposal facility. Triple rinse (or equivalent) adding rinse water to spray tank. Offer container for recycling or dispose of container in sanitary landfill, or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler, visit the ACRC web page at www.acrecycle.org.

For help with any spill, leak, fire or exposure involving this material, call day or night CHEMTREC: 1-800-424-9300.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary. LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when the product is used in accordance with such Directions for Use under normal conditions of use. LOVELAND PRODUCTS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF LOVELAND PRODUCTS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT. LOVELAND PRODUCTS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL. SPECIAL, OR INDIRECT DAMAGES. OR DAMAGES IN THE NATURE OF A PENALTY.

