

# FS TankMax™



## Compatibility Agent

### PRINCIPAL FUNCTIONING AGENTS

Polyethylene glycol tridecyl ether phosphate, ethylene glycol monobutyl ether .....	80%
Constituents Ineffective As Spray Adjuvants .....	20%
TOTAL .....	100%

All ingredients are approved for use under 40 CFR 180


### KEEP OUT OF REACH OF CHILDREN WARNING



### PRECAUTIONARY STATEMENTS

Causes skin irritation and serious eye irritation. If medical advice is needed, have product container or label at hand. Read label before use. Wash protective equipment and work clothes thoroughly after handling. Wear protective gloves and eye protection. Specific treatment is given in the First Aid section on this label or on the SDS. Take off contaminated clothing and wash it before reuse.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)



Applicators or other handlers of this product should wear: protective eyewear, long-sleeved shirt, long pants, socks, shoes and barrier laminate, neoprene rubber, nitrile rubber or Viton® gloves. When mixing and loading wear a chemical-resistant apron. Consult the SDS for further information.

### FIRST AID

**If Swallowed:** Call a POISON CENTER/doctor or Chemtrec if person feels unwell. Rinse mouth. Have person sip a glass of water if able to swallow. **Do not induce vomiting** unless told to by a poison control center or doctor. Do not give any fluids to an unconscious person. Do not give sodium bicarbonate, vinegar, or fruit juices.

**If In Eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

**If On Skin:** Wash with plenty of water. Treat symptomatically. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse.

**If Inhaled:** Call a POISON CENTER/doctor or Chemtrec if person feels unwell.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

### GENERAL INFORMATION

**FS TankMax** is a concentrated compatibility agent formulated to eliminate incompatibility problems associated with tank mixing a wide range of crop protection products in water, suspension fertilizers, UAN or ATS solutions. **FS TankMax** can also demonstrate functionality as a spreader and buffering agent depending on the use rate.

### DIRECTIONS FOR USE

**FS TankMax** can be used to either prevent or correct most incompatible tank mixes.

### SHAKE WELL BEFORE USING.

NOT FOR AQUATIC USE. FOR USE WITH PESTICIDES REGISTERED FOR AGRICULTURAL, FORESTRY, INDUSTRIAL, MUNICIPAL, NON-CROPLAND, ORNAMENTAL, RIGHTS-OF-WAY, TURF AND OTHER APPROPRIATE USES.

The concentration of **FS TankMax** in the spray tank cannot exceed 30% of the total amount of formulated pesticide(s).

### USE RATES

Use 1–4 pints of **FS TankMax** per 100 gallons of spray solution to prevent antagonistic tank mixing conditions.

Use 3–6 pints of **FS TankMax** per 100 gallons of spray solution to correct tank mix incompatibilities.

### MIXING

In the absence of specific mixing instructions found on the pesticide label, fill the spray tank with at least 50% of the desired finished carrier volume. When premixing in a mixing vessel or inductor, fill with at least 20% of the desired finished carrier volume. While the carrier is agitating, add tank mix ingredients in the following order:

1. Compatibility agent and/or antifoam, if needed
2. AMS, dry formulations (WP, DF, WDG, SP), and dry drift retardants
3. Dry soluble and suspension fertilizers / micronutrients
4. Liquid drift retardants and flowable formulations (F & FL)
5. Liquid concentrates, suspension and microencapsulated (LC, SC, ME)
6. Emulsifiable concentrates (E, EL or EC)
7. Solutions and soluble liquids (S or SL)
8. Liquid micronutrients and fertilizers
9. Water conditioners and other adjuvants (COC, HSOC, MSO, NIS)
10. Finish filling to desired spray volume level and continue agitation

### STORAGE AND DISPOSAL

**Protect product from freezing.** *If product freezes, warm to room temperature and agitate before use.* Keep containers sealed when not in use. Store in original container only. Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at [www.acrecycle.org](http://www.acrecycle.org). Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

**DISCLAIMER OF WARRANTIES**—THIS PRODUCT IS SOLD AS IS. EXCEPT WHERE PROHIBITED BY LAW, GROWMARK DISCLAIMS ALL STATUTORY OR IMPLIED WARRANTIES, INCLUDING MERCHANTABILITY, NON-INFRINGEMENT, FITNESS FOR A PARTICULAR PURPOSE, AND WARRANTIES AGAINST HIDDEN AND LATENT DEFECTS. WHERE SUCH WARRANTIES CAN NOT BE DISCLAIMED, THEN ALL SUCH WARRANTIES SHALL BE LIMITED TO THE REMEDIES OF REPLACEMENT OR REFUND.

**LIMITATION OF LIABILITY**—Except to the extent prohibited by applicable law, GROWMARK shall not be liable for indirect, special, incidental or consequential damages arising from the sale or use of this product, including any lost revenues or profits, consequential and/or incidental damages, business interruption or damage to business reputation, regardless of the theory upon which any claim may be based. GROWMARK's entire liability to the purchaser shall not exceed the purchase price actually paid by the purchaser.

# S P E C I M E N L A B E L