

GRAVITY[®] L 5-0-0

with Max-In[®] Technology

Liquid Micronutrient Fertilizer

5-0-0

Guaranteed Analysis

Total Nitrogen (N).....	5.0%
5.0% Urea Nitrogen	
Magnesium (Mg)	0.5%
0.5% Water Soluble Magnesium (Mg)	
Sulfur (S)	2.4%
Boron (B).....	0.02%
0.02% Water Soluble Boron (B)	
Copper (Cu)	0.05%
0.05% Water Soluble Copper (Cu)	
Iron (Fe)	4.0%
4.0% Water Soluble Iron (Fe)	
Manganese (Mn)	0.75%
0.75% Water Soluble Manganese (Mn)	
Molybdenum (Mo)	0.0025%
0.0025% Water Soluble Molybdenum (Mo)	
Zinc (Zn).....	0.5%
0.5% Water Soluble Zinc (Zn)	

Derived from: Urea, Copper Sulfate, Ferrous Sulfate, Magnesium Sulfate, Manganese Sulfate, Zinc Sulfate, Sodium Borate and Sodium Molybdate

NOTICE: DO NOT FREEZE. STORE ABOVE 40° F.

KEEP OUT OF REACH OF CHILDREN



DANGER/PELIGRO

Causes skin irritation. Causes serious eye damage. May cause damage to organs through prolonged or repeated exposure.

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

PRECAUTIONARY STATEMENTS

Distributed and Guaranteed by:
Winfield Solutions, LLC
P.O. Box 64589
St. Paul, MN 55164-0589

WEIGHT/GALLON: 10.4 lbs/gal (4.72 kg)
NET CONTENTS: 2.5 Gallons (9.46 L)
NET WEIGHT: 26.0 lbs (11.79 kg)
1/0323/7

**WINFIELD
UNITED**

Wash hands thoroughly after handling. Wear protective gloves, eye and face protection. Do not breathe mist or vapor.

FIRST AID

IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison control center or doctor for treatment advice.

IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse.

Get medical attention if you feel unwell.

STORAGE AND DISPOSAL

Do not reuse container. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the web page at www.acrecycle.org. Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in accordance with Federal, state and local laws and regulations.

For Emergency, Spill, Leak, Fire, Exposure, or Accident, Call: CHEMTREC 1-800-424-9300

GENERAL INFORMATION

Gravity L 5-0-0 with Max-In Technology provides a full complement of micronutrients to promote healthy plant growth. **Gravity L 5-0-0 with Max-In Technology** is a liquid fertilizer specifically formulated to prevent or correct deficiencies in turf, ornamental, and horticultural applications. Each nutrient is available to the plant through foliar uptake and/or root absorption.

DO NOT APPLY NEAR WATER, STORM DRAINS, OR DRAINAGE DITCHES. DO NOT APPLY IF HEAVY RAIN IS EXPECTED. APPLY THIS PRODUCT ONLY TO YOUR LAWN/GARDEN, AND SWEEP ANY PRODUCT THAT LANDS ON THE DRIVEWAY, SIDEWALK, OR STREET, BACK ONTO YOUR LAWN/GARDEN.

CAUTION: Over-application or excessive use of boron, or use on crops other than those listed as having a boron response, can result in boron toxicity and may cause serious crop injury.

CAUTION: Crops high in Molybdenum are toxic to grazing animals. This fertilizer is to be used only on soils and or crops which respond to molybdenum.

Information regarding the contents and levels of metals in this product is available on the internet at:

<http://www.aapfco.org/metals.htm>

DIRECTIONS FOR USE:

READ ENTIRE LABEL BEFORE USING

Gravity L 5-0-0 with Max-In Technology can be mixed with most common pesticides. A jar test should be used to confirm compatibility. **Gravity L 5-0-0 with Max-In Technology** should not be mixed with strong acids as product degradation will occur and the fertilizer will precipitate.

GOLF COURSES

Gravity L 5-0-0 with Max-In Technology should be applied at 2-6 fl. oz. per 1,000 sq. ft. every 7 to 21 days as needed during the growing season. Spray volumes can range from 1 to 4 gallons per 1,000 sq. ft. for adequate coverage. **Gravity L 5-0-0 with Max-In Technology** may be used on greens, tees, fairways, roughs, and other turf areas composed of turfgrasses including, but not limited to: Bluegrass, Perennial Ryegrass, Tall Fescue, Annual Bluegrass, Bentgrass, Bahiagrass, St. Augustinegrass, Zoysiagrass, Centipedegrass, Seashore Paspalum, and Bermudagrass. For best results do not irrigate or mow until sprayed area has completely dried.

LAWNS AND OTHER TURF AREAS

Gravity L 5-0-0 with Max-In Technology should be applied at 2-4 fl oz per 1,000 sq. ft. in 3 to 5 applications per year, depending on need and the fertilization program in your region. Spray volumes can range from 1 to 4 gallons per 1,000 sq. ft. for adequate coverage. **Gravity L 5-0-0 with Max-In Technology** may be used on all turfgrasses including, but not limited to: Bluegrass, Perennial Ryegrass, Tall Fescue, Annual Bluegrass, Bentgrass, Bahiagrass, St. Augustinegrass, Zoysiagrass, Centipedegrass, Seashore Paspalum, and Bermudagrass. For best results do not irrigate or mow until sprayed area has completely dried.

BEDDING PLANTS AND PERENNIALS

Apply **Gravity L 5-0-0 with Max-In Technology** as a foliar application using a 0.5% (v/v) solution (3 fl. oz. in 5 gallons of water) thoroughly wetting the plant. Applications should occur on 10 to 21 day intervals.

TREES AND LARGE WOODY SHRUBS

Mix 1 gallon of **Gravity L 5-0-0 with Max-In Technology** per 200 gallons of water and spray to the point of runoff. For smaller quantities, use approximately 1-2 fl. oz. per 1 gallon of water. For soil drench applications use 2 to 3 fl oz in 2 gallons of water per inch of trunk DBH. Thoroughly drench area around trunk.

A number of variables influence the rate of application necessary to prevent or correct a specific deficiency. For best results, follow good agronomic practices and conduct soil and tissue tests. Additional fertility may need to be supplied from other sources. For specific recommendations for your plants, consult your state's recommendations or your local plant expert.

Spray coverage and drift control:

To optimize spray coverage or deposition, and to reduce drift, include Droplex® adjuvant.

WARRANTY DISCLAIMER

Winfield Solutions, LLC warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NOR IS ANY REPRESENTATIVE OF SELLER AUTHORIZED TO MAKE ANY SUCH WARRANTY OR MODIFY THESE TERMS. This warranty does not extend to the storage, handling or use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such storage, handling or use. Seller shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty.

Droplex®, Gravity®, and Max-In® are registered trademarks of Winfield Solutions, LLC.