

WINFIELD
UNITED
GULFSTREAM™

Spreader / Penetrant / Acidifier / Antifoaming Agent

Gulfstream™ is a low foaming, spreader-activator with buffering agents, formulated for use with insecticides, fungicides, herbicides and foliar applied nutrients.

Principal Functioning Agents:

Alkyl phenol ethoxylate, tall oil fatty acids, sodium salts of soy fatty acids, 2-butoxyethanol.....	95.5%
Constituents ineffective as spray adjuvants.....	4.5%
Total	100.0%

*All ingredients are exempt from tolerance under 40 CFR 180.

KEEP OUT OF REACH OF CHILDREN



WARNING/AVISO

Causes serious eye irritation. Causes skin irritation. Harmful if swallowed. May cause respiratory irritation.

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

PRECAUTIONARY STATEMENTS

Wash hands thoroughly after handling. Wear eye and face protection and protective gloves. Do not eat, drink or smoke when using this product. Avoid breathing mist or spray. Use only outdoors in a well-ventilated area. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Do not reuse container. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the web page at www.acrecycle.org. Triple rinse (or equivalent) during mixing and loading. Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor for treatment advice. Rinse mouth.

IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison control center or doctor for treatment advice if you feel unwell.

For Emergency, Spill, Leak, Fire, Exposure, or Accident, Call: CHEMTREC 1-800-424-9300

WA Reg. No. 1381-14001

Distributed by:
Winfield Solutions, LLC
P.O. Box 64589
St. Paul, MN 55164-0589

Net Contents

1/0304/7

**DIRECTIONS FOR USE:
READ ENTIRE LABEL BEFORE USING
For Terrestrial Use Only – Not For Aquatic Use**

PROTECT FROM FREEZING. SHAKE WELL BEFORE USE.

Gulfstream™ is designed for use on turfgrass, ornamentals, trees, exterior pests, and other non-crop areas to improve the effectiveness of insecticides, herbicides, fungicides, defoliants, and foliar nutrients. Gulfstream™ increases contact activity, reduces surface tension of spray droplets and improves spray penetration by providing more uniform spray coverage resulting in more thorough wetting of leaf surfaces and will aid in pesticide absorption by leaves. Gulfstream™ contains proprietary technology that reduces the smell of some pesticides and UV breakdown of most pesticides. Gulfstream™ contains buffering agents which lower the pH of the spray solution.

When used with pesticides which are adversely affected by low pH, such as sulfonylurea herbicides, caution should be taken not to adjust the pH of the solution below 6.5. If additional surfactant is needed to comply with the herbicide label recommendations, use a nonionic surfactant without buffering agents.

As a Spreader/Penetrant

Herbicides: Gulfstream™ use rates vary from 1 to 4 pints (unless otherwise directed) per 100 gallons of spray solution with most post emergence herbicides that recommend the use of a nonionic surfactant on the label.

Defoliants: (Use with magnesium and sodium chlorate and with chlorate/borate defoliants and herbicides.) Gulfstream™ should be applied at a rate of 2 pints per 100 gallons of dilute spray solution when application is at the rate of 10 or more gallons per acre. Use 4 pints of Gulfstream™ per 100 gallons of spray solution when the application rate is less than 10 gallons of spray solution per acre.

Insecticides, Fungicides, Miticides: Gulfstream™ may be used at a rate of ½ to 2 pints per 100 gallons of spray solution to enhance the wetting characteristics of spray solutions with an insecticide, fungicide or miticide.

Foliar Applied Nutrients: Use 2 to 8 ounces per 100 gallons of water.


APPLICATION	RATE PER 100 GALLONS
Herbicides	1 - 4 pints
Insecticides	½ - 2 pints
Fungicides	½ - 2 pints
Foliar Applied Nutrients	2 - 8 ounces
Defoliants	2 - 4 pints

In difficult wetting situations (such as hard water or mature waxy foliage), use the higher rate.

As an Acidifier: Gulfstream™ will reduce the pH of spray water.

Beginning pH	Suggested rate per 100 gallons
<8	8 – 32 fl. oz.
7 - 8	16 – 64 fl oz
8 - 9	32 – 96 fl oz

Container Use Directions



Notice of Warranty

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NOR IS ANY REPRESENTATIVE OF SELLER AUTHORIZED TO MAKE ANY SUCH WARRANTY OR MODIFY THESE TERMS. This

warranty does not extend to the storage, handling or use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such storage, handling or use. Seller shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty.

Gulfstream™ is a trademark of Winfield Solutions, LLC.