(REPAR) IMIDA-TEB GARDEN SC

Rose & Flower Care

- Controls listed insects and diseases on roses. flowers and other ornamentals
- One Quart treats up to 16 roses
- Controls Japanese beetles, borers, aphids, blackspot, powdery mildew and other listed insects & diseases

Dual Action

Insect and disease protection for 6 weeks!

No Spraying, mix and pour around base of plant.

ACTIVE INGREDIENT

Tebuconazole: alpha-[2-(4-chlorophenyl)ethyl]-alpha-(1,1-dimethylethyl)-	
1H-1,2,4-triazole-1-ethanol	0.80%
Imidacloprid	0.15%
OTHER INGREDIENTS	99.05%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN See back panel booklet for additional CAUTION

ingredients and precautionary statements

Manufactured for: **Repar Corporation** P.O. Box 4321 • Silver Spring, MD 20914 NET CONTENTS 32 FL OZ (946 ml)

EPA REG. NO.: 69361-19 EPA EST NO : 39578-TX-001

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Causes moderate eye irritation.

CAUTION

• Avoid contact with eyes or clothing.

• Wear long-sleeved shirt, long pants, shoes, socks, and gloves made of any waterproof material.

• Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco will reduce exposure.

FIRST AID		
IN CASE OF		
ACCIDENTAL	IMMEDIATELY –	
Contact	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 	
with Eyes	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye.	
	 Call a poison control center or doctor for treatment advice. 	
Note: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office bring this label to show medical personnel.		
For Medical Emergency Assistance, call the National Pesticide Information Center 1-800-858-7378.		
Active Ingredient: 0.08% Tebuconazole (CAS# 107534-96-3)		

ENVIRONMENTAL HAZARDS

• Do not apply directly to water.

• This product is highly toxic to aquatic invertebrates.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters
or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help
to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment
over the treated area will help avoid run off to water bodies or drainage systems.

PROTECTION OF POLLINATORS



APPLICATION RESTRICTIONS EXIST FOR THIS PRODUCT BECAUSE OF RISK TO BEES AND OTHER INSECT POLLINATORS. FOLLOW APPLICATION RESTRICTIONS FOUND IN THE DIRECTIONS FOR USE TO PROTECT POLLINATORS.



Look for the bee hazard icon in the Directions for Use for each application site for specific use restrictions and instructions to protect bees and other insect pollinators.

This product can kill bees and other insect pollinators.

Bees and other insect pollinators will forage on plants when they flower, shed pollen, or produce nectar.

Bees and other insect pollinators can be exposed to this pesticide from:

- Direct contact during foliar applications, or contact with residues on plant surfaces after foliar applications
- Ingestion of residues in nectar and pollen when the pesticide is applied as a seed treatment, soil, tree injection, as well as foliar applications.

When Using This Product Take Steps To:

- Minimize exposure of this product to bees and other insect pollinators when they are foraging on pollinator attractive plants around the application site.
- Minimize drift of this product on to beehives or to off-site pollinator attractive habitat. Drift of this product onto beehives or off-site to pollinator attractive habitat can result in bee kills.

Information on protecting bees and other insect pollinators may be found at the Pesticide Environmental Stewardship website at: <u>http://pesticidestewardship.org/PollinatorProtection/Pages/</u><u>default.aspx</u>.

Pesticide incidents (for example, bee kills) should immediately be reported to the state/tribal lead agency. For contact information for your state, go to: <u>www.aapco.org/officials.html</u>. Pesticide incidents should also be reported to the National Pesticide Information Center at: <u>www.npic.orst.edu</u> or directly to EPA at: <u>beekill@epa.gov</u>

DIRECTIONS FOR USE



It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply Imida-Teb Garden SC while bees are foraging. Do not apply Imida-Teb Garden SC to plants that are flowering. Only apply after all flower petals have fallen off.

FOR OUTDOOR RESIDENTIAL USE ONLY		
BEFORE	• Do not apply near lakes, streams, rivers or ponds.	
YOU USE	Do not apply to plants grown for food.	
Read and	 Do not treat plants grown in pots, flower boxes or other containers. 	
follow these	 Do not apply to soils which are water-logged or frozen. 	
directions when using	 Measuring utensils such as measuring cups and measuring spoons must not be used for any food or drinking water purposes after use with this product. 	
ном то	• Fill a bucket or watering can with the appropriate amounts of concentrate (add first) and water	
USE	(add last).	
	– <u>Single Plants</u>	
Shake Well	Slowly pour as close to the base of the plant as possible, being careful not to get on leaves.	
Before Use	– <u>Flowerbeds</u>	
	Sprinkle over the tops of the plants and cover the entire area.	
	NOTE : The Flowerbed solution is diluted with more water than the Single Plant solution to ensure safety to plant leaves when sprinkling over the top.	
	• When finished, rinse the bucket/watering can with clean water and pour onto treated area.	
HOW	Roses	
MUCH	2 fl. oz. (4 TBSP) in 1 quart of water treats 1 plant	
TO USE	Flowerbeds	
	2 fl. oz. (4 TBSP) in 2 gallons of water treats 12 sq. ft.	
	Azaleas. Camellias, Rhododendrons, and Other Shrubs	
	1 fl. oz. (2 TBSP) in 1 guart of water per foot of plant height	

INSECTS CONTROLLED	
Adelgids Aphids Black Vine Weevil Larvae Borers Flatheaded (including Bronze Birch and Alder Borers) Roundheaded (including Eucalyptus Longhorned Borers) Japanese Beetles, Adult Lace Bugs Leaf Beetles (including Elm Leaf Beetles and Viburnum Leaf Beetles) Leafhoppers (including Glassy-winged Sharpshooters)	Leafminers (including Birch Leafminers and Holly Leafminers) Mealybugs Pine Tip Moth Larvae Psyllids Royal Palm Bugs Sawfly Larvae Scales (including Armored Scale [suppression] and Soft Scale) Thrips Whiteflies

DISEASES CONTROLLED		
Diseases	Plants	
Black Spot, Powdery Mildew, Rust	Roses	
Powdery Mildew, Rust, Southern Blight	Flowers	
Black Spot, Powdery Mildew, Rust, Southern Blight	Azaleas, Camellias, Rhododendrons and Other Landscape [Ornamental] Shrubs	

HOW IMIDA-TEB GARDEN SC WORKS Water moves the product down into the root zone where it is taken up and moved into the plant. The entire plant, even new growth, is fed and protected against insects and disease. Rain or watering cannot wash off this long-lasting systemic protection.

FOR BEST RESULTS

- Begin using this product in the spring when plants are actively growing
- Reapply every 6 weeks for a total of 3 applications per year. In areas where disease occurs frequently and the soil is sandy, the application interval can be shortened to 4 - 5 weeks for a total of 4 applications per year.
- Ensure the product gets down into the rootzone by:
 - pulling mulch away from plants to be treated.
 - building a well around individual plants.
 - pouring the drench solution slowly to allow the soil to absorb it.
- Keep rose, flower, and shrub beds clean.

This minimizes harborage sites for diseases and insects (for additional cultural practices, consult your County Extension Service).



FAST FACTS		
INSECTS CONTROLLED	Roses, Flowers, Azaleas, Camellias, Rhododendrons and Other Landscape [Ornamental] Shrubs	
DISEASES CONTROLLED	Black Spot, Powdery Mildew, Rust, Southern Blight	
WHERE TO USE	Roses, flowers, iris, hibiscus, azaleas, camellias, rhododendrons and other shrubs	
WHEN TO USE	Every 6 weeks throughout the growing season (See seasonal limitations in Directions for Use.)	
COVERAGE	Treats up to 16 roses & other shrubs or 200 square feet of flowerbed (32 fl.oz.)	
æ	Questions or comments, contact Repar Corporation.	

IMPORTANT – Directions For Storage And Disposal Do not contaminate water, food or feed by storage or disposal.		
STORAGE CONDITIONS	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.	
PESTICIDE DISPOSAL	Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.	
CONTAINER DISPOSAL	If Empty: <u>Nonrefillable Container</u> : Do not refill or reuse this container. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.	

CONDITIONS OF SALE AND LIMITED WARRANTY

REPAR CORPORATION warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use herein described when used in accordance with the directions for use. The Directions For Use are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of REPAR CORPORATION (REPAR) or the SELLER. To the extent consistent with applicable law, Repar Corporation shall not be liable for the consequential, special or indirect damages resulting from the handling or use of this product. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

Except as expressly provided herein, Repar Corporation makes no warranties, guarantees, or representations of any kind, either express or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including but not limited to, merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage.