

IVC DEFOAMER

DEFOAMING AGENT • ANTIFOAMING AGENT

PRINCIPAL FUNCTIONING AGENTS:

Dimethylpolysiloxane, Silicon Dioxide 10.00%

CONSTITUENTS INEFFECTIVE AS SPRAY ADJUVANTS: 90.00%

TOTAL: 100.00%

HAZARD STATEMENTS

Causes mild skin irritation.

Causes eye irritation.

PRECAUTIONARY STATEMENTS

General:

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Prevention:

Wash hands, face and other affected areas thoroughly after handling.

Response:

Call a POISON CENTER or doctor/physician if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Wear eye protection, long sleeved shirt and long pants, shoes plus socks and chemical resistant gloves.

FIRST AID

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.

If IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye.

If ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If SWALLOWED: Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by a poison control center or doctor. DO NOT give anything by mouth to an unconscious person.

If INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.

PRODUCT INFORMATION

IVC DEFOAMER is both an excellent defoamer that quickly dissipates even stable foam structures and an efficient antifoaming agent that prevents the further formation of tank mix foam.

Use of IVC DEFOAMER will prevent foaming that can cause the loss of accurate pesticide rates through spillover during mix agitation and eliminate the regeneration of foam during field applications.

DIRECTIONS FOR USE

Follow the directions on all pesticide labels. If the pesticide does not specify the use of an antifoaming agent and a defoaming agent, follow the directions below. Use only if an antifoaming and a defoaming agent is allowed or not excluded on the label. If the user does not have experience with the mixture being applied, perform a jar test using the order and amounts in the mixture and perform a phytotoxicity test to ensure crop safety. Vigorous agitation, temperature variations and the characteristics of some actives may require an adjustment of the use rate. NOT FOR AQUATIC USE IN WASHINGTON STATE.

USE RATE

DEFOAMING: Briefly stop agitation, and squirt or sprinkle IVC DEFOAMER directly on surface foam that has already accumulated.

Add enough IVC DEFOAMER to control foaming in the solution remaining in the tank.

ANTIFOAMING: IVC DEFOAMER should not be added to a dry tank. As the tank begins to fill, add the recommended amount of the active ingredient and then add IVC DEFOAMER at a use rate of up to 2 ounces per 100 gallons of spray solution.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place, between 40 °F and 90 °F. IVC DEFOAMER will thicken in cold temperatures and will freeze below 32 °F (0 °C). Freeze and thaw cycles may cause the product to separate. Simply warm and shake the container to help restore the material to its normal consistency for each use after that. Store in original container only.

DO NOT add anything to the container. Keep container tightly sealed when not in use.

DISPOSAL: DO NOT reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal if allowed by law. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org. Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

WARRANTY

The directions for use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of INNVICTIS CROP CARE LLC or the Seller. All such risks shall be assumed by the Buyer. INNVICTIS CROP CARE LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the inherent risks referred to above. INNVICTIS CROP CARE LLC MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL INNVICTIS CROP CARE LLC OR THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. INNVICTIS CROP CARE LLC and the Seller offer this product, and the Buyer and the User accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of INNVICTIS CROP CARE LLC.

KEEP OUT OF REACH OF CHILDREN
WARNING

NET CONTENTS: 1 Qt (946 mL)

PROTECT FROM FREEZING

CA Reg. No.: 89391-50005

WA Reg. No.: 89391-15001



Distributed By:
INNVICTIS CROP CARE, LLC™
4850 Hahns Peak Drive, Suite 200
Loveland, CO 80538
855-466-8428

0630150300

28 oz.

26 oz.

24 oz.

22 oz.

20 oz.

18 oz.

16 oz.

14 oz.

12 oz.

10 oz.

8 oz.

6 oz.

4 oz.